

LIBRARY OF CONGRESS.

Chap. SF Copyright No.

Shelf .1.9

UNITED STATES OF AMERICA.



MEDOCK esastere.

.. LOVELOCK'S.

AMERICAN

Standard or ...

... Excellence

FOR.

Cattle, Sheep and Swine.





LOVELOCK'S

AMERICAN

STANDARD OF EXCELLENCE

FOR

PURE-BRED CATTLE, SHEEP AND SWINE,

BEING A COMPILATION

OF THE "SCALES OF POINTS" ADOPTED BY THE DIFFERENT PURE-BRED LIVE-STOCK BREEDERS' ASSOCIATIONS OF THE UNITED STATES.

"Every animal should be judged by the standard established by the association of the breeders of that class of animals. * * * * * No one need say that any intelligent breeder, of any class of thoroughbred animals, with the standard of characteristics and the scale of points as a chart, cannot judge fairly and profitably, animals bred for the same purpose as his."—Col. F. D_{τ} Curtis.

FRANK A. LOVELOCK, EXPERT JUDGE,
SALEM, VIRGINIA.

1893.

Entered according to Act of Congress, in the year 1893, By FRANK A. LOVELOCK, Expert Judge, Salem, Virginia, In the Office of the Librarian of Congress, at Washington.



SALEM, VA.:
THE TIMES-REGISTER BOOK AND JOB PRINT,

PREFACE.

It is now probably some ten or twelve years ago since the editor of this book first became acquainted with "The American Standard of Perfection" for poultry, a work for which his respect and admiration have steadily increased as he has witnessed year by year, at the different poultry shows throughout the country, the skillful work of intelligent expert judges, in determining the merits of competing specimens, by comparing them with the points of excellence laid down in that most reliable authority. Nor has it been only in the show room that the true worth of this perfect poultry guide has been tested, for there is not a careful breeder of pure-bred poultry in America to-day, but who turns with the same regularity for counsel and advice to his "Standard," as the Christian does to his daily guide, the holy Bible. All disputes in competition are settled by the "Standard"; prizes are won by selecting those specimens which approach nearest in excellence to the hundred points of perfection laid down in the "Standard"; buyers purchase those birds which score highest according to the "Standard": breeders mate their birds according to the requirements of the "Standard," and, inasmuch as the "Standard of Perfection" in poultry is the result of the combined experience and thought of the foremost breeders in the country, so the specimens which in excellence approximate nearest its requirements are considered the best specimens of their breed.

Seeing then, how good a thing was this "Standard of Perfec-

tion" as applied to poultry, the editor, who was formerly a breeder and exhibitor of pure-bred live-stock, often thought that a standard of excellence for pure-bred cattle, sheep and swine, if approved by the respective breeders' associations, would be equally as helpful to the thoughful breeder or judge of pure-pred livestock, as those recognized as authorities by the poultry breeders of the United States. At that time it did not occur to the editor of this book to correspond with the secretaries of the different breeders' associations, but, later, after he had commenced his career as expert judge at the Fairs, he gradually obtained the standards of excellence from the aforesaid secretaries, and soon realized that they were of inestimable value in making awards. After having studied them all carefully, the editor is of the opinion that whilst improvements could be made in a few of these, yet any one of them is a vast improvement upon the "rule of thumb" system, (?) for breeding or judging so prevalent throughout the Eastern States. Feeling, therefore, that breeders and judges of pure-bred cattle, sheep and swine would welcome a collection of these standards of excellence in one handy volume, as a guide, and for reference, education and comparison, the undersigned has, after considerable correspondence and study, obtained and systematized almost every standard of excellence ever adopted by any pure-bred live-stock association in America. He trusts that it may become to the breeders and judges of pure-bred live-stock as useful as the "Standard of Perfection" is to the countless breeders of poultry throughout the country.

The undersigned, knowing full well that he could hardly emphasize sufficiently the great need for better judging at Fairs, has taken the liberty of re-publishing from that well-known publication, "The Country Gentleman," an essay upon this topic from the facile pen of the late illustrious Col. F. D. Curtis, which appeared in that excellent weekly, and which should be read by all.

FRANK A. LOVELOCK.

SALEM, VIRGINIA.

A Reform in Judging at Fairs.

EDS. COUNTRY GENTLEMAN-A fair, to fill its full mission, should be educational. When shows simply excite wonder, and only fill gaping mouths with a passing interest, there is not much instruction about them, and very little knowledge is carried home to stimulate improvement and provoke emulation. In all needed reforms, I am not particular about the way it may be done, provided it is done. How shall fairs be made more than an attraction for sight-seeing and the pleasure of meeting each other? It may be urged that there are reasons enough for holding fairs. I grant it, for the past, perhaps, but not for the future. Agriculture must stand in the immediate future upon broader and deeper foundations. There is too big a tide against it to enable it to move with so little power. The propelling force must be stronger, to push our business along in competition with others. The fair must be made more of a factor for instruction and improvement. As now conducted, the "picking up" system of getting judges is too common. This should never be done. None but experts should ever pass upon the merits of goods or animals. By experts I do not mean cranks or ax-grinders. Such men are always out of place, where opinions are asked. There is too much warp in their make-up.

There is a class of experienced and honorable men in every trade, farmers and stock-breeders not excepted. These are the men who should be invited to do the judging, and they should be well paid for it. It is unnecessary to have three experts, as one is ample. The old style judges were generally friends of the powers that be, and while this was no disqualification, it was not an equipment for skill and judgment which specially fitted them for this important and delicate work, nor would it carry much weight with exhibitors and lookers on.

In the West, where fairs are fairs, there is a rapid tendency towards the one-judge plan, and he a man "known and read of all men" in the special line in which he is called to act. Such judging must be instructive, and far in advance of the awards made

upon the "picked up" plan. The judging at some of our State fairs, where we expect a higher grade than at a county fair, is often simply a burlesque. At a State fair recently held, one of the judges, who assumed a degree of arrogance and importance equal to several ordinary men, and wisdom superior to several ordinary owls, did not know anything about swine herd-books or standards, or requirements of associations to constitute thoroughbreds, but he "knew a good hog and one which suited him." Under the dictation and awards of such a judge the exhibitors of all breeds stood back in disgust, and let the thing run. How much could any one learn from such decisions in regard to the characteristics or qualities of any breed or the valuable and best features in breeding?


I would make the exhibit of as great practical value as possible, as this would add to the attractions of the fair. When people found out that teaching by object lessons would take place, and by noted and accepted teachers, they would flock around the rings where stock, was being judged, and the pens, to compare the points and evidences of value. To make all the lessons of the exhibition of animals merely a sight, with printed records to follow, is not the full measure of an agricultural fair of any pretensions. We must get more out of it. The wheels of time now grind too close for so small a return. My idea is that each and every exhibition, especially of live stock, should be a school of thorough object teaching, to be added to all the other and stereotyped impressions. Every animal should be judged by the standard established by the association of the breeders of that class of animals. The standard should be publicly announced, and each animal tried by it, and its superiority over another, or where it may be equal, stated orally; so that those looking on, and the breeders, may see the value of good points and learn how to distinguish them. No one should be allowed to talk back or interfere, but let the judge give reasons for his preferences, and point out the blood markings and perfect features. This kind of judging is no mere dream; its practicability has been demonstrated. This little taste of common sense in judging has made a keen appetite for a full meal. judges must not be breeders of the same kind of animals, but of other breeds bred for the same purpose. It is difficult to get experts, breeding Jerseys, for instance, who are not identified with some family of this breed, and hence, however high-minded, they


would be liable to be accused of leaning toward their favorites. The same criticism might follow with the judges of sheep or swine or horses. Let us have a new track, and see if it will not carry us smoother and better than any old rut. Take the judges for any accepted butter breed from the breeders of butter breeds—from Jerseys to judge Guernseys, Ayrshires to judge Holsteins, and beef breeds in the same way—Short-Horns to judge Herefords—following the same rule with the Polled cattle. The same mismatching should be followed with the breeds of swine, giving, for instance, the Berkshire breeder dominion over the Duroc-Jersey, and the Chester White over the Poland-China, or one judge over each class, classed as large and small—this judge being taken from a class he does not breed.

The fine wool sheep-breeders will oppose a one-judge and an outside man, the strongest, for they have a conceit that a coarse or middle-wool breeder does not know anything about Merinos. Why not? Is there any unfathomable mystery about the breeding or appearance of Merino sheep? The truth is, there ought to be a little more of the middle-wool brains in them, and would it not be a wise thing for the sheep, and the breeders also, to pass in review before the breeders of larger sheep and those bred for a double purpose? There has been too much of the one-idea, or hang-on with the breeders of Merino sheep. They want to get out of it. I should consider it a privilege to have my Merinos judged with the Merino standard by a wide-gauged, middle-wool breeder, and why not the sheep of this last class by a close-texture, fine-staple, bigdewlap, compact-body and hardy-constitution, Merino-educated eye and brain? Sheep must now, of all stock, be bred for utility, and they must stand on their merits while in the hands of the farmer. The protection, trusts and inflation will come when out of the farmer's reach. No one need say that any intelligent breeder, of any class of thoroughbred animals, with the standard of characteristics and the scale of points as a chart, cannot judge fairly and profitably animals bred for the same purpose as his. Such an objection would be a reflection on the intelligence and sound judgment of the breeder. If it may in part hold good, it is a possibility for better results, than with "pick-up" judges, or those expert in their kind, with an inevitable round of dissatisfaction on account of possible prejudice or favoritism.

Kirby Homestead, New York.

F. D. Curtis.





ABERDEEN-ANGUS CATTLE.

Standard of Excellence for Aberdeen-Ang is Cattle, as adopted by the American Aberdeen-Angus Breeders Association, Thomas McFarlane, Secretary, Harvey, Illinois.

POINTS.	1	SCA	LE	OF	P	NIC	TS	FO	RE	3 U L	L.			COUNTS.
1. Color, .														3
2. Head .														
3 Throat,														3
4. Neck, .														. 3
5. Shoulders,														6
6. Chest, .														. 10
7. Brisket,														4
8. Ribs, .														. 8
9. Back, .														10
10. Hindquarte	ers	۶,												. 8
11. Tail, .														3
12. Underline,														. 4
13. Legs, .												٠,		4
14. Flesh,														. 4
15. Skin, .														10
16. General Ap	P	eari	ince	,										10
							FEC		N,					100

When bulls are exhibited with their progeny in a separate class, add 25 counts for progeny.

DETAILED DESCRIPTION.

3.	ThroatClean, without any development of loose flesh un-	
	derneath,	;}
4.	NECK.—Of medium length, muscular, with moderate crest (which increases with age), spreading out to meet the	
	shoulders, with full neck vein,	;}
5.	ShouldersModerately oblique, well covered on the blades and top; with vertebra or backbone slightly above the scapula or shoulder-blades, which should be moderately	
	broad,	6
6	CHEST.—Wide and deep; also round and full just back of	
0.	elbows.	10
~	Brisket.—Deep and moderately projecting from between	111
٠.	the legs, and proportionately covered with flesh and fat,	4
0	RIBS.—Well sprung from the backbone, arched and deep,	4
о.		4.1
0	neatly joined to the crops and loins,	8
9.	BACKBroad and straight from crops to hooks; loins strong,	
	hook bones moderate in width, not prominent, and well	
	covered; rumps long, full, level, and rounded neatly	
	into hindquarters,	10
10.	HINDQUARTERS.—Deep and full, thighs thick and muscu-	
	lar, and in proportion to hindquarters; twist filled out	
	well in its "seam" so as to form an even wide plain be-	
	tween thighs,	8
11.	Tail.—Fine, coming neatly out of the body on a line with	
	the back and hanging at right angles to it,	3
12.	UNDERLINE.—Straight as nearly as possible, flank deep and	
	full,	4
13.	LEGSShort, straight, and squarely placed, hind legs slightly	
	inclined forward below the hocks; forearm muscular;	
	bones fine and clean,	-1
14.	Flesh.—Even and without patchiness,	4
15.	SKINOf moderate thickness and mellow touch, abundantly	
	covered with thick, soft hair. (Much of the thriftiness,	
	feeding properties, and value of the animal depend upon	
	this quality, which is of great weight in the grazier's and	
	butcher's judgment. A good "touch" will compensate	
	for some deficiencies of form. Nothing can compensate	
	for a skin hard and stiff. In raising the skin from the	
	body it should have a substantial, soft, flexible feeling,	
	and when beneath the outspread hand it should move	
	sometime the outopiction inthe 10 birourd move	

16. GENERAL A	wever, apery sk APPEARA	becomin is	nes flri object _Elegs	mer as ionabl ant, w	the a e, espe ell bre	animal cially in d, and	ripens. a a cold 10
Purity of bloc Aberdeen-Angu When bulls a add 25 counts fo	is Herd re exhib	be evi Book. ited w	denced	l by r	egistry	in the	
POINTS.	SCALE	OFP	OINTS	FOR	cow.		COUNTS.
1. Color, 2. Head, 3. Throat, 4. Neck, 5. Shoulders, 6. Chest, 7. Brisket, 8. Ribs, 9. Back, 10. Hindquarte 11. Tail, 12. Udder, 13. Underline, 14. Legs, 15. Flesh, 16. Skin, 17. General Ap.	•						2 . 10 . 3 . 3 . 6 . 10 . 8 . 3 . 8 . 4 . 3 . 3 . 10 . 5
In judging he counts to No. 17	ĩ.	it No.	12. A	dd 3	counts	to No	- 100 . 15 and 5
POINTS. 1. Color.—Bladerline, be extent,	ick. Wl	hite is e nave	object	ionabl there	only	ept on	

3.	Head.—Forehead moderately broad and slightly indented, tapering toward the nose; muzzle fine; nostrils wide and open; distance from eyes to nostrils of moderate length; eyes full, bright and expressive, indicative of good disposition; ears large, slightly rising upward and well furnished with hair; poll well defined, and without any appearance of horns or scurs; jaws clean,	10
	ders, with full neck vein,	3
5.	Shoulders.—Moderately oblique, well covered on the blades	
	and top; with vertebra or backbone slightly above the	
	scapula or shoulder-blades, which should be moderately	e
c	broad,	10
	Brisket.—Deep and moderately projecting from between	10
1.	the legs, and proportionately covered with flesh and fat, .	4
8	RIBS.—Well sprung from backbone, arched and deep, neatly	4
.0,	joined to the crops and loins,	8
9.	BACK.—Broad and straight from crops to hooks; loins	
	strong; hook bones moderate in width, not prominent, and well covered; rumps long, full, level, and rounded neatly into hindquarters,	10
10.	HINDQUARTERS.—Deep and full, thighs thick and muscular, and in proportion with hindquarters; twist filled out well in its "seam," so as to form an even wide plain be-	
4.4	tween thighs,	8
11.	TAIL.—Fine, coming neatly out of the body on a line with	
10	the back and hanging at right angles to it, UDDER.—Not fleshy, coming well forward in line with the	;}
1~.	body, and well up behind; teats squarely placed, well apart and of good size,	0
12	Underline.—Straight as nearly as possible, flank deep	8
10.	and full,	4
1.1	Legs.—Short, straight, and squarely placed, hind legs	-1
11.	slightly inclined forward below the hocks; forearm mus-	
	cular; bones fine and clean,	3
15.	FLESH.—Even and without patchiness,	3
	SKIN.—Of moderate thickness and mellow touch, abund-	9

17. General Appearance.—Elegant, well bred, and feminine.
The walk square, the step quick, and the head up, . . . ?

PERFECTION, - - - 100
Purity of blood must be evidenced by registry in the American

Aberdeen-Angus Herd Book.

In judging heifers omit No. 12. Add 3 counts to No. 15 and 5 counts to No. 17.

AYRSHIRE CATTLE.

Standard of Excellence for Ayrshire Cattle, as adopted by the Ayrshire Breeders Association, C. M. Winslow, Secretary, Brandon, Vermont, being similar to that adopted in Scotland in 1881, and changed in a few points to render them applicable to this country.

POINTS.	SCALE	OF	PC	DINTS	FOR	BULL			COUNTS.
1. Head and Ho	rns,								. 10
2. Neck, .									10
 3. Forequarters 	, .								. 7
4. Back and Ril	08, .								10
5. Hindquarters	4,								. • 10
6. Serotum, .									7
7 Legs, .									. 5
8. Skin, .									10
9. Color, .									. 3
10. Weight, .									10
11. General Appe	earance	,							. 15
12. Escutcheon,									3
			PE	RFEC	TION		-	~	- 100

The points desirable in the female are generally so in the male, but must, of course, be attended with that masculine character which is inseparable from a strong and vigorous constitution. Even a certain degree of coarseness is admissible; but then it must be so exclusively of masculine description as never to be discovered in a female of his get.

DETAILED DESCRIPTION.

POINTS.

COUNTS.

- 1. Head.—Head of the bull may be shorter than that of the cow, but the frontal bone should be broad, the muzzle of good size, throat nearly free from hanging folds; eyes full. The horns should have an upward turn, with sufficient size at the base to indicate strength of constitution, 10
- 2. Neck.—Of medium length, somewhat arched, and large in those muscles which indicate power and strength, . . . 10
- 3. Forequarters.—Shoulders close to the body, without any hollow space behind; chest broad, brisket deep and well

developed, but not too large,	
not in the same degree as in the cow; ribs well spread body deep in the flanks,	. 10
5. HINDQUARTERS.—Long, broad and straight; hip bones of apart; pelvis long, broad and straight; tail set on a l	wide evel
with the back; thighs deep and broad,	. 10
6. Scrotum.—Large with well developed teats in front, .	
7. Legs.—Short in proportion to size, joints firm. Hind	
well apart, and not to cross in walking,	. 5
8. SKIN.—Yellow, soft, elastic, and of medium thickness, 9. Color.—Red of any shade, brown or white, or a mixture	. 10
these—each color being distinctly defined,	
10. Weight.—Average live weight at maturity, about 1500	
11. GENERAL APPEARANCE—including style and movement	
12. ESCUTCHEON.—Large and fine development,	
PERFECTION,	- 100
POINTS. SCALE OF POINTS FOR COW. ,	COUNTS.
1. Head and Horns,	. 10
2. Neck, 3. Forequarters, 4. Back and Ribs,	5 5
4. Back and Ribs.	10
5. Hindquarters,	. 8
6 Udder, Milk Veins and Teats.	30
7. Legs and Bones, 8. Skin and Hair, 9. Color,	. 3 5
9. Color,	. 3
10. Weight,	8
11. General Appearance,	. 10
12. Escutcheon,	
PERFECTION,	100
DETAILED DESCRIPTION.	
POINTS.	COUNTS.
1. HEAD.—Short; forehead, wide; nose, fine between the	muz-
zle and eyes; muzzle large; eyes full and lively; h	orns
wide set on, inclining upwards,	. 10
2. NECK.—Moderately long, and straight from the head to	oide
top of the shoulder, free from loose skin on the under	side,
fine at its junction with the head, and enlarging sym	шеь-

AYRSHIRE CATTLE.

3.	rically towards the shoulders,	
4.	BACK.—Short and straight; spine, well defined, especially	.,
	at the shoulders; short ribs, arched; the body deep at	
	the flanks,	10
5.	HINDQUARTERS.—Long, broad and straight, hookbones wide	
	apart, and not overlaid with fat; thighs deep and broad;	
	tail, long, slender, and set on level with the back,	
6.	UDDER.—Capacious, and not fleshy, hindpart broad and	
	firmly attached to the body, the sole nearly level and ex-	
	tending well forward; milk veins about udder and abdo-	
	men well developed; the teats from $2\frac{1}{2}$ to 3 inches in	
	length, equal in thickness—the thickness being in propor-	
	tion to the length-hanging perpendicularly; their dis-	
	tance apart at the sides should be equal to one-third of the	
	length of the vessel, and across to about one-half of the	
	breadth,	30
7.	LEGS.—Short in proportion to size, the bones fine, the joints	
	firm,	9
8.	SKIN.—Yellow, soft and elastic, and covered with soft, close,	
	woolly hair,	
9.	Color.—Red of any shade, brown or white, or a mixture of	
	these—each color being distinctly defined,	3
10.	Weight.—Average live weight, in full milk, about 1,000 pounds,	8
11.	GENERAL APPEARANCE, including style and movement,	10
12.	ESCUTCHEON.—Large and fine development,	3
	Dannageron	100
	PERFECTION,	100

DEVON CATTLE.

Standard of Excellence for Devon-Cattle as adopted by the American Devon-Cattle Club, L. P. Sisson, Secretary, Wheeling, West Virginia.

POINTS. SCALE OF	F PC	IIA.	rs F	OF	B	ILL.				C	OUNTS.
1. Head and Horns, .											10
2. Cheek,											. 2
3. Neck,											4
4. Shoulders,							•				. 6
5. Chest,				•							10
6. Ribs, 7. Back, Loin and Rump			•		٠		٠		•		. 10
4. Back, Loin and Kump	,	٠		٠		٠				٠	. 12
8. Hindquarters,			•				•		•		. 12
10. Legs.		•		•		•		•		•	. 4
11. Skin, Color and Hair,			•				•		•		8
12. Size,											. 4
10. Legs,											8
	-							,			
	PE	RF	ECT	ION	,	-	-		-	-	100
DETAIL	En	DE	-60	1311	וזים	0.01					
POINTS.	البا سا					UIV				C	OUNTS.
1. HEAD.—Masculine, full	and	bro	ad.	tar	eri	no t	220	ard	the		
which should be fle											
muzzle broad; eye fu											
flesh-colored ring; e											
horns medium size,											
head, or slightly elev											
a darker shade,											. 10
2. CHEEK —Full and broa											
3. NECK.—Of medium leng											
head to the shoulders											
4. SHOULDERS.—Fine, fla											
4. SHOULDERS.—Fine, ha	ete i	SIO _L	иид	et.	1161	W 6-1	1 1	icai	ieu,	113	1115
strong with firm join	£8,	•	٠,		٠.	٠.	٠		•	٠	. 0
5. Chest.—Deep, broad a											
6. RIBS.—Well sprung from				-poi	ne, i	nice	lya	trel	ued,	de	_
with flanks fully dev	elop	ed,									. 10
•											

7. BACK.—Straight and le	vel fro	m the	with	ers 1	to	the	set	tin	o.
on of the tail; loin bros									
on of the tan, follows	au and	La bac	ips an	(4 3 (4)	1111/	OL I	iiicc	11 aı	90
width and on a level									
8. HINDQUARTERS.—Deep									
9. Tail.—Well set on at a	right	angle	with t	he b	ack	, to	rbei	ring	,,
with a switch of wh	ite or	roan	hair	and	$^{\rm re}$	ach	ing	; th	e
hoeks,									. 2
10. LEGS.—Short, straight	and :	sanare	ly ola	ced	wł	ien	vie	e we	d
from behind, not to	ernee o	or swe	en in	walk	ino	h	oof	we	11
formed,									
11. SKIN.—Moderately thi									
 abundant coat of ricl 									
admissible unless aro	und th	ie purs	e,						. 8
12. Size.—Minimum weigh	t at th	ree ye	ars old	1 1,4	00 1	ou	nds	,	. 4
13. GENERAL APPEARANCE	E.—As	indica	ted by	rstv	lish	an	id a	uic	k
movement, form, con									
line as nearly as poss									
back,									
	70								400
	$ \sim$ κ κ	OTTOMS	N'	-	-	_		-	100
Durity of blood must be	PERI ovidov	FECTIO	N, v raci	- istru	- in	the	. A :	-	100 rican
Purity of blood must be	PERI eviden	rectio	on, y regi	- istry	in	the	Aı	- шег	100 rican
Purity of blood must be Devon Record.	PERI eviden	EECTIO ced b	on, y regi	- istry	in	the	e Ai	- mer	100 rican
Purity of blood must be	PERI eviden	FECTIO iced b	on, y regi	- istry	in	the	e Ai	- mer	100 rican
Purity of blood must be Devon Record.	eviden	iced b	y regi	istry	in	the	e Ai	mer	100 rican
Purity of blood must be Devon Record. POINTS. SCALE C	eviden of Pol	nts F	y regi	istry W.	in	the	e A1	mer	rican
Purity of blood must be Devon Record. POINTS. SCALE C	eviden of Pol	nts F	y regi	istry W.	in	the	А	mer	rican
Purity of blood must be Devon Record. POINTS. SCALE C	eviden of Pol	nts F	y regi	istry W.	in	the	e A1	mer	rican ounts. 8
Purity of blood must be Devon Record. POINTS. SCALE C	eviden of Pol	nts F	y regi	istry W.	in	the		mer	ounts. 8 4 4 8
Purity of blood must be Devon Record. POINTS. SCALE C	eviden of Pol	nts F	y regi	istry W.	in	the	· .	mer	ounts. 8 4 4 8 8
Purity of blood must be Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back Loin and Rump.	eviden F POI	NTS F	y regi	istry W.	in	the	· .	mer	ounts. 8 4 4 8 8 16
Purity of blood must be Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back Loin and Rump.	eviden F POI	NTS F	y regi	istry W.	· in	the	· .	mer	ounts. 8 4 4 8 8 16 8
Purity of blood must be a Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump 7. Hindquarters, 8. Udder and Teats	eviden DF POI	NTS F	OR CC	ow.	· in			mer	vents. 8 4 4 8 8 16 8 20
Purity of blood must be a Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump 7. Hindquarters, 8. Udder and Teats	eviden DF POI	NTS F	OR CC	ow.	· in	the		mer	DUNTS. 8 4 4 8 8 16 8 20 2
Purity of blood must be a Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump 7. Hindquarters, 8. Udder and Teats	eviden DF POI	NTS F	OR CC	ow.	· in			mer	DUNTS. 8 4 4 8 8 16 8 20 2 4
Purity of blood must be a Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump 7. Hindquarters, 8. Udder and Teats	eviden DF POI	NTS F	OR CC	ow.	·	:		mer	DUNTS. 8 4 4 8 8 16 8 20 2 4
Purity of blood must be a Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump 7. Hindquarters, 8. Udder and Teats	eviden DF POI	NTS F	OR CC	ow.	· in		· · · · · · · · · · · · · · · · · · ·	mer	DUNTS. 8 4 4 8 8 16 8 20 2
Purity of blood must be Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back Loin and Rump.	eviden POI	NTS F	OR CC	DW.	· · · · · · · · · · · · · · · · · · ·			co	DUNTS. 8 4 4 8 8 16 8 20 2 4 8 2 2 8
Purity of blood must be a Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump 7. Hindquarters, 8. Udder and Teats	eviden POI	NTS F	OR CC	DW.	· · · · · · · · · · · · · · · · · · ·			co	DUNTS. 8 4 4 8 8 16 8 20 2 4
Purity of blood must be a Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neek, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump 7. Hindquarters, 8. Udder and Teats, 9. Tail and Switch, 10. Legs, 11. Skin, Color and Hair, 12. Size, 13. General Appearance,	PEI	NTS F	OR CC	Stry	·			co	SENTS. 8 4 4 8 8 16 8 20 2 4 8 8 2 5 100
Purity of blood must be a Devon Record. POINTS. SCALE Co. 1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump 7. Hindquarters, 8. Udder and Teats	PEI	NTS F	OR CO	DW.	· in		· · · · · · · · · · · · · · · · · · ·	co	DENTS. 8 4 4 8 8 16 8 20 2 4 8 2 8 8 100 DUNTS.

 HEAD.—Moderately long, with a broad, indented forehead, tapering considerably towards the nostrils; the nose of a

	flesh color, nostrils high and open, the jaws clean, the eye	
	bright, lively and prominent, and surrounded by a flesh	
	colored ring, throat clean, ears thin, the expression gen-	
	tle and intelligent; horns matching, spreading and	
	gracefully turned up, of waxey color, tipped with a darker	
	shade,	8
2.	NECKUpper line short fine at head, widening and deep at	
	withers and strongly set to the shoulders,	4
3.	SHOULDERS.—Fine, flat and sloping, with strong arms and	
	firm joints,	4
4.	CHEST —Deep, Broad, and somewhat circular in character,	8
	RIBSWell sprung from the back-bone, nicely arched,	
	deep, with flanks fully developed,	-8
6.	BACKStraight and level from the withers to the setting	
	on of the tail; loin broad and full; hips and rump of me-	
	dium width, and on a level with the back,	16
7.	HINDQUARTERS.—Deep, thick and square,	8
8.	UDDERNot fleshy, coming well forward in line with the	
	belly and well up behind; teats moderately large, and	
	squarely placed,	20
9.	Tail.—Well set on at a right angle with the back, tapering,	
	with a switch of white or roan hair and reaching the	
	hocks,	2
10.	LEGS.—Straight, Equarely placed when viewed from behind,	
	not to cross or sweep in walking; hoof well formed,	4
11.	SKIN.—Moderately thick and mellow, covered with an abun-	
	dant coat of rich hair of a red color; no white spot ad-	
	missible, except the udder,	8
12.	Size.—Minimum weight at three years old, 1,000 pounds,	2
13.	GENERAL APPEARANCE.—As indicated by stylish and quick	
	movement, form, constitution and vigor, and the under-	
	line as nearly as possible parallel with the line of the back,	8
	PERFECTION, '	100
F	Purity of blood must be evidenced by registry in the Americ	
	von Record	

DUTCH-BELTED CATTLE.

Standard of Excellence for Dutch-Belted Cattle, as adopted by the Dutch-Belted Cattle Association of America, H. B. Richards, Secretary, Easton, Pa.

POINTS.	SCALE	OF.	POI	NTS	FOF	RBU	JLL.			С	OUNTS.
1. Body-color											
2. Head, Muzzl											
3. Eyes and H	orns,										4
4 Neck,											6
5. Shoulders,											9
6. Barrel and 1	${ m Ribs}, .$										10
7. Hip-, Chine	and Lo	in,									10
8. Rump,											6
8. Rump, 9. Hindquarter	rs, Tail:	and	Swit	teh,							8
10. Legs, .											
11											
12. Escutcheon.											2
13. Hair and Sk	in.										3
14. Disposition,											4
15. General Con	dition.										- 6
16. Rudimentar											
]	Per	FEC'	rion	,	-	-	-	-	100

The scale of points for males shall be the same as those given for females, except that No. 11 shall be omitted, and the bull credited 10 points for size and wide-spread placing of rudimentary teats, 5 points additional for development of shoulder, and 5 additional points for perfection of belt.

POINTS. DETAILED DESCRIPTION. COUNTS. 1. Body-Color.—Black, with a clearly defined continuous white belt. The belt to be of medium width, beginning behind the shoulder and extending nearly to the hips, 13 2. Head.—Comparatively long and somewhat dishing; broad between the eyes. Poll, prominent; muzzle fine; dark

. 6

tongue,

3. Eyes.—Black, full and n						-		
their diameter, .						•	:	. 4
4. NECK.—Fine and modera					ld h	armo	nize	
symmetry with the hea				,				
5. Shoulders.—Fine at the								
they extend backward								
6. BARREL.—Large and dee								
ribs well rounded and f								
7. HIPS.—Broad and chine,								
8. Rump.—High, long and b	oroad	,						. 6
9. HINDQUARTERSLong a	ind de	eep, r	ear	line i	ncui	ving	. 'I	'ail
long, slim, tapering to	a full	lswit	ch,					. 8
10. LegsShort, clean, stan								. 3
11								
12. ESCUTCHEON —								. 2
13. HAIR Fine and soft: sk	in of	mode	rat	e thic	kne	ss. of	a r	ich
dark or yellow color,								
14. DISPOSITION.—Quiet, and								
15. GENERAL CONDITION and								
16. RUDIMENTARY TEATS.—								
rudimentary teats, .						•	-	
, .	·	•				,	•	
	PER	REECT	TOL	Ι, ·		-	-	- 100
POINTS. SCALE OF	POIN	TS F	OR	cow			(COUNTS.
1. Body-color and Belt, .								8
2. Head, Muzzle and Tongo	ue,		•			٠.	•	6
3. Eves and Horns	· .							4
4. Neck,				•				6
5. Shoulders,			٠	•			•	4
7. Hips, Chine and Loin,	•	•		•	•			$\frac{10}{10}$
			٠			٠.	٠	6
9. Hindquarters, Tail and	Swite	h,						8
10. Legs,								3
11. Udder, Teats and Mamn	nary	Veins	,			•	•	20
12. Escutcheon,	•	•		•	•			2
14. Disposition,			•			•	•	4
15. General Condition, .	-	-			-			
								6
	Peri		•	•		•	٠	100

DETAILED DESCRIPTION.

POL	NTS. COUN	TS.
1.	BODY-COLORBlack, with a clearly-defined continuous white	
	belt. The belt to be of medium width, beginning behind	
	the shoulder and extending nearly to the hips,	8
2.	HEAD.—Comparatively long and somewhat dishing; broad	
	between the eyes. Poll, prominent; muzzle, fine; dark	
	tongue,	6
8	EYESBlack, full and mild. Horns, long compared with	
	their diameter,	4
4.	NECK.—Fine and moderately thin and should harmonize in	
	symmetry with the head and shoulders,	6
5.	SHOULDERS.—Fine at the top, becoming deep and broad as	
	they extend backward and downward, with a low chest,	4
6.	BARREL.—Large and deep, with well-developed abdomen;	
	ribs well rounded and free from fat,	10
7.	HIPS.—Broad and chine, level, with full loin,	
	Rump.—High, long and broad,	
	HINDQUARTERS.—Long and deep, rearline incurving. Tail	
	long, slim, tapering to a full switch,	
10.	Legs.—Short, clean, standing well apart,	
	UDDERLarge, well-developed front and rear. Teats of	
	convenient size and wide apart; mammary veins large,	
	long and crooked, entering large orifices,	
19.	ESCUTCHEON,	
	HAIR.—Fine and soft; skin of moderate thickness of a rich	
20.	dark or yellow color,	
1.1	DISPOSITION.—Quiet and free from excessive fat,	
	· ·	6
10		
	Perfection,	100

POINTS.

GALLOWAY CATTLE.

Standard of Excellence for Galloway Cattle, compiled by L. P. Muir, Secretary of the American Galloway Breeders' Association, Independence, Mo., from a detailed description drawn up in 1883 by the Council of the Galloway Society of Great Britain. [This standard was kindly sent to me by Mr. Muir at my request, for this publication, and only to be used until the American Galloway Breeders' Association shall adopt one of their own.—Ed.]

SCALE OF POINTS FOR GALLOWAY CATTLE.

COUNTS.

2 0 221 227	OUNL	_ 0.	•	0111		, , ,	• • •	U. T. E	0			,,,,		•	_	
1. Color	r												:			3
2. Head	ł,															5
3. Eye,																$\frac{2}{2}$
4. Ear,																2
5. Neck							٠.									3
6. Body	7,															10
7. Shou	ılders,															6
8. Brea																8
9. Back	and R	ump	١,										,		•	8
10. Ribs																8
11. Loin	and Si	rloin	,													10
12. Hool	c Bone	s,														2
13. Hind	lquarte	rs,														8
14. Flan	k,															4
15. Thig	hs, .															4
16. Legs	,															4
17. Tail,																3 5
18. Skin	,															
19. Hair	,															5
					_											4.00
					P	ERF	EC	TIO	N,	-		-	-		-	100
		DE	T	AILE	ΞD	D	ES	CR	IP.	ΓΙΟΙ	٧.					
POINTS.										,					C	OUNTS.
1. Colo	R.—Bla	ck, v	vi	th a	bı	ow	nis	h ti	nge	е, .						. 3
2. HEAD																
	s, with															
3. EYE																
4. EAR	-Mode	rate:	in	leng	gtl	ı, a	$^{\mathrm{nd}}$	bro	ad,	poi	nti	ng	forv	varo	d a	nd
uny	vard w	ith fr	ir	ige (of l	ong	h	air.								. 2
cal,				-00			,	,				-				

GALLOWAY CATTLE.

5.	NECKMedium in length; clean and fitting well into the	ie –
	shoulders, the top in a line with the back in a female, an	id
	in a male naturally rising with age,	
6.	Boby.—Rounded, deep and symmetrical,	. 10
7.	SHOULDERS.—Fine and straight; moderately wide abov	e.
	Coarse shoulder points, and sharp or high shoulders a	re
	objectionable,	
8.	Breast.—Full and deep,	. 8
9.	BACK AND RUMP.—Straight,	. 8
10.	Ribs.—Deep and well sprung,	. 8
11.	LOIN AND SIRLOIN.—Well filled,	. 10
	HOOK BONES.—Not prominent,	
13.	HINDQUARTERS.—Long, moderately wide and well filled,	. 8
14.	FLANK.—Deep and full,	. 4
15.	THIGHS.—Broad, straight and well let down to book. Round	d
	ed buttocks are very objectionable,	. 4
16.	Legs.—Short and clean with fine bone,	. 4
17.	TAIL.—Well set on and moderately thick,	. 3
18.	Skin.—Mellow and moderately thick,	. 5
19.	HAIR Soft and wavy, with mossy undercoat. Wiry or cu	r-
	ly coarse hair is very objectionable,	
	Perfection,	100

GUERNSEY CATTLE.

Standard of Excellence for Guernsey Cattle, as adopted by the American Guernsey Cattle Club, W. H. Caldwell, Secretary, Peterboro, N. H., also by the Guernsey Breeders' Association, W. B. Harvey, Secretary, West Grove, Pa.—[Slightly changed in arrangement for this publication.]

POINTS.	SCALE O	F PO	INTS F	OR	BUL	L.		C	COUNTS.
1. Color of Skir 2. Handling of	n								20
2. Handling of	Skin and	Hair							10
3. Escutcheon,									8
4. Milk Veins,									6
5, 6 and 7,									
3. Escutcheon, 4. Milk Veins, 5, 6 and 7, 8. Position of	Teats.								4
9. Size of Teats	s, .								4
10. Size, .									5
11. Bone,									1
12. Barrel, .									4
13. Hips and Lo	in, .								2
14. Rump, .									2
- 15. Thighs and	Withers,						. 4		2 2 2 3
16. Back, .									3
17. Throat,									1
18. Legs,									$\frac{2}{1}$
19. T ail,									1
20. Horns, .									$\frac{2}{3}$
21. Head,									3
8. Position of ' 9. Size of Teats 10. Size, 11. Bone, 12. Barrel, 13. Hips and Lo 14. Rump, 15. Thighs and 16. Back, 17. Throat, 18. Legs, 19. Tail, 20. Horns, 21. Head, 22. General App	pearance,								2
		т	· · · · · · · · · · · · · · · · · · ·						00
		1	PERFE	CTI	ON,	-	-	-	. 82
For Bulls dedu	ict 18 cour	nts for	r udde	r, p	oint	s 5, 6	and 7.	,	
	DETA	HED	DESC	BU	PTIC	N C			
POINTS.	DEIA		0200			J14.		C	OUNTS.
1. SKIN.—Deep	yellow in	ear, o	on end	of	bon	e of	tail, a	it b	ase
of horns, or									
2. Skin.—Loose									
3. Escutcheon	.—Wide o	n this	ghs, hi	gh a	and	broac	l, with	i thi	igh
ovals, .									. 8
4. MILK VEINS	Long ar	ad pro	ominei	ıt	٠,				. 6
5. 6 and 7, .									
						•		•	. 4
8. Udder Tear	rs.—Squa	rery p	naced,						. 4

		27
		4
		1
		4
		2
		2
		1
in wa	Ikine	.)
***	.111.111.	, . ~
		1
d gen	itle ex	pres-
		2
		- 82
, 6 an	d 7.	
		COUNTS.
		$\frac{20}{10} \\ 8$
		$\begin{array}{c} 20 \\ 10 \\ 8 \\ 6 \end{array}$
		$\begin{array}{c} 20 \\ 10 \\ 8 \\ 6 \\ 6 \end{array}$
		20 10 8 6 6 8
		20 10 8 6 6 8 4
		20 10 8 6 6 8 4 4
		20 10 8 6 6 8 4 4
		20 10 8 6 6 8 4 4 4 5
		20 10 8 6 6 8 4 4
		20 10 8 6 6 8 4 4 4 5 1 4
		20 10 8 6 6 8 4 4 4 5 1 4
		20 10 8 6 6 8 4 4 4 5 1 4
		20 10 8 6 6 8 4 4 4 5 1 4 2 2 2
		20 10 8 6 6 8 4 4 4 5 1 4 2 2 2 2 3 1
		20 10 8 6 6 8 4 4 4 5 1 4 2 2 2 2 3 1
		20 10 8 6 6 8 4 4 4 5 1 4 2 2 2 2 3 1
		20 10 8 6 6 8 4 4 4 5 1 4 2 2 2 3 1
		20 10 8 6 6 8 4 4 4 4 5 1 4 2 2 2 3 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2
		20 10 8 6 6 8 4 4 4 5 1 4 2 2 2 2 3 1
	in wa	in walking.

POI	DETAILED DESCRI	PT	ON	•		c	oun	TS.
1.	SKIN.—Deep yellow, in ear, on end of	of b	one	of	tail,	at ba	ase	
	of horns, on udder, teats and bod							20
2.	SkinLoose, mellow, with fine, sof							10
	ESCUTCHEONWide on the thighs,						-	
	thigh ovals,							8
4.	MILK VEINSLong and prominent							6
	UDDERFull in front,							6
	UDDER Full and well up behind,							8
	UDDERLarge, but not fleshy,							4
8.	UDDER TEATS.—Squarely placed,							4
9.	UDDER TEATS.—Of good size,							4
10.	SIZE.—For the breed,							5
11.	BoneNot too light,							1
12.	BARRELRound and deep at flank	4						4
13.	HIPS AND LOIN Wide,							2
14.	Rump.—Long and broad,							2
15.	THIGHS AND WITHERS Thin,							2
16.	BACK.—Level to setting on of tail,							3
17.	THROAT.—Clean, with small dewlap	,						1
18.	LEGSNot too long, with hocks we	ll a	part	in y	valkir	ıg,		2
19.	TAIL.—Long and thin,							1
20.	Horns.—Curved and not coarse,							2
21.	HEAD.—Rather long and fine, with	qui	et ai	id g	entle	expr	ρg.	
	sion							3
22.	GENERAL APPEARANCE,							2
	Dependent	NY.					-	100

HEREFORD CATTLE.

In answer to an enquiry from the editor of this publication, Mr. C. R. Thomas, of Independence, Mo., the secretary of the American Hereford Cattle Breeders' Association, wrote that the association had not adopted an official standard of excellence, but advised the editor to apply for one to Mr. S. W. [Anderson, of Asbury, W. Va., who is quite a large breeder, and is considered a good Hereford judge. Acting upon the suggestion of the Secretary, the editor corresponded with Mr. Anderson, who thereupon kindly furnished the following standard of excellence for Herefords.

COINTS.					OR	НВ	ERE	FO	RD	CA	TTI	LE.		
1. Color,														
 Head, 														10
3. Horns														
4. Neck,														
5. Shoul	ders,													
6 Heart	-girth.	,												10
7. Chest.														(
8. Briske	et,													4
9. Ribs,														5
10. Back,														
11. Hinde	uarte	rs,												8
12. Tail,														
13. Under	line,													4
14. Legs.														. 4
15. Flesh.														
16. Size,														4
17. Skin,														(
				1	>erf	ect.	ian		_			_	_	100

DETAILED DESCRIPTION.

COUNTS.

1. COLOR.—In color the Hereford should invariably be a red (either light or dark), with white face, throat, chest, lower part of the body and legs, together with the crest or mane, tip of tail; and, generally a white strip along the withers,

POINTS.

2. Head.—The bull should have a good masculine head; broad between the eyes, which should be full and lively. The countenance should present a placid appearance, denoting a good temper and that quietude of disposition so essential to the successful grazing of all ruminating animals. The cow's head should be much the same, but finer. The nose should be a pure white or flesh color. The cheeks

	and throat should be full, with tongue root large and loose,	10
3.	HORNS.—The horns of the bull should be large at the butt,	
	and a good length is not objectionable. Those of the cow	
	should belong, but much smaller. The horns of either	
	should be waxey white, although they are occasionally	
	found dark at the points,	4
4.	NECK.—Short and meaty, and well set on the shoulders,	4
	Shoulders.—Deep, sloping, thick and fleshy. So beauti-	
	fully should the shoulder blades blend into the body that	
	it would be difficult to tell in a well-fed animal where	
	they are set on,	6
6.	HEART-GIRTH.—Full and deep in foreflank behind the arm;	
	full behind the shoulders without depression, and broad	
	k '	10
7.	CHEST.—Expanded, deep and full; well covered on the out-	
	side with mellow flesh,	6
8.	Brisket.—Well developed, and projecting firmly from be-	
	tween the legs; proportionately covered with flesh and fat,	4
	RIBS.—Well sprung, wide, and evenly covered with flesh, .	8
10.	BACK.—Straight and level from crops to hips, which latter	
	should be moderately broad; loin, strong, wide and deep,	12
11.	HINDQUARTERS.—Should be long from the hip back; the	
	rump forming a straight line with the back, and at a	
	right angle with the thigh, which should be full of flesh	
	down to the hocks; twist good, well filled up with flesh	
	even with the thigh,	8
	TAIL.—Well set on and falling in a plumb line to the hocks,	5
13.	Underline.—As nearly straight as possible; the flank full	
	and about on a straight line with the belly,	4
	LEGS.—Short and well apart; muscular hocks and knees, .	4
15.	FLESH.—The whole careass well and evenly covered with a	
	rich, mellow flesh,	5
16.	Size.—Minimum weight for bull at three years old, 1,800	
	pounds; minimum weight for cow at three years old,	
	1,500 pounds,	4
17.	SKIN.—The hide, thick, yet mellow, and well covered with	
	soft, glossy hair, having a tendency to curl; the hide giving the impression when you touch it that it will stretch	
	to any extent,	6
	•	
	PERFORMAN 1	OO.

THE AMERICAN HOLDERNESS CATTLE.

The Holderness is a pure-breed of cattle raised for many years by T. A. Cole, of Solsville, N. Y., and numbering several hundred head, of excellent animals, Whilst no standard of excellence has yet been adopted for them, the following description by Lewis F. Allen, author of "American Cattle," will be of interest:

"Mr. Cole calls his cattle "Holderness," a name seldom heard of at the present day; yet several specimens of such a breed of cattle were imported 50 years ago into Massachusetts, to my certain knowledge, and I believe also into this State, and Mr. Knox, from whom Mr. Cole bought his original cow, stated that she was from imported stock, but who was the importer or how long ago the importation was made, was not ascertained. In Youatt's "Cattle, their Breeds and Management," published in London in the year 1834, in which the several breeds of England are described, is mentioned the "Holderness," existing in a district of that name, in the West Riding of Yorkshire. They are noted as great milkers, a branch probably [of the ancient unimproved Shorthorns, as they resemble that breed more than any other, except in color and rotundity of form.

The imported ones of fifty years ago were usually dark red or brown on the sides, striped with white on the backs and bellies, and occasionally a little spotted, and Mr. Cole's cows much resemble them in form and size. So there can be little if any doubt of the descent of the latter from the original importations. Yet a marked change in color has been developed in Mr. Cole's herd. His original-row was light red on her sides, with white back and belly. Her first bull calf and several succeeding ones of the herd were also of these colors. But gradually they began in calfhood, and in successive years, to turn the red into black, and now the color of nearly every one of the grown cows and bulls is a dark brown or jet black and white line-back. Why the colors are so changed is a physiological secret. The fact is positive, and their intense in-and-in breeding may have set them back to the color of their long ago ancestry in Holderness."

HOLSTEIN-FRIESIAN CATTLE.

Standard of Excellence for Holstein-Friesian Cattle, as adopted by the Holstein-Friesian Association of America, F. L. Houghton, Secretary, Brattleboro, Vermont; also by the American Branch Association of the North Holland Herd Book, F. H. Beach, Secretary, No. 6 Harrison street, New York; also by the Holstein-Friesian Association of Canada, G. W. Clemens, Secretary, St. George, Ont.

SCALE OF POINTS FOR BULL.

POINTS.	SCALE	UF	701	1412	FOF	. 60	L L.		4	OUNTS.	
1. Head, .									,	2	
2. Forehead.	•		•		•		•	•		2	
								•		2	
3. Face,							•			2	
4. Ears,		•				•		•		1	
5. Eyes, .					•					9 9	
6. Horns,								•		2 5	
8. Shoulders.	•		•		•		•				
9. Chest.				•		•				4	
	•		•				•			8	
10. Crops,		•					-		*	4	
12. Barrel, .			•				٠			3	
		•		•		•		•		6	
13. Loin and Hips	, .		•		•		1			5	
14 Rump, 15. Throat, .		٠		•		•			• .	5	
16. Quarters.			•		•		•			$\frac{4}{5}$	
17. Flanks		•		٠		•		•	•		
18, Legs and Feet			•		•		•			2	
19. Tail and Swite		•		•		•		•	•	$\frac{6}{2}$	
20. Hair and Han			•		•		•		•		
21, Mammary Vei				•		•		•	1	10	
					•		•		•	10	
22. Rudimentary 23. Escutcheon,	reats,	٠		•		•		• .		2	
zo, Escutcheon,	*		•		•		4			. 0	
			Df.	ectio						100	
					,		_	-	-	100	
POINTS.	DETA	ILE:	D D	ESC	RIP	TIO	Ν.				
	0 11			,					(COUNTS.	
1. HEAD.—Showin										. 2	
2. Forehead,—Broad between the eyes; dishing, 2											
3, FACE.—Of medium length; clean and trim, especially un-											
der the eyes; the bridge of the nose straight; the muzzle											
broad, .	•			,						, 2	

	ARS.—Of medium size, of fine texture; the hair plentiful	ŧ,
1 2		
~	TES.—Large, full, mild, bright,	
	ing toward tips; oval, inclining forward; moderately	١).
2		
~	ECK.—Long, finely crested (if the animal is mature); fine	9
	and clean at juncture with the head; nearly free from	٠.
5	dewlap; strongly and smoothly joined to shoulders,	
	HOULDERSOf medium height, of medium thickness and	8.
	smoothly rounded at tops; broad and full at sides;	
4	· ·	
	HESTDeep and low; well filled and smooth in the bris-	9.
	ket; broad between the forearms; full in the foreflanks	
8	[or through at the heart],	
4	ROPS —Comparatively full, nearly level with the shoulders,	
3	HINE.—Straight; broadly developed; open,	
	ARREL -Well rounded, with large abdomen; strongly and	12.
6	trimly held up,	
	OIN AND HIPS.—Broad, level or nearly level between hook-	13.
	bones; level and strong laterally; spreading from the	
5	chine broadly and nearly level; the hook-bones fairly prominent,	
٠,	prominent, UMP.—Long, broad, high; nearly level laterally; compar	1.1
5	atively full above the thurl,	1 (.
4		15.
1	UARTERS.—Deep, broad; straight behind; wide and full	
5		
2		17.
	EGS AND FEET.—Comparatively short, clean and nearly	18.
	straight; wide apart; firmly and squarely set under the	
	body; arms wide, strong and tapering; feet of medium	
6		
	ALL AND SWITCH.—Large at base, the setting well back;	10.
	tapering finely to switch; the end of the bone reaching to	
2		/ /
	AIR AND HANDLING.—Hair healthful in appearance; fine,	ζÜ.
	soft and furry; skin of medium thickness and loose; mel-	
10	low under the hand; the secretions oily, abundant and of a rich brown or yellow color,	
τÜ	a field of own of yellow color,	

ous o	RY VEINS.—L rifices; double	ext	ensio	n; v	vith	spec	cial	l de	vel	opm	en	ts,
	as forks, branc											
	ENTARY TEAT											
23. ESCUTO	HEON.—Large	$\operatorname{st};$	finest	, .								. *8
			D									400
			PER	FEC	T10.	N,	-		-	-		- 100
POINTS.	SCALE	OF	POIN	ITS	FOR	co	w.				C	OUNTS.
1. Head,												2
2. Forehe	ead	-										2 2 2 1
3. Face,												2
4. Ears,												1
5. Eyes,												2
6. Horns.												2 2 4
7. Neck,					•		٠		•		٠	
8. Should			•	•		•				٠		3
9. Chest,		•			•		•		•		٠	$\frac{6}{2}$
10. Crops, 11, Chine,			•	•		•				•		3
12. Barrel		•	•		•		•		•		•	4
13 Loin a	nd Hips, .		•	•		• .		•		-		5
14. Rump		•			•		•		•			$\tilde{5}$
15. Thurl.			٠.	•		-		-		-		4
16. Quarte	ers,											4
17. Flanks	s,											2 5
18. Legs.												5
19. Tail,	nd Handling,											2
20. Hair a	nd Handling,											10
21. Mamm	ary Veins,	•			•				٠			10 12
	and Teats, .		•	•		•		•		•		8
23. Escute	meon, .	•					٠		•		•	
		P	ERFE	СТІ	on,	-		-	-		-	100
					3 L D 3							
POINTS.	DETAIL						•					OUNTS.
1. HEAD	-Decidedly fer	mini	ine in	ap	pear	anc	e ;	fin	e in	con	ito	ur, 2
2. Foreh	EAD.—Broad b	etw	een t	he (eyes	; di	shi	ng,				. 2
	-Of medium le											
	he eyes, showi											
												. 2
	ght; the muzz											
4. EARS.—	Of medium si	ze. c	or fine	: te	xtur	e:	th	e b	air	ple	nti	Iul

	and soft; the secretions oily and abundant,	1
5.	EYES.—Large, full, mild and bright,	2
6.	HORNS Small, tapering finely toward the tips; set	
	moderately narrow at base; oval; inclining forward;	
	well bent inward; of fine texture; in appearance, waxy,	2
7.	NECK.—Long; fine and clean at juncture with the head;	
	free from dewlap; evenly and smoothly joined to shoul-	
	ders,	4
8.	SHOULDERS.—Slightly lower than hips; fine and even over	
	tops; moderately broad and full at sides,	3
9.	CHEST.—Of moderate depth and lowness; smooth and mod-	
	erately full in the brisket; full in the foreflanks [or	
	through at the heart],	6
10.	CROPS.—Moderately full,	2
11.	CHINE.—Straight; broadly developed; open,	3
	BARREL.—Of wedge shape; well rounded; with a large ab-	-
	domen; trimly held up [in judging the last item, age	
	must be considered],	4
13.	Loins and Hips.—Broad; level, or nearly level between the	
	· hook bones; level and strong laterally; spreading from	
	chine broadly and nearly level; hook bones fairly promi-	
	nent,	5
14.	RUMPLong, high; broad, with roomy pelvis; nearly	
	level laterally; comparatively full above the thurl,	5
15.	THURL.—High; broad,	4
	QUARTERS.—Deep; straight behind; roomy in the twist;	
	wide and moderately full at the sides,	4
17.	FLANKS.—Deep; comparatively full,	2
18.	LEGS.—Comparatively short; clean and nearly straight;	
	wide apart; firmly and squarely set under the body; feet	
	of medium size, round, solid and deep,	5
19.	TAIL.—Large at base, the setting well back; tapering finely	
	to switch; the end of the bone reaching to the hocks or	
	below; the switch full,	2
20.	HAIR AND HANDLING Hair healthful in appearance; fine,	
	soft and furry; the skin of medium thickness and loose;	
	mellow under the hand; the secretions oily, abundant	
	and of a rich brown or yellow color,	10
21.	MAMMARY VEINS Very large; very crooked [age must be	
	taken into consideration in judging of size and crooked-	

22.	ness]; entering very large or numerous orifices; double extension; with special developments, such as branches, connections, etc.,	10
	of convenient size,	12
23.	ESCUTCHEON.—Largest; finest,	-8
	Danish	

JERSEY CATTLE.

Standard of Excellence for Jersey cattle, as adopted May 6th, 1885, by the American Jersey Cattle Club, J. J. Hemingway, secretary, 8 West 17th street, New York.

POINTS.	SCALE	OF	POI	NTS	FOR	BUL	L.			COUNTS.
1. Head and 2. Eyes and										. 2
3. Neck,							•		•	. 8
4. Back, 5. Loins,							•		•	. 6
6. Barrel, 7. Hip and I							٠		•	. 10
8. Legs, 9. Tail and 8	Switch.					٠.			•	. 2
10. Color and 11 and 12,	Handling	y°								5
13. Teats,								•		10
15. Disposition	n, .							•		5
16. General A	ppearanc					•		•		. 10
		P	ERI	ECT	ION,	-	-	-	-	71

The same scale of points as for cows shall be used in judging bulls, omitting Nos. 11, 12 and 14, and making due allowance for masculinity; but when bulls are exhibited with their progeny, in a separate class, add 30 counts for their progeny.

DETAILED DESCRIPTION.	COUN	ma
POINTS. 1. HEAD,—Small and lean; face dished, broad between		15.
eyes and narrow between the horns,		2
2. EYES Full and placid; horns small, crumpled, and am	ber-	
colored,		1
3. Neck.—Thin, rather long, with clean throat, and	\mathbf{not}	
heavy at the shoulders,		8
4. Back.—Level to the setting-on of the tail,		1
5. Loins.—Broad across the loins,		6

6. Barrel.—Long, hoop)ed	l, b	roa	d, a	nd (dee	ра	t th	e fla	ınk,	. 10
7. HIPS.—Wide apart; ru	ım	p le	ong	,							. 10
8. Legs.—Short, .											. 2
9. Tail.—Fine, reaching	th	e h	oek	s, 1	vith	gn	od	swi	tch,		. 1
10. Color.—Color and me	ello	owi	ness	of	hid	le:	ins	ide	of	ears	vel-
low,						,					. 5
11 and 12	•										
13. TEATS.—Rather large,											
14	•		•	٠	٠		•	•	•	•	. 5
16. GENERAL APPEARANCE			1 az		· ·		nat	i++	ion.	•	
16. GENERAL APPEARANCE	i Bi	am	1 21	րրա	iem	eo.	1150	10141	ion,	•	. 10
			PF	RF	ECT	102	ξ,	-	-	-	71
							,				
											COTTAIN
POINTS. SCALE O) F	PO	HNI	5	FOR	CC	W.				COUNTS
1. Head and Face,											2
2. Eyes and Horns,		٠				•		•		•	1
3. Neck,	•		•		٠		•		•	•	8
4. Back, 5. Loins, 6. Barrel, 7. Hips and Rump, 8. Legs,		٠		٠		•		•		٠.	6
6. Barrel	•		•		•		•		•		10
7. Hips and Rump,									.*		10
8. Legs,											2
9. Tail and Switch. 10. Color and Handling,	٠				•		•			•	1
10. Color and Handling,								•		•	5 13
11. Fore Udder, . 12. Hind Udder, .	٠		•		•		*		•	•	11
		•		•		•		•		٠.	10
14. Milk Veins,	•		•		•					,	5
15. Disposition,											5
16. General Appearance,		~								•	10
	1	Drai	D T3 T3	CUDI	TO BY				-		100
To the desired by alternative should								_	_		100
In judging heifers, omit	TA	os.	11,	1.5	anu	14.					
DETAIL	_		D = (- L I	T.C	. B.I				
POINTS. DETAIL											COUNTS
1. HEAD.—Small and lear	n;	fa	ce	dis	hed.	, b	roa	d l	etw	een	the
eyes and narrow bet	we	en	$th\epsilon$	ho	rns.						
2. EYES.—Full and placed											
colored,	- ,										, 1
3. Neck.—Thin, rather le	on.	Or KI	vitl	برمار	991)	the	∩at	. gm	d n	ot ha	avv
o. MECK.—Inn. rather R	2115	5, Y	v I UI.	i OH	-6111	0111	Jai	,	G III	50 110	. E
at shoulders, .	٠		•	٠			•	٠	•	•	

	JERSEY CATTLE.	39
4.	BACK.—Level to the setting on of tail,	. 1
5.	Loins.—Broad across the loins,	. 6
6.	BARRELLong, hooped, broad, and deep at the flank,	. 10
7.	HIPS.—Wide apart, rump long,	. 10
8.	Legs.—Short,	. 2
	Tail.—Fine, reaching the hocks with good switch,	
	Color.—Color and mellowness of hide; inside of ears	
	low,	
11.	Fore-Udder.—Full in form and not fleshy	. 13
12.	HIND-UDDER.—Full in form and well up behind,	. 11
13.	TEATS.—Rather large, wide apart, and squarely placed,	. 10
14.	MILK VEINS,—Prominent,	. 5
15.	DISPOSITION.—Quiet,	. 5
16.	General Appearance and apparent constitution, .	. 10
ī	Perfection,	100

KERRY CATTLE.

In the United States quite a number of Kerry cattle have been imported from time to time, but as there is neither a Kerry Cattle Club, nor a Kerry herd book in this country, their valuable characteristics are not as fully recognized here as they should be. The cows are good milkers for their size (some weighing only 500 pounds), giving from 10 to 29 quarts daily, and, whilst, from the case with which they are kept in a limited space, they are often called the poor man's cow, they might just as truly be termed the rich man's cow, in that they are small and handsome, and so docile that they can be easily teffered on a lawn. The following Standard of Excellence, approved by Mr. Henry S. Ambler, of Chatham, N. Y., the principal breeder of Kerry Cattle in America, may be of assistance to judges and breeders:

POINTS.	SCALE	OF	POIL	ITS	FΟ	R	KER	RY	CA"	TTL	Ξ.		CC	UNTS
1. Head, 2. Cheeks,														2
3. Throat,														1
4 Muzzle,														
5. Nostrils														
6. Horns,														
7. Ears,					•				٠				•	·)
8. Eyes, 9. Neck,						•		•				•		1;
10. Shoulde	rs.	•							•		•		•	3
·11. Chest,				•		•		•						
12. Barrel,														- 6
13. Ribs,														- 1
14. Back,15. Rump a														2
15. Rump a	nd Thig	;lı,									٠			6
16. Tail, 17. Skin an	a Hand	11		•		*				٠				
18. Udder,	d nand	ning			•								•	12
10. Udder,	•		*	•		•								
19. Teats, 20. Milk Ve	ins, .	•												8
21. Fore-leg	gs,													:3
22. Hind-les	gs, .													*)
23. Hoofs,		٠												1
24. Color,												•		5
25. Disposit	ion,	•	•		•				•		•		•	
Perfection,											- :	100		

In judging bulls and heifers, omit Nos. 18 and 20.

DETAILED DESCRIPTION.	
POINTS. COUN	
1. HEAD.—Fine and small and tapering,	2
2. CHEEKS.—Clean,	1
3. Throat.—Full, and well set,	1
4. Muzzle.—Fine, and of a rich black color,	2
5. Nostrils.—Well placed and rather open,	1
6. HornsWell sprung; smooth; rather thick at base, but	
gently tapering; white in color, with black tips,	2
7. Ears.—Small, fine, and of a fine, pink-orange color within, .	2
8. EYES.—Mild and full, but animated,	1
9. Neck.—Straight and fine; evenly and smoothly joined to	
the shoulders,	6
10. Shoulders.—The height at the shoulders should not exceed	
4 feet, though 3 feet 6 inches is more desirable,	3
11. CHEST.—Deep and broad,	6
12. BARREL.—Deep, full and well hooped,	6
13. Ribs.—Well sprung,	-1
14. BACK.—Even and straight from withers to top of hip,	2
15. Rump.—Rather narrow, long, but straight from top of hips	
· to setting on of tail. Thigh, light,	-6
16. Tail.—Long and fine,	2
17. Skin.—Of good rich orange color; loose, mellow, and cov-	
	10
18. UDDER.—Well rounded, full and capacious; in line with belly and well up behind,	12
	10
20. MILK VEINS.—Very prominent	8
21. FORE LEGS.—Short and straight; full above the knee; fine	
below,	2
	2
23. Hoofs.—Small	ĩ
24. Color.—Rich black preferable, although there are some	
very good animals black and white, and occasionally a	
few of other colors,	3 5
_	
Perfection 1	00.
In judging bulls and heifers omit Nos. 18 and 20,	
The Dexter variety is distinguished from the pure or true Ker	ry
in having a round plump body, short and rather thick levs: 1	

The Dexter variety is distinguished from the pure or true Kerry in having a round plump body, short and rather thick legs; the head is heavier and wanting in that fineness which marks the true Kerry, and the horns are longer, straighter and coarser.

RED POLLED CATTLE.

The following letters explain themselves and need no further introduction,

RED POLLED CATTLE CLUB OF AMERICA.

SECRETARY'S OFFICE, Dayton, Ohio, Sept. 22, 189 '. (

FRANK A. LOVELOCK, SALEM, VA.:

DEAR SIR: Your postal of the 20th received. No regular "scale of points" has been adopted for Red Polls. They should be judged, however, both for beef and dairy qualities, as they claim to excel in both lines.

The most desirable points are smooth, level form, much like the Devons, but larger. A deep, rich red color, without white, except the switch, and it may be a little white; a white spot on the udder. No horns or seurs; a fine head, clean throat, deep body; level rump, broad back or well rounded, and the points generally of a good beef animal.

Then for cows, a large udder and good milk veins, but not always prominent to the eye, on account of the thick, mossy coat of hair. The indications of a good milker, with smooth, compact form, fine bone, rich color, and good size are my own preference.

Very truly,

J. McLAIN SMITH, Secretary.

RED POLLED CATTLE CLUB OF AMERICA.

SECRETARY'S OFFICE,
Dayton, Ohio, July 4, 1892.

FRANK A. LOVELOCK, SALEM, VA.:

DEAR SIR—Yours of the 2nd received. The Club has not yet adopted any "scale of points," and no movement has been made

to that end. There are no changes to make in my former letter. I do not now remember just what I wrote, but I should make very emphatic the requirements of a good show for MILK. Other things being nearly equal, I should give decided preference to the cow showing best milking qualities. Where there is any claim to beef qualities, the strong tendency is to give beef the preference in a show ring. It ought not to be so with Red Polls.

Very truly,

J. McLAIN SMITH,

Secretary.

POINTS.

SHORT-HORN CATTLE.

Mr. J. H. Pickrell, of 510 East Monroe street, Springfield. Illinois, Secretary of the American Short-Horn Breeders' Association, writes the editor of this publication that his association deals primarily—with pedigrees and only incidentally with the animals, and has never made up a scale of points. The following standard of excellence, was compiled especially for this work by Col. A. M. Bowman, of Salem, Va., formerly of the firm of Palmer & Bowman (for many years owners of the largest herd of registered Short-Horns in the world), and an ex-member of the Board of Directors of the American Short horn Breeders' Association.

SCALE OF	POINTS	FOR	SHO	RT-HO	PIN C	ATTLE.	
POINTS.							COUNTS.
 Head and Face 	Э, .						. 8
2. Horns, .							
3. Neck, .							. 3
4. Heart-Girth,							8
5. Shoulders,							
6. Chest, .							
7. Brisket, .							. 4
8. Crops, .							6
9. Ribs, .							
10. Back, Loius ar	id Rump	,					12
11. Hindquarters,	Thighs a	ind T	wist,				. 10
12. Tail, .					•		2
13. Underline and	Flank,						. 4
14. Legs,							4
15. Flesh,							. 4
16. Skin, Handling	g and Ha	ir,					10
							-
		$P_{\rm E}$	RFEC'	rion,	-	-	- 100

DETAILED DESCRIPTION.

COUNTS.

- 1. Head.—Short; forehead broad, gracefully narrowing along the face toward the muzzle; face slightly concaved, but not dished; eye prominent, but with mild expression. Fine, wide, open nostrils; color of nose, yellow or nutty drab; ear should be upright, large, and not too thick, but well covered with a mossy coat of hair,
- 2. Horns.—For bull, strong, but not coarse, standing wide at the base, bending gracefully forward in an outward

	curve, and then may incline downward or upward, with waxy or creamy tint, rather than white, and no dark or black except at the tips. For the cow the same general character should prevail, except that the horn should be smaller and finer,	3
3.	NECK.—Short, well set in the shoulders and tapering to the head, running back on a level in the cow, and with a gradually rising crest in the bull; free from dewlap or	9
.{	hanging skin,	3
7.	the shoulders, without depression,	8
5.	SHOULDERS.—Broad and even at top, working backward into a level with the chine; smooth at forward points and	
	tapering gracefully to the knees,	6
6.	CHEST.—Deep, broad and full, without coarseness; a deep, broad and full chest with some coarseness, is however,	
	prefered to a narrow chest, however smooth,	8
7.	BRISKETProminent, well set forward, almost perpendicu-	
	lar in front; broad and well let down,	4
8.	Crops.—Broad and full without depression, ,	6
9,	RIBS.—Fore-ribs springing in a well rounded arch from the back-bone, long and deep; hind-ribs should spring well	
	out from the back-bone, long, deep and well set back to-	8
10.	wards the hips,	
10.	broad, full and level with the spine and hips; hips wide- spread, smooth and on a level with the spine; rump long,	
	full broad and level,	12
11.	HINDQUARTERS.—Should drop perpendicularly from the	
	points of the rump; thighs broad and full and running	
	well down to the hocks; twist broad and full and running	
	well down with a good covering of soft, silky hair,	10
12.	Tail.—Fine, strongly connected with the spine, on a straight	
	line,	2
13.	UNDERLINE.—As nearly straight as possible; flank low, full	
	and on a straight line with belly and brisket,	4
14.	LEGS.—Front legs should be fine boned and stand well apart;	
	knees round and muscular. Hind legs straight, standing well apart, with a muscular hock and a fine boned, flat	
		.1
	leg below,	-1

15. Flesh.—Firm, evenly laid on, and free from lumps or	
patches,	4
16. Skin.—Moderately thick, not so loose as to separate from	
the tissue beneath, but at the same time not tight. It	
should move easily by action of the hand, showing plenty	
of cellular tissue beneath. The touch or handling quali-	
ties should be elastic, mellow (not flabby) and springy.	
The hair should be close, long, soft, and mossy; the more	
of it the better, if of the right quality, 1	0
D	_
Perfection, 10)()

POLLED DURHAM CATTLE.

For this breed a Standard of Excellence has not yet been adopted, but for the present, that for Short-horns may be used for judging them, in conjunction with the following registry requirements, adopted by the Polled Durham Breeders' Association, J. H. Miller, Secretary, Mexico, Illinois.

- RULE 1.—Animals for registry must be at least one year old.
- RULE 2.—Cattle to be eligible to registry must be calved hornless.
- Rule 3.—Color and markings characteristic of the Short-horn.
- Rule 4.—Animals to be eligible to entry must have seventy-five per cent. or more of Short-horn blood, but where there is a remainder of blood not Short-horn, it must be in part or all of the old native Muley strain.
- Rule 5.—Produce of animals already recorded, provided they conform to rules 1, 2 and 3.
- RULE 6.—The produce of any bull in the Polled Durham Herd Book, when out of a cow registered in the Short-horn Herd Book, provided they conform to Rules 1, 2 and 3.
- Rule 7.—The produce of any cow in Polled Durham registry when by a bull recorded in the American Short-horn Herd Book, provided they conform to Rules 1, 2 and 3.
- Rule 8.—After September 4, 1893, no animal shall be registered whose ancestors are not at that time registered, except under Rules 6 and 7, with less than fifteen-sixteenths Short-horn blood, in addition to requirements of Rules 1, 2, 3, and 4.

SUSSEX CATTLE.

Standard of Excellence for Sussex Cattle, compiled from particulars furnished by Overton Lea, of Nashville, Tennessee, owner of the principal herd of Sussex Cattle in the United States, and Secretary of the American Sussex Association, and approved by him.

SCALE OF POINTS FOR SUSSEX CATTLE.

]	POINT	rs.											C	OUNTS.
		Color,												5
		Head and E		5,										10
		Neck,									•			5
		Shoulders,												6
		Chest,									•			10
		Heart-girth	١,					•						10
		Ribs,		_										. 8
		Back, Loin	and	Rum	р,									15
		Tail,												2
		Legs,												4
		Thighs,			•									6
		Skin and H	andl	ing,										8
									٠					6
	14.	General Ap	pear	ance,						•		•		5
						•								
						PERI	EC.	CION,		-	-	-	-	100

DETAILED DESCRIPTION.

COUNTS.

1. Color.—Solid red, varying from the light to the very dark red; sometimes the shades are mingled in the same animal, producing a dappled appearance. A little white about the udder is not objectionable in the cow. In both sexes, a few gray or white hairs scattered throughout the coat, sometimes so thick as to be easily noticed in spots, particularly upon the foretop, are regarded with favor rather than otherwise,

POINTS.

2. HEAD.—Decidedly neat in appearance; nose tolerably wide; muzzle bright, almost golden; thin between the nostrils and the eyes; eye rather prominent; forehead wide;

	horns long, longer in cows than in bulls; heavier than in	
	the Devon, and without the Devon's peculiar waxy color;	
	clean and transparent with age, projecting at various an-	
	gles, similar to those of the Hereford—both with the same	
	angle or curve, however, unless distorted by accident,	10
3.	Neck.—Short, strongly set on and clean,	ō
4.	SHOULDERS.—Straight and without any projection at the	
	points,	6
5.	Chest.—Wide, open and projecting forward,	10
6.	Heart-girth,—Full and deep,	10
7.	RIBS.—Broad and deep, and well sprung,	8
8.	BACK.—Straight and level from the withers to the setting	
	on of the tail; loin and entire back full of flesh; hips	
	moderately large, but well covered, with a wide space be-	
	tween, and on a level with the back; rump long and	
	slightly sloping.	15
9.	TailWell set on, and dropping perpendicularly	2
10.	Legs.—Of medium length,	4
11.	THIGHS.—Flat outside and full inside,	6
To.		
1~+	Skin.—Having a mellow touch, with soft and silky coat,	8
	SKIN.—Having a mellow touch, with soft and silky coat, SIZE.—Medium weight for bull at three years old, 2,000 pounds; same for cow at three years old, 1,500 pounds, .	
13,	Size.—Medium weight for bull at three years old, 2,000 pounds; same for cow at three years old, 1,500 pounds, .	
13,	Size.—Medium weight for bull at three years old, 2,000	6

BROWN SWISS CATTLE.

Standard of Excellence for Brown Swiss cattle, as adopted by the Brown Swiss Cattle Breeders' Association, N. S. Fish, secretary, Groton, Connecticut.

POINTS.	SCAL	E O	F PO	INTS	FOR	BO	L L.			C C	ONI	5.
1. Head,											2	
2. Face, 2. Ears, 4. Nose and To 5. Eyes, 6. Horns,											2	
3. Ears,				-							1	
4. Nose and To	ongue,								•		2	
5. Eyes,						*			•		5	
5. Horns, .			•		•				•		4	
7. Neck,	•		•					•	•			
8. Chest, 9. Back and L	oin .				•		•		٠.	•	6	
10 Rarrel	om,	•	•	•				•			8	
10. Barrel, 11. Hips and R	nino.		٠.		•		•		٠.		-1	
12. Thighs and	Quart	ers.				-					.1	
13. Legs and H	oofs.	. ,									4	
14. Tail and Sw	zitch,										-1	
15. Hide, 16. Color, .											- 3	
16. Color, .											6	
17. Hair, . 18. and 19 omitt												
18. and 19 omitt	ted for	buil	s and	l li dife	P3,						p	
2 . Teats, 21. Omitted for						•					5	
21. Omitted for	bulls:	and l	топе	rs,	•		•			٠	~	
22. Escutcheon	٩		•								4	
23. Disposition,											-	
			Pici	REECT	TON,		-	-	-	-	76	
POINTS.											DUNT	rσ
POINTS.	้อยา	CALL	ED 1	DESC	BIP.	TIO	N				JUNI	100
1. HEAD.—Med	ium si	ze a	nd ra	ther	long.	, -						2
2. FACE.—Dish												
the horns,	,											9
3. Ears.—Of a	doon		* 00	Lan wi	thin.			•				1
o. Ears.—Of a	пеер с	21111115	; e e e	!43. 4	t		1		1.			1
4. Nose.—Blac	k, squ	are,	and	with t	ne m	iout.	nst	tro	unae	ed by	a	
light, mea	1-color	ed b	and,	tongu	ie bla	ack,						2
5. Eyes.—Full	and p	lacid	١,									1

6. Horns.—Rather short, flattish	and regula	arly set	with b	laek
tips,				. 5
7. Neck.—Straight, rather long,	and not	too h	eavy a	ıt
shoulders,				. 4
8. Chest.—Broad and deep, .				. 4
9. BACK.—Level to the setting o	n of tail a	nd brow	Lacross	tlie
loin,				. 6
10. BARREL.—Hooped, broad and	acep at tu	e lidlia,		. 0
11. HIPS.—Wide apart, rump long12. THIGHS.—Wide with heavy qu13. LEGS.—Short and straight with	and broad	Ι, .		. 4
12. THIGHS.—Wide with heavy qu	arters,			. 4
13. LEGS.—Short and straight with	good ho	ofs, .		. 4
14. TAIL.—Slender, pliable, not too	o long, wit	h good	switch.	4
15. HIDE.—Thin and movable, .				. :3
16. Color.—Shades from dark b				
some seasons of the year gra				
near bag, not objectional				
back,				
17. HAIR.—Between horns light, n				
ears light (no points), .				
18.—18 and 19 omitted for bulls and	l haifars	•		•
20. TEATS.—Rather large, set well				
down	i apait ai	1(1 11(11)	4	nie ire
down,	• '•	,	*. •	
22. ESCUTCHEON.—High and broad	an Leall	isthich		. 77
23. Disposition.—Quiet and good	natured	m emen	٥, .	
P	ERFECTIO	N, -	-	- 76
POINTS. SCALE OF POIN	TS FOR C	OW.		COUNTS.
1. Head,				
9 Face		•	٠.	. 2
3. Ears				. 1
3. Ears,				2
5. Eyes,				. 1
6. Horns,				. 5
8. Chest.	•	•		. 4
9. Back and Loin,	., .			. 6
5. Eyes,				8
				4

	BROWN SWISS CATTLE.	9.1
12	. Thighs and Quarters,	4
13	Legs and Hoofs, , ,	4 4
15	Hide	3
16	. Color,	6
17	. Hair,	4.0
18	. Fore Udder,	10 10
20	. Teats.	5
2.1	. Milk Veins,	4
22	Escutcheon,	7
23	Thighs and Quarters, Legs and Hoofs, Tail and Switch, Hide, Color, Hair, Fore Udder, Hind Udder, Teats, Milk Veins, Escutcheon, Disposition,	4
	PERFECTION,	100
	DETAILED DESCRIPTION.	UNTS.
1	NTS. CO HEAD.—Medium size and rather long,	
0	FACE.—Dished; broad between the eyes and narrow between	. ~
~.	the horns,	
3.	EARS.—Of a deep orange color within,	. 1
	Nose.—Black, square, and with the mouth surrounded b	V
	a light, meal-colored band; tongue, black,	. 2
5.	EYES.—Full and placid.	. 1
6.	EYES.—Full and placid,	:K
	tips,	5
7.	NECK.—Straight, rather long and not too heavy at shou	
	ders,	. 4
	Chest.—Broad and deep,	
	BACK.—Level to the setting on of tail and broad across the	
	loins,	. 6
10.	BARREL.—Hooped, broad and deep at flank,	. 8
	HIPS.—Wide apart; rump long and broad,	
	Thighs.—Wide, with heavy quarters,	
13.	LEGS.—Short and straight, with good hoofs, Tail.—Slender, pliable, not too long, with good switch,	. 4
	HIDE.—Thin and movable,	
16.	COLOR.—Shades from dark brown to light brown, and a	
	some seasons of the year, gray; slight splashes of whit	
117	near udder not objectionable; light stripe along the back	
I'I.	HAIR—Between horns light, not reddish; hair on inside of	H
10	ears light (no points)	
10.	forward on the abdomen,	
	ioi waru on the abdomen, , , , ,	. 10

	**			-				0 11				2.6	
19.	HIND UDI	DER.—	Not to	oo de	eeply	hu	ng,	tull :	ın fo	rm a	nd w	ell	
	up behi	,											
20.	TEATS	Rather	large.	, set	mell	ара	rt a	nd - 1	ang	ings	traig	tht	
	down,												Į.
21.	MILK VEI ESCUTCHE	NS T	romii	ient	1								.1
23.	DISPOSIT	ion.—(Quiet :	and	good	lnat	ured	Ι, .					-1
				P	ERF	ECTI	on,	-	-	-	-	1	.60
_													

In judging bulls and heifers, omit Nos. 18, 19 and 21.

WEST HIGHLAND CATTLE.

Although quite a number of these picturesque and hardy little beef cattle have been sold to come to the states, there is no one at this writing who is known to be maintaining a breeding herd, but as the day is, perhaps, not far distant when there may be several herds in this country, the following detailed description is published:

The head should be beautifully proportioned to the rest of the animal; a fine head, with large tuft of hair on it; the nostrils full; the eyes large and liquid.

The horns should be lengthy, and should come level out of the head, inclining forward and upward; in the cow they should rise up with a graceful slope. Perfection in a cow's horns is of two kinds, according to taste, but some prefer them to come out level from the head, with a peculiar back-set curve and a wider sweep. In the bull the horns should be decidedly strong. The cow's horns rise sooner from the head and are a little longer, preserving their substance and rich color to the very tips.

The neck should be proportionate in length, clean below, and in cows forming a straight line from the head to the shoulders. In point of thickness it should be fully developed, and the bulls should have a crest.

The shoulders should be thick and immensely filled out downward from the point to the lower extremity of the fore-arm.

The back, from the very back of the shoulder, should have a fully rounded development; a hollow behind the shoulder is exceedingly objectionable. Across the hips there should be great breadth; while from the hips backward the quarters should have a very large development, being square betwixt the hips and the tail and betwixt the tail and the hind feet. As in the foreshoulders, the hind thighs should have an immense development.

The tail should be thick and strong, with a full bunch of hair hanging down toward the ground.

The bone, both in the fore and hind legs, should be thick, broad and straight; the hoofs large and well set on, and the legs feathered with hair. There should be great breadth betwixt the fore-

legs, and the animals should walk with great dignity of motion; indeed, unless an animal possesses this dignified style of carriage, he will have small chances of winning prizes in the show-ring.

The hair should be long, with a graceful wave in it, but a curl in it is a decided fault. The lack of wave in the hair is considered to be a great objection in many of the modern herds, though it is to be accounted for by the growing desire to make Highlanders grow big, and consequently from too careful treatment.

The whole points of the animal have to be considered in the light that he has to make a living in a bare and storm-exposed locality; that, indeed, he has to thrive where a Polled Angus or an Ayrshire would starve.

The question of thickness of skin, where fat, is one which is not left out of consideration; as in other animals, the sweetest beef being, as a rule, that under the thinnest skin. But a West Highlander with too thin a skin would not thrive well on a side of a wind-swept bill.


As a rule the color is black, but fashion now runs on yellow or light duns and on brindles. A well arranged herd should have a mixture of colors, avoiding all those which indicate unhealthy thrivers. A well marked brindle bull is; however, all things being equal, a difficult one to beat at any North British show.

It must always be borne in mind that the Highlanders are one of the most ancient breeds of cattle; that they are a combination of great hardiness with splendid quality of meat, which latter commands the highest price in the principal English markets. At all times they look by far the most noble of the bovine race, whilst their picturesque appearance makes them a handsome addition to the woodland scenery of large estates."

SHEEP

---AND---

GOATS.




How to Judge Wool On the Sheep's Back.

IN Henry Stewart's "Shepherd's Manual," page 154, will be found the following excellent advice as to how to judge wool on the sheep's back:

"To determine the evenness or uniformity of the fleece, the shoulder is first examined. Here the finest and best wool should be found. Taking this as the standard, the wool from the ribs, thigh, rump and breech is compared with it; the nearer the latter approaches this in quality, the better. If it is all equal in fineness, the fleece will be "EVEN" in regard to fineness. If the wool on all the parts mentioned is reasonably regular in length, and near to the standard in this respect, the fleece is "EVEN" as regards length of staple. The density is then tested. The hand is closed upon a portion of the rump and on the loin, and if the fleece is found to be as dense and elastic, or springy on those parts as it is at the shoulder, the fleece is "EVEN" as regards density. A perfeet fleece will be found of nearly equal fineness from the shoulder to the thigh; of nearly equal length at the shoulder, rib, thigh and back; of equal density on the shoulder and across the loins and free from any of the defects before mentioned."

In August, 1893, in a communication to the "Country Gentleman," Henry Stewart defined the positions of the different quali-

ties of wool upon the sheep, with the following illustration and explanatory notes:



"The wool from the centre of the sides, marked 1, is of the finest quality—At 2 and 3 the fleece becomes coarser and shorter, and as the breech is approached, at 4, this coarseness, and length, too, are increased. The most inferior part of the fleece is on the belly and brisket, as at 5 and 6, that on the legs, 7, being almost like hair."

CHEVIOT SHEEP.

Standard of Excellence for Cheviot Sheep, as adopted by the American Cheviot Sheep Breeders Association, R. L. Davidson, Secretary, Cooperstown, N. V.; also by the National Cheviot Sheep Society, J. A. Guilliams, Secretary, Fincastle, Indiana.

SCALE OF POI FOINTS. 1. Blood. 2. Constitution and Qual 3. Size, 4. General Appearance, 5. Body, 6. Head, 7. Neck, 8 Legs and Feet, 9 Correling	lity, .				COUNTS. 15 . 20 10 . 10 . 10 . 5 . 5
9. Covering,			٠.		10
10 Quality-of Wool, .					. 5
	PERFEC	TION,			100
1. BLOOD.—Pure bred fro Scotland,	om one of the breakt, and we thigh; do not the breakt or tish batter than 1900 pound apported state.—Good howing signature.	r moreIndicat east, and rell cover eep in t eyes, hea ck objec fully ma ds; ewer cockrams	importa- ed by through red with he flan lthful co- tionable tured, 18, 150 po 1, 125 to	the form the hear me k; skin sountenar shounds (with 150 pounds with 150 pounds mand und and und and und and und and und skin and und and und skin a	. 15 n of art; seat; soft nee; . 20 and hen ds; . 10 up;

CHEVIOT SHEEP.

5.	Body.—Well proportioned; small bone; great scale and length; well finished hindquarters; thick back and loins; standing with legs well placed outside; breast wide and prominent in front; tail wide and well covered with wool,	10
6.	HEADLong and broad, and wide between the eyes; ears	
	of medium length and erect; face white, but small black	
	spots on head and ears not objectionable; straight or	
	Roman nose, a white nose objectionable, end of nose dark	
	(but never smut nose on top with black or brown); no tuft	
	of wool on head,	10
7.	NECK Of medium length, thick and well placed on the	
	shoulders,	5
8.	LEGS AND FEET.—Short legs, well set apart; color, white;	
	no wool on legs; fore legs round, hind legs flat and	
	straight; hoofs black and well shaped,	.)
9.	COVERING,—Body and belly well covered with fleece of	
	medium length and good quality,	10
10.	QUALITY OF WOOL-Medium, such as is known in market	
	as half combing wool,	5
•		
	Perfection, 1	UU

COTSWOLD SHEEP.

Standard of Excellence for Cotswold Sheep, as adopted by the American Cotswold Association, George Harding, Secretary, Waukesha, Wisconsin.

POINTS.	SCA	LE (OF	POI	NTS	FOR	RA	W.				C	OUNTS.
1. Head, .						-							8
2 Face, .													4
a NOSLEHS													1
4. Eyes,													2
5. Ears, .													4
6 Collar and N	eck,												6
7. Shoulders,													8
8. Fore-legs,													4
9. Breast and G	irth,												10
10. Fore flank,													5
11. Back, Ribs a	nd Le	in,								٠			12
12. Belly, . 13. Quarters,													8
	-		-					-					8
14. HOCK, .													2
15. Twist, .													5
16. Fleece,									٠		•		18
			P	12 TO TO:	E CIMT	ON,							100
			1 /	BRE.	FCLI	JN,			-	-		-	200
POINTS.	DE.	ΓAI				CRIF						c	OUNTS.
			LE	D [DES	CRIF	TI	NC					OUNTS.
1. HEAD.—Not t	oo fin	e, n	LE	D [DES	CRIF	TIO	N ad	bro	oad	be	twe	ounts.
1. HEAD.—Not t	oo fin	e, n tril	LE nod s,	D I lerat but	DES ely with	crif small	rio l, ai	o N ad ort	bro	ad nick	be cap	twe	ounts. een ar-
1. HEAD.—Not t the eyes an ance, and in	oo fin id nos 1 you	e, n tril ng	LE nod s, ani	D I lerat but imal	ely with	crif small out a	PTIC l, ai l sl ver	ON ad ort ed	bro , tl	ad nick	be k ap	twe	ounts. een ar- ith
1. HEAD.—Not t the eyes an ance, and in long lustron	oo fin id nos i you is woo	e, n tril ng ol,	LE nod s, ani	D I lerat but imal	ely with s we	crif small out a ll co	rtie l, ai sl ver	o N ad aort ed	bro , tl	oad nicl erc	be cap wn	twe	ounts. een ar- ith , 8
1. HEAD.—Not t the eyes an ance, and in long lustron	oo fin id nos i you is woo	e, n tril ng ol,	LE nod s, ani	D I lerat but imal	ely with we	crif small out a ll co	rtie l, ai sl ver	o N ad aort ed	bro , tl	oad nicl erc	be cap wn	twe	ounts. een ar- ith , 8
1. HEAD.—Not to the eyes and ance, and in long lustrout.—Eithe	oo fin id nos i you is woo ir whit	e, n tril ng ol, te o	LE nod s, ani	lerat but imal	ely with we we	small out a	l, and slower	oN ad ort ed th	bro , tl on	ad nicl erc	be vap wn or	twe	een ar- ith , 8
1. Head.—Not to the eyes and ance, and in long lustrous.—Eithe dappled with	oo fin id nos i you is woo ir whit ih bro	e, n tril ng ol, te o wn	LE nod s, ani	D I lerat but imal sligh	ely with s we tly i	small out a dl co	l, ai sl ver	oN nd nort ed th	bro , tl on gra	oad nick erc	be val own or	twe	een ar- ith , 8 ite , 4
1. HEAD.—Not the eyes are ance, and in long lustrons.—Either dappled with 3. Nostrils.—W	oo fin id nos i you is woo r whit ch bro Vide a	e, n tril ng ol, te o wn	LE noc s, ani or s , exp	D I lerat but imal sligh	ely with s we tly i	small out a ll co	l, and sleep l with	on nd nort ed th	bro , tl on gra	oad nick erc	be cap own or	twe	een ar- ith . 8 ite . 4
1. HEAD.—Not the eyes are ance, and in long lustrous. FACE.—Either dappled with 3. Nostrils.—W4. Eyes.—Promise	oo fin ad nos a you as woo r whit bh bro Vide a	e, n tril ng ol, te o wn nd but	LE nod s, ani er s	lerate but imal imal sligh	ely with s we tly 1 led. look	small out a dl co	l, ai t sl ver l wi	on ad aort ed th	bro , tl on gra	oad nick ero ay,	be cap own or	twe	ounts. een ar- ith , 8 ite . 4 . 1
1. HEAD.—Not the eyes are ance, and in long lustrous. FACE.—Either dappled with 3. Nostrils.—W4. Eyes.—Promise	oo fin ad nos a you as woo r whit bh bro Vide a	e, n tril ng ol, te o wn nd but	LE nod s, ani er s	lerate but imal imal sligh	ely with s we tly 1 led. look	small out a dl co	l, ai t sl ver l wi	on ad aort ed th	bro , tl on gra	oad nick ero ay,	be cap own or	twe	ounts. een ar- ith , 8 ite . 4 . 1
 HEAD.—Not the eyes are ance, and in long lustrons FACE.—Either dappled with the eyes.—Volume of the eyes are ance, and in long lustrons FACE.—Either dappled with the eyes.—Volume of the eyes ance ance ance ance ance ance ance ance	oo fin id nos i you is woo r whit th bro Vide a inent , long	e, n tril ng ol, te o wn nd but	LE nodes, ani exp	lerate but imal imal imal imal imal imal imal imal	cely with s we the thing in the the thing in	small out a dl co . nixed . Nos ing, hin a	l, ai sl ver	od norted ith ark	bro , tl on gra	oad niel erc	be cap own or	twe	ounts. een ar- ith , 8 ite . 4 . 1 , 2
1. HEAD.—Not the eyes an ance, and in long lustron 2. FACE.—Eithe dappled wit 3. NOSTRILS.—W 4. EYES.—Promi 5. EARS.—Broad hair,	oo fin ad nos n you ns woo r whit ch bro Vide a inent , long	e, u tril ng ol, te o wn nd but	LE noces, ani r s exp	lerate but imal	cely with s we tly r led. look	small out a dil co	ortic	nd norted oth th ark	bron gra	pad piek erc ay,	be vapown or	twee	ounts. een ar- ith , 8 ite , 4 , 1 , 2 ort
 HEAD.—Not the eyes are ance, and in long lustrons.—Either dappled with the eyes.—Promiss.—Wass.—Promiss.—Broadhair, Collar.—Full 	oo fin ad nos a you as woo r white h bro Vide a inent , long	e, notrill ng ol, te o wn but	LE modes, and sexpose needs to be considered to be consid	lerate but imal imal imal imal imal imal imal imal	tly ited.	small out a ll conixed . Nos ing, hin a	l, an sl ver	on ad northed the ark	bron gra	oad order ay,	be appearance or a state of the	tweeppe	ounts. een ar- ith , 8 ite . 4 . 1 , 2 ort . 4 ad-
 HEAD.—Not the eyes an ance, and in long lustron FACE.—Either dappled with the eyes.—Promistive Ears.—Broadhair, . COLLAR.—Fulually all the 	oo fin id nos in you was woo r white h bro Vide a finent, long	e, n tril ng ol, te o wn nd but ;, m	LE nod s, exp nod orea wh	lerate but imal imal imal imal imal imal imal imal	cely with s we tly i led. look ely the	small out a dil co nixed Nos ing, hin a shoul neck	l, a sl ver	on norted a tth ark	bron grander g	ay,	be vapown or ith	twee	ounts. een ar- ith , 8 ite . 4 . 1 , 2 ort . 4 ad-
 HEAD.—Not the eyes are ance, and in long lustrons.—Either dappled with the eyes.—Promiss.—Wass.—Promiss.—Broadhair, Collar.—Full 	oo fin id nos in you was woo r white h bro Vide a finent, long	e, n tril ng ol, te o wn nd but ;, m	LE nod s, exp nod orea wh	lerate but imal imal imal imal imal imal imal imal	cely with s we tly i led. look ely the	small out a dil co nixed Nos ing, hin a shoul neck	l, a sl ver	on norted a tth ark	bron grander g	ay,	be vapown or ith	twee	ounts. een ar- ith , 8 ite . 4 . 1 , 2 ort . 4 ad-

COTSWOLD SHEEP.

stitutional vigor, and 7. Shoulders.—Broad a									
ually to the collar fo									
leave the least hollo									
8. Fore-legs.—The mut									
come quite to the									
bone—being clear fro									
lock, and may be mit 9. Breast.—Broad and	rea w	enn ş	21367	, 1.	٠.	* 4.1	. 1		. 4
apart. Girth or ches	st IIII	Lanc	i de	ep,					. 10
10. FORE-FLANK.—Quite f	ull,	notes	nov	ving	; holl	OW	behi	nd t	Į10
shoulder,						٠			. 5
shoulder, 11. BACK AND LOIN.—Bros	ic', fI	it ai	ads	trai	ght.	fra	n wh	ich t	lie
ribs must spring with	a a fir	ne ci	ren	lar i	arch,				. 12
12. Belly.—Straight on u	nderl	ine,							. :)
13. QUARTERS Long and									
hoek,									
14. Hock.—Should stand I	noithe	ar in	1102	0!1	į.				9
15. Twist.—Twist or june	ion i	neid.	a th	0 +h	doba			1., .,	
full, which, with a k	mon d	1.00	5 (H	e 11.	ngas Hasa	. u c	i wa	are ar	nu on
and upright,			•		•	٠.	*	•	. 0
16.—FLEECE.—The whole									
lustrous wool, .									. 18
	1)	. 13137		3.7					100
	1111	FEL	110	29.9	-	-	-	-	100
			_						
POINTS. SCALE	OF PC	TMIC	SF	OR	EWE			CC	OUNTS.
1. Head,									8
2. Face,						:			4
3. Nostrils, . ,	•				•				1
4. Eyes,			٠			•			2 4
6 Collar and Neck		٠		•			•		5
7. Shoulders.			•			•			s
8. Fore-legs,	٠.								4
1. Head, 2. Face, 3. Nostrils, 4. Eyes, 5. Ears, 6. Collar and Neck, 7. Shoulders, 8. Fore-legs, 9. Breast and Girth, 10. Fore-flank, 11. Back, Ribs and Loin, 12 Belly,									10
10. Fore-flank,									4
II. Back, Ribs and Loin,				٠				•	$\frac{12}{5}$
12 Delly,			•			٠			9 8
12 Belly,	•						•		
					-				

15. Twist,	
PERFECTION, 100	
DETAILED DESCRIPTION.	
POINTS. COUNTS.	
1. Head.—Moderately fine, broad between the eyes and nos-	
trils, but without a short, thick appearance, and well cov-	
ered on crown with long, lustrous wool, 8	
2. FACE.—Either white or slightly mixed with gray, or white	
dappled with brown,	
3. Nostries.—Wide and expanded; nose, dark,	
4. Eyes.—Prominent, but mild looking,	
5. Ears.—Broad, long, moderately thin, and covered with	
short hair,	
6. Colmar.—Full from breast and shoulders, tapering gradu-	
ally all the way to where the neck and head join; the	
neck should be fine and graceful, and free from coarse	
and loose skin,)
7. SHOULDERS.—Broad and full, and at the same time join so	
gradually to the collar forward and chine backward, as	
not to leave the least hollow in either place,)
8. Fore-legs.—The mutton on the arm or fore thigh should	
come quite to the knee; leg upright, with heavy bone,	
being clear from superfluous skin, with wool to fetlock,	
and may be mixed with gray,	
9. Breast.—Broad and well forward, keeping the legs wide	
apart; girth or chest full and deep,)
10. FORE-FLANK.—Quite full, not showing hollow behind the	
shoulder,	
11. BACK AND LOIN.—Broad, flat and straight, from which the	
ribs must spring with a fine circular arch,	
13. QUARTERS - Long and full with mutton quite down to the	,
hoek,	
14. Hock.—Should stand neither in nor out,	?
full, which, with a broad breast, will keep the legs open	
and upright.	5
16. FLEECE.—The whole body should be covered with long,	
lustrous wool,	5
Perfection, 100)

DORSET-HORN SHEEP.

Standard of Excellence for Dorset-Horn Sheep, as adopted by the Dorset-Horn Sheep Breeders' Association, of America, M. A. Cooper, Secretary, Washington, Pennsylvania.

Pennsylvania.	
SCALE OF POINTS FOR DORSET-HORN SHEEP.	
POINTS.	(OUNTS
1. General Appearance,	20
2. Chest and Brisket,	10
3. Back and Ribs,	15
4. Quarters and Legs,	10
5. Color of Legs and Hoofs,	õ
6. Head and Face, .	5
7. Neck,	. õ
8. Horn,	10
9. Foretop and Belly Covering,	743
1. General Appearance,	1()
Perfection,	100
DETAILED DESCRIPTION.	
POINTS.	COUNTS.
1. GENERAL APPEARANCE,—Head well up, eyes bright	and
alert, and standing square on legs,	
2. CHEST AND BRISKET.—Broad full chest, brisket wen	loc.
2. CHEST AND DRISKEL.—Droad little chest, Mande wen	10
ward,	. 10
3. BACK AND RIBS.—Broad straight back, with well sp	all Hilliam
ribs,	15
4. Quarters and LEGSHeavy square quarters set on s	hort,
straight legs, well apart,	10
5. Color of Legs.—Legs white, with small light co	Land
5. Color of Legs.—Legs white, with small light co	10160
hoof, 6. HEAD AND FACE.—Head small, face white, nostrils well	()
6. HEAD AND FACE.—Head small, face white, nostrus wer	1 G7
panded, nose and lips pink in color, 7. NECK.—Neck short and round, set well on shoulders,	
7. NECK.—Neck short and round, set well on shoulders,	
8. HORN.—Horn neat, curving forward, and light in color 9. FORETOP AND BELLY COVERING.—Good foretop and	, wall
9. FORETOP AND DELLY COVERING,—Good foretop and	• 10
covered on belly and legs, 10. Wool.—Wool of medium quality and good weight, pre-	sout-
ing an even, smooth, white surface,	. 10
Perfection	- 100

HAMPSHIREDOWN SHEEP.

Standard of Excellence for Hampshiredown Sheep, as adopted by the Hampshiredown Breeders' Association of America, John I. Gordon, Sceretary, Mercer, Pa. [Slightly changed in arrangement for this publication].

SCALE OF POINTS FOR HAMPSHIREDOWN SHEEP.

SCALE OF POINTS FOR FIAMITS HIREDOWN SH		
POINTS.		COUNTS.
1. Head, 2. Ears and Eyes, 3. Color of Head and Legs,		. 5
2. Ears and Eyes.		3
3 Color of Head and Legs,		. 4
d. Legs,		8
5. Neck,		5
6. Shoulders		10
4. Legs,		. 15
8. Back and Loin,	• .	20
o. Quarters,		
10. Wool,		10
1)		400
Perfection, -		100
DETAILED DESCRIPTION.		
POINTS.		COUNTS.
1. Head.—Moderately large but not coarse; well cover	ered	with
wool on forehead and cheeks; nostrils wide, .		. 5
2. Ears and Eyes.—Ears moderately long and thin,		
brown or black color; eyes prominent and lustro		
3. Color of Head and Legs.—Dark brown or black,		. 4
4. Legs.—Well under outside of body; straight, with	good	size
of bone; black,		
		. 3
5 NECK - A regular to par from shoulders to hard wit	hout	. 3
5. Neck.—A regular taper from shoulders to head, wit	hout	any
5. Neck.—A regular taper from shoulders to head, wit hollow in front of shoulders; set high up on bod	hout y, .	any . 5
 5. Neck.—A regular taper from shoulders to head, with hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher than 	hout y, . i the	any . 5 line
 5. Neck.—A regular taper from shoulders to head, with hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher than 	hout y, . i the	any . 5 line
 5. Neck.—A regular taper from shoulders to head, wit hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher than of back and neck, 	hout y, . i the	any . 5 line . 10
 5. Neck.—A regular taper from shoulders to head, wit hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher than of back and neck, 7. Chest.—Deep and full in the heart place, with 	hout y, . I the h bi	any . 5 line . 10 reast
 5. Neck.—A regular taper from shoulders to head, with hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher than of back and neck, 7. Chest.—Deep and full in the heart place, with prominent and full, 	hout y, . I the h bi	any . 5 line . 10 reast . 15
 5. Neck.—A regular taper from shoulders to head, with hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher that of back and neck, 7. Chest.—Deep and full in the heart place, with prominent and full, 8. Back and Loin.—Back, straight with full spring 	hout y, . the h bi g of	any . 5 line . 10 reast . 15
 5. Neck.—A regular taper from shoulders to head, with hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher than of back and neck, 7. Chest.—Deep and full in the heart place, with prominent and full, 	hout y, . the h bi g of	any . 5 line . 10 reast . 15
 5. Neck.—A regular taper from shoulders to head, with hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher that of back and neck, 7. Chest.—Deep and full in the heart place, with prominent and full; 8. Back and Loin.—Back, straight with full spring loin, wide and straight, without depression in 	hout y, n the h bi g of from	any . 5 line . 10 reast . 15 rib; at of
 5. Neck.—A regular taper from shoulders to head, with hollow in front of shoulders; set high up on bod 6. Shoulders.—Sloping; full, and not higher that of back and neck, 7. Chest.—Deep and full in the heart place, with prominent and full, 8. Back and Loin.—Back, straight with full spring 	hout y, n the h bi c of from	any . 5 line . 10 reast . 15 rib; at of . 20

HAMPSHIREDOWN SHEEP.

	deep in the thigh,	1	.0.	Broa	ad in	hips	and	rum	ıp,
	with full hams, 10.	Inside	e of	thig	hs fu	ıll, .	. 5,		. 25
10.	WOOLForehead and ch	eeks,			2.	Bell	y we	ll co)γ-
	ered, 3. Quality	7, .		5,					. 10
		$\mathbf{P}\mathbf{E}$	RFE	CTIO	N,	-	-	-	100

HIGHLAND BLACK-FACED SHEEP.

Whilst quite a number of these hardy little sheep have been brought to the United States, there has not so far been formed any Association of Breeders of them similar to those who watch the interests of other breeds. The following description from Henry Stewart's "Shepherd's Manual" will therefore serve, at present, in place of a "Standard of Excellence":

They are a horned breed, the horns of the ram being massive, and spirally curved. The face is black, with a thick muzzle; the eye is bright and wild; the body square and compact, with good quarters and a broad saddle. They are very muscular and active, and remarkably hardy, able to endure the privations incident to a life of continual exposure upon bleak and storm-beaten mountains. Only the heaviest snow-drifts, followed by thawing, freezing and crusting of snow, overcome them. The mutton of this breed is of peculiarly fine flavor, and the saddles are in great request. The carcass weighs about 65 pounds, and the fleece averages about 3 pounds of washed wool. The breed improves easily under the care of a judicious breeder, but the natural qualities of this sheep are such that it is fitted for a place where no others would profitably thrive, and a change in its character that would cause it to lose this quality would unfit it for its position, and deprive it of its chief value. How vast the room in our exposed mountain localities, or on our unsheltered northern plains for such a sheep as this; a race hardy and self-dependent, and that would produce choice mutton, and a fleece well adapted for rural manufactures of coarse cloths, carpets, blankets and rugs."

LEICESTER SHEEP.

A Standard of Excellence for Leicester Sheep has not yet been compiled in the United States, but the following description of the breed is taken from Vol. I. of the American Leicester Record, published in 1893, by The American Leicester Breeders' Association, A. J. Temple, Secretary. Cameron, Illinois.

"The Leicester has been bred in Scotland and the border counties of England for more than a century and consequently is not a "fleeting thing of a day," but a distinct breed, and for purity of breeding can compare favorably with any other breed of sheep. They are becoming more popular each year in the United States and Canada. One point of their popularity being the ready sale of rams at good prices for use in crossing on other breeds to produce early lambs for the market. The Leicesters mature very early and are of a good size; the rams weighing 250 to 300 pounds, and the ewes 200 to 250 pounds each, fine bone and very little offal, making them a profitable animal for market as well as for wool. The average weight of fleece is 10 to 15 pounds. Wool, 10 to 12 inches long, glossy, of firm fibre, and is conceded to be the best species of long or combing wool.

In appearance the Leicester is a fine looking animal, white in the face, eyes clear and prominent, ears well set and free from blue. Sometimes black spots appear on the ears, but are considered no disadvantage. The neck is set well into the shoulder, full and broad at the base; the shoulders deep and wide, breast full and broad and no uneven or angular formation where the shoulder joins the neck or back; deep in flank, quarters long and square. The legs are bare, being covered with hair rather than wool, and stand wide apart with no looseness of skin on them, bone fine and hard, legs of moderate length; straight on back and broad, light in the belly, nearly as straight below as above (showing light offal), noble bearing, style and action, and the best appearing of any of the long wooled breeds."

LINCOLN SHEEP.

Standard of Excellence for Lincoln Sheep, as adopted by The National Lincoln Sheep Breeders' Association, H. A. Daniels, Secretary, Elva, Michigan.

	SCALE	OF POI	NTS	FOR	LINC	OL	I SI	HEE	P.		
POINTS.										(COUNTS.
1. Const	itution,										25
2. Size,											10
3. Appea											10
4. Body,											15
5. Head,		•							•		.10
6. Neck,			•	•			٠			. •	5 10
7. Legs,		•			•	•		•			10
8. Fleece	e, ty of Woo	1	•	•	•		•			٠	5
o. Quam	Ly OI WOO	1, .			•			•	•		
			PEI	REEC	TION		_		_*,	_	100
						,					
	DE	TAILE	. р. г	FSC	BIP	TIO	N				
POINTS.		IAILL		, (,,,,,	110	•			(COUNTS.
	ITUTION.— fu!l in the										
a pir	nk color,					٠.					. 25
2. SIZE.	-Matured	rams n	ot les	s th	an 250) poi	and	s wh	en in	gc	ood
cond	ition. Ma	atured	ewes	not	less t	han	200	pou	nds,		. 10
3. APPEA	RANCE	Good e	arria.	ge ai	nd svi	mme	trv	of f	orm.		. 10
	-Well pro				_		-				
	quarters;	•	,								
	_	_		-		_					
), . ,										
5. HEAD.	-Should	be cove	ered v	with	wool	to	the	ear	s; ey	es	ex-
press	sive; ears	fair le	ngth	; dot	ted o	r me	ottle	ed ir	a colc	r,	. 10
6. NECK	-Medium	length	; goo	od m	uscle	: we	ll se	et or	a bod	v.	. 5
	-Broad an		,							-	ite.
	some brow										
		L spoi	us ut	, 1101	uisc	1 uai	y ,	11 0	oreu		. 10
knee	·s, •	•	•					•	•	•	. 10

LINCOLN SHEEP.

8	. FLEECEOf even length and quality	, ,	ove	r bo	dy; i	not	less	3	
	than eight inches long for one year's								0
9	. QUALITY OF WOOL.—Rather fine, long	g	wo	ol;	stron	g,	lus	-	
	trous fiber; no tendency to cot, .					٠		. :	5
	PERFECTION,		-	-	-	-	-	10	0

[The American Lincoln Breeders' Association, of which Lyman C. Graham, of Cameron, Illinois, is secretary, has not yet adopted a "Standard of Excellence."—Ed.]

American Rambouillet Merino Sheep.

Mr. L. G. Townsend, of Ionia, Michigan, Secretary of the American Rambouillet Sheep Breeders' Association, writes the editor that a committee of breeders of this valuable breed is preparing a scale of points and standard of excellence for adoption by the association, and that it will probably be ready in a few months.— In the meantime, the following description, published in the American Rambouillet Record, from the pen of Mr. Thomas Wyckoff, a prominent breeder, and one of the Board of Directors of the association, will be a safe guide:

CHARACTERISTICS OF RAMBOUILLET SHEEP AND THEIR WOOL.

AMERICAN RAMBOUILLET SHEEP should have large frame, large, strong bone, well rounded and symmetrical bodies, well up on legs, bright pink skin, always plain and free from wrinkles. Broad head, bright eyes, quick movement, broad backs and broad chests are indispensable.

These sheep have long been noted as a mutton sheep, their fine juicy flesh having no superior.

They are noted for their early maturity and quick-feeding properties, being fully equal to the down breeds in this respect.

The rams are usually well horned, but not always, and weigh at maturity from 175 to 250 pounds.

The ewes are noted as good mothers, heavy milkers, one-half usually producing twins. They weigh 110 to 150 pounds. Wethers attain 150 to 200 pounds,

Being strong, vigorous and healthy, their impressive power is very great, and they are not liable to constitutional break-down in service.

They will bear herding in large flocks, and their great hardiness permits them to stand all kinds of weather without housing.

Their fullness of carcass, brightness of look, length of body, vigor of carriage and great strength, make them excellent and reliable re-producers, and quick, healthy feeders on the range.

Rambouillet wool is of the finest quality, has a beautiful crimp, is usually white, sometimes of a buff color, very compact, opens

in large layers, has just yolk enough to promote a rapid and vigorous growth, shows no crust formation, seldom any jar hairs, and is always noted for its length, strength and elasticity.

It is from three to five inches in length, often six and one-half inches for one year's growth.

Rambouillet sheep should be well wooled to the feet and to the nose.

Rams shear annually from 12 to 24 pounds; ewes from 6 to 10 pounds.

The wool scours from 50 to 55 per cent. for the manufacturer, and no other Merino wool shows so deep a staple.

"No finer wool can be produced."

The fineness, length, soundness of staple, and remarkable freedom from grease have brought these sheep into deserved fayor.

American wools having this standard of excellence cannot fail to be in demand.

Black-Top Spanish Merino Sheep.

Standard of Excellence for Black-Top Spanish Merino Sheep, as adopted by The Black-Top Spanish Merino Sheep Breeders' Publishing Association. W. G. Berry, Secretary, Houstonville, Washington county, Pennsylvania.

SCALE OF POINTS FOR BLACK-TOP SPANISH MERINO SHEEP.

POINTS.												COUNTS.
1. Blood, .												
2. Constitution,												15
3. Size, .												12
4. General Appea	arance	,		:								3
5. Body, .												15
6. Head.												5
7. Neck, .												4
8. Legs and feet,												10
9. Covering,												8
10. Quality, .												8 7 7 8 6
11. Density,										-		7
12. Length, .												8
13. Oil, .						,						6
,												
			PE	RFE	CTI	ON,		-	-		-	100
						D.T.	- N					
POINTS.	DETA	IILE	ט ט.	ESC	KI	РП	ON	١.				COUNTS.
1. BLOOD.—Purel	v bred	fro	om t	he l	Hur	nph	rev	in	ogr	rta	tio	n of
Merino sheep												
R. Dickinson												
2. Constitution.	.—Ind	icat	ed b	y pł	\mathbf{ysi}	cal	dev	elo	$_{ m pm}$	$_{ m ent}$; (leep
and large in	the b	rea	st ar	id t	hro	ugh	tl	ie]	hea	rt:	bı	oad
back; very b												
and pinkish												
healthful cou												
3. Size.—In good	condi	tion	, wit	h fle	ece	of fi	ve	nor	$_{ m th}$	s'g	rov	wth,
full grown ra												
and ewes not												
4. GENERAL APP												
squarely on f	feet ar	id le	gs;	well	rou	nde	d b	ody	7, 8	hov	vin	gin
all points syn												0
	nmetr	v of	form									

5.	Body.—Throughout, heavy boned; well proportioned in	
	length; smooth joints; ribs starting horizontally from	
	the back-bone, and well rounded to breast-bone; breast-	
	bone wide, strong and prominent in front; strong,	
	straight and heavy back-bone; heavy, muscular quarters,	
	deep through and squarely formed before and behind;	
	shoulders broad and flat, and not projecting sharply	
	above the back-bone; muscles firm and heavy, and body	
	entirely free from folds. There may be a slight throati-	
	ness, and a small dew-lap—smaller on the ewes than on	
		15
6.	HEAD.—Wide, medium in length; eyes clear and bright;	
	prominent ears, medium in size and covered with soft fur.	
	Ewes should give no appearance of horns, while upon the	
	rams the horns should be well developed, clear in color,	
	and symmetrically curved, without tendency to extreme	
	expansion,	5
7.	NECKMedium in length and very heavy, especially with	
	the rams, deepening toward the shoulder,	4
8.	LEGS AND FEET.—Legs medium in length, set well apart,	
	medium bone and smooth joints. The feet must be well	
	shaped, medium sized, firm and solid,	10
9.	COVERING.—Evenness of fleece and crimp; body and legs	
	covered to the knees; head covered forward between	
	the eyes; the surface should be free from hair or gare, .	8
10.	QUALITY.—Medium or fine, such as is known in the market	
	as fine delaine,	7
11.	Density.—Shown by compactness of fleece, which should	
	open freely, and have no tendency to be stringy or knotty,	7
12.	LENGTH.—At twelve months, growth must be not less than	
	three inches, and as near as may be of uniform length, .	8
13	OIL.—Evenly distributed, white, soft and flowing freely	
	from skin to surface, forming on the exterior a uniform	
	dark coating,	6
	Perfection,	100

Improved Black-Top Merino Sheep.

Standard of Excellence for Improved Black-Top Merino Sheep, as adopted by The Improved Black-Top Merino Association, L. M. Crothers, Secretary, Crothers Washington county, Pennsylvania.

SCALE OF POINTS FOR IMPROVED BLACK-TOP MERINO SHEEP. POINTS. COUNTS. 1. Constitution. 16 2. Size. 14 3. General Appearance, -3 4. Body, . . . 16 5. Head, . 4 6. Neck, 3 7. Legs, 9 8. Covering, 9. Quality of Wool, 10. Fleece, . 11. Staple, 12. Oil. PERFECTION, 100 DETAILED DESCRIPTION. POINTS. COUNTS. 2. SIZE.—Rams shall weigh at maturity 180 pounds; ewes 130 4. Body.—Large, well proportioned and symmetrical in all its 5. Head.—Medium in size, well carried up; wool extending forward between the eyes, 7. LEGS.—Short, set well apart, with smooth joints and small,

8.	COVERING.—An even fleece, beautifully crimped, covering	
	the body and legs to the knees, and extending well for-	
	ward between the eyes,	8
9.	QUALITY OF WOOL.—Medium or fine delaine,	7
10.	FLEECE.—Compact and even quality,	6
11.	STAPLE.—A year's growth should not be less than three	
	and one-half inches,	8
12.	OIL.—Evenly distributed, flowing to the surface and form-	
	ing a uniform dark or black top,	6
	Perfection, 1	
	TERFECTION, T	$\mathcal{J}U$

POINTS.

National Delaine Merino Sheep.

Standard of Excellence for National Delaine Merino Sheep, as adopted by The National Delaine Merino Sheep Breeders' Association, John C. McNary, Secretary, Canonsburg, Pennsylvania.

SCALE OF POINTS FOR NATIONAL DELAINE MERINO SHEEP.

POINTS, COU.	NTS.
1. Constitution, ,	0
2. Heavy Around the Heart,	6
	6
4. Good Dewlap,	5
5. Broad Back,	8
6. Well-sprung Ribs,	5
7. Short Legs,	6
8. Heavy Bone,	8
	.0
10. Length of Staple, 1 Year's Growth, 3 Inches,	8
11. Density of Fleece,	8
12. Darkish Cast on Top,	5
13. Opening up White,	5
	5
15. Good Crimp in Staple,	5
	-
Perfection, 10	0

Weight of rams at maturity not less than 150 pounds. Weight of ewes at maturity not less than 100 pounds.

DETAILED DESCRIPTION.

COUNTS.

1. Constitution,	10
Requisites—Robust; eyes bright; compactly built; head	
and neck on line with the back.	
Objections-A dull, languid look; loose, slabby make; slim	
neck; low on top; long, narrow face and curving	
back.	
2. HEAVY AROUND THE HEART,	6
Requisites—The entire chest uniform in size, deep and	
rounding.	

	Objections—Pot-gutted; flat-shouldered; narrow between	
	the forelegs, and high hip bones.	0
3.	SHORT, HEAVY NECK,	6
	Requisites—Straight and short from the top of the head to	
	shoulder; deep and folded.	
	Objections-Long, round neck; concave on top and	
	smooth.	
4.	GOOD DEWLAP,	5
	Requisites—Starting on top of neck near the shoulder and	
	widening on each side and hanging deep in front of	
	the forelegs, with small folds at intervals to back of	
	head.	
	Objections—Neck tucked up and narrow in front of fore-	
	legs; and back of the jaws round and straight on un-	
	der side.	
5.	Broad Back,	8
	Requisites—Straight and flat from shoulder to tail.	
	Objections—Sharp on top; curying and drooping from hip	
	bones to tail.	
6.	Well-Sprung Ribs,	5
^	Requisites—Starting at right angles from backbone; curv-	
	ing and deep, as long before as behind, making a bar-	
	rel-like chest.	
	Objections—Starting low and downward; flat and shorter	
	before than behind.	
7.		6
	Requisites—Straight; short and flat boned; standing fair	
	under the body.	
	Objections-Long; crooked; slender; drawn together; try-	
	ing to stand upon the least ground possible.	
8.	HEAVY BONE,	8
	Requisites—Flat, broad-limbed; strong ribs; heavy shoul-	
	der blade.	
	Objections—Round, small limbs; narrow ribs.	
9.	SMALL, SHARP FOOT,	10
	Requisites—Neat foot, well under the leg; wide at heel.	
	Objections—A clubby foot, growing long in toes; narrow	
	and close at heel; large foot joints, and standing for-	
	ward of the legs.	
l0.	LENGTH OF STAPLE,	8

Requisites—Uniform length all over the body, belly and	
limbs to the knees, and covering the face square to	
the eyes.	
Objections—Growing shorter on sides and belly, bare on	
legs and face.	
11. Density of Fleece,	8
Requisites—The fleece presenting a smooth, uniform surface.	
Objections—Opening up along the back, hanging in strings	
on shoulder, bare between the legs, and from the	
knees down, with a thin, open, light fleece.	
12. Darkish Cast on Top,	5
Requisites—Uniformly dark on outer end of wool.	
Objections—Black, crusty top along the back, white and	
bare along the sides and belly.	
13. OPENING UP WHITE	5
Requisites—Pure, soluble white oil evenly distributed	
along the fiber.	
Objections—Yellow, gummy, curdled oil, causing a black,	
crusty top, will not dissolve in washing, leaving the	
fleece when shorn, yellow and unsalable.	
	5
Requisites—Oil enough to protect the fleece, giving it a	
healthy and rich appearance.	
Objections—Oil in excess of wool.	~
15. GOOD CRIMP IN STAPLE,	5
Requisites—Short spiral crimp, evidence of pure Merino wool,	
Objections—Coarse, harsh, stringy fiber, evidence of mixed	
or impure blood.	
Perfection, 1	.00

COUNTS.

National Dickinson Merino Sheep.

Standard of Excellence for National Dickinson Merino Sheep, as adopted by The National Dickinson Record Company, H. G. McDowell, Secretary, Canton, Ohio. [Slightly changed in arrangement for this publication.]

SCALE OF POINTS FOR NATIONAL DICKINSON MERINO SHEEP.

POINT	rs.													(OUNTS.
1.	Blood,														
2.	Body, .														
3.	Skin,														4
4.	Head,														4
5.	Nose,														3
6.	Ears, .														3
	Horns,														3
8.	Neck, .														4
9.	Shoulder	s,													5
10.	Back, .														8
11.	Loins,														3
12.	Hips, .				•										8
13.	Thighs,														4
14.	Limbs,														5
15,	Hoofs,														4
16.	Size, .														5
	Internal														4
18.	Maturity	7,											٠		3
19.	Density	of.	\mathbf{F} lee	ce,											6
20.	Staple,														4
	Quality,													•	6
	Quantity										٠		•		6
	Covering														8
24.	Oil, .										•		•		5
						Pe	rfe	etic	n,	-	-	-		~	100

DETAILED DESCRIPTION.

POINTS.

 BLOOD.—Tracing their descent to the standard bred flock of James McDowell, of Canton, Stark county, Ohio, (without admixture of impure blood), which flock descends directly from the thoroughbred flock of W. R. Dickinson, of Ohio, which were purely bred from Merino sheep imported from Spain to the United States by David Humphreys, of Derby, New Haven county, Connecticut, in the year 1802.

2. Body.—Deep, round, wide and long, showing mutton capacity, good feeding and thriving qualities; heavy, thick

	flesh; straight under the top lines, well proportioned,	
	filling every part of its skin when fully matured	
3.	Skin.—Thick, soft, not raised in corrugations, pink red, .	4
4,	HEAD.—Small, carried high; quiet, placid eye, . , .	4
	NoseWhite, not mottled, covered with fine, soft white,	
	hair, wide and slightly arched,	3
6.	EARS.—Short, thick; covered with fine glossy hair,	3
	Horns.—Small, neatly curved, light yellow color; better	
	without any horns,	3
8.	NECK.—Short, arched under and on top; the base very	
	strong, ,	4
9.	SHOULDERS.—Wide, deep, rounded; breast bone projecting	
	forward of front limbs,	5
10.	BACK.—Straight, wide, ribs extending out horizontal from	
	spinal column, rounding in line with shoulders extending	
	close back to hips,	8
11.	Loins.—Strong, wide,	3
	HIPS.—Wide, long,	3
	THIGHS.—Wide, thick; flesh extending close down to hock	
	joints,	4
14.	LIMBS.—Short, bone heavy; joints smooth and flat, the	
	contour of to show perpendicular lines from elbowand	
	stifle joints to center of hoofs, and from base of tail to cen-	
	ter of a straight line drawn horizontally from caps of	
	hock joints, when standing erect on limbs,	5
15.	Hoofs.—Deep, thin white texture, tough and elastic,	4
	Size.—Full-grown rams 200 pounds, and ewes, 150 pounds, .	5
	INTERNAL ORGANS.—Strong,	4
	MATURITY.—Mature early, two and one-half years,	3
	DENSITY OF FLEECE.—Smooth, even, dense soft to the	
	touch,	6
20.	STAPLE.—Three to five inches, fibers glossy, crimped,	4
21 -	-QUALITYXX, XXX or above, fine Delaine combing,	6
22.	QUANTITY.—Rams, 15 to 25 pounds; ewes, 10 to 15 pounds	6
99	unwashed wool,	0
~0.	grade of wool, except parts injuring thrift and comfort of	
	the sheep, entirely free from gum and hair.	8
24.	OIL.—Very fluid, white or nearly so, enough to preserve the	5
	wool, raising to outer ends of fibers,	-0
	DEPERCATON 1	00

National Improved Saxony Merino Sheep.

. Standard of Excellence for National Improved Saxony Sheep, as adopted by The National Improved Saxony Sheep Breeder's Association, John G. Clark, secretary, Toledo, Pa.

SCALE OF POINTS FOR NATIONAL IMPROVED SAXONY SHEEP.

POINTS.	FOR	INAI	IONAL	IVIP	10021	, 34	XON		COUNTS.
 Blood, Constitution, Size, 	•		•				*	•	15
2. Constitution,			•		•				10
4. Body,	•		•	•			•	•	12
5 Head	•		•		•	•			
5- Head, . 6. Neck,		1					•		5
7. Legs and Feet.			•	•	٠.				5
8. Evenness of F	leece.	•							15
9. Density of Fle	ece.								12
10. Staple.								,	1()
11. Oil,									10
		$_{\mathrm{PE}}$	RFECT	ION,	-	-	-	-	100
Only the three	high	est g	grades,	Pick	inie, I	Pickl	lock,	and	XXX
are admitted. Eve									
	DETA	ALLE:	D DES	SCRIE	OFF	۷.			
POINTS.									COUNTS.
1. Blood.—Tracin									
ported stock,	and t	he v	vool m	ust gr	ade N	XX	or al	bove.	, . 1
2. Constitution.									
3. Size,									
4. Body.—Well pr									
5. HEAD,							,		
6. NECK.—Short,	woll e	ot o	nlv elic	rht do	wlan	,			5
o. MECK.—Bhort,	wens	et, 0	iny sing	3.1			•	•	
7. LEGS AND FEE	T.—L6	egs si	nort at	ia nea	ivy bo	neo,		,	. 0
8. Evenness of	F, LEF	CE	– Well	cover	ed or	bel	ly, i	ace a	
legs,									. 15

9.	DENSITY OF FLEECE,										12
10.	LENGTH OF STAPLE.	-And	fine	crin	ъ,						10
11.	OILWool opening w	hite,									10
										-	
		T	PERF	ECT	ION.	_	_	-	-	. 1	.00

The Improved Saxony Sheep should be large, strong, heavy boned, well proportioned, compactly built, free from wrinkles or folds, short, well-set neck with only slight dewlap, good carriage, stylish, large girt around the heart, and well-shaped feet. The wool must grade XXX or above, long, white, dense crimpy, free from curly spots on top of shoulders or back, and evenly over the whole body.

Standard American Merino Sheep.

Standard of Excellence for Standard American Merino Sheep, as adopted by the Standard American Merino Sheep Breeders' Association, John P. Ray, Secretary, Hemlock Lake, N. Y., and republished by his permission. [Slightly changed in arrangement for this publication.]

POI	CALE OF POINTS FOR STANDARD AMERICAN MERINO Ints.	COUNTS	
H C I H	A. Constitution, B. Form, C. Wrinkles, D. Density of Fleece, E. Covering,		
	Perfection,	100	
POI	DETAILED DESCRIPTION.	COUNTS	;.
- 0 -	CONSTITUTION-FIFTEEN POINTS.		
1. 2.	Bone,		5
	FORM-FORTY POINTS.		
3.	A broad head, broad, wrinkly nose and face, covered v		
	soft velvety coat,		
	Short, broad, muscular neck, well set on shoulders,		
	Massiveness of shoulder, as to depth and breadth,		
	Level, straight back and rotundity of rib,		
	Breadth and length of hips,		
	Straight forelegs, well set apart,		
9.	Straight hind legs, and set so as to give a perpendicul		
	pearance to hind parts,		
10.	Soft, thick, velvety ear,		3
11.	Pure white nose, ears and hoofs,	:)
	WRINKLES—FIFTEEN POINTS.		
12.	Heavy, pendulous neck,		,
	Across arm and point of shoulder on side, and running	g well	
	under,		5

14. Tail, hip-fo			RA	м		DING						
12. A deep gul	let and	l hea	vy e	ross	at br	iske	t,					5
13. Heavy flan	k with	fold	lexte	endir	ıg up	war	d on	side	and l	ack	of	
shoulder	, -											5
14. Heavy tail.	, .											5
DE	NSITY	OF	FL	EEC	E-F	IFT:	EEN	Роп	NTS.			
15. On neck,										,		8
16. On back,												3
17. On side, .												3
18. On hip and	l exten	ding	to f	lank	, .							3
19. On belly,											,	3
	CO	VER	ING	–Fi	FTE	en P	OIN'	rs.				
20. Crown of h	ead or	cap	,									3
21. Cheek, .												2
22. Fore leg,												2
23. Arm pit, .												2
24. Hind leg,												2
25. Inside of fl												3
26. Connection												1
Fibre to be i									- coars			

COUNTS.

Standard Delaine Spanish Merino Sheep.

Standard of Excellence for Standard Delaine Spanish Merino Sheep, as adopted by the Standard Delaine Spanish Merino Sheep Breeders' Association, S. M. Cleaver, Secretary, East Bethlehem, Washington county, Pa.

SCALE OF POINTS FOR STANDARD DELAINE SPANISH MERINO SHEEP.

POINTS.									C	OUNTS.
1. Blood,										
2. Constitution, .										20
3. Fleece,										1()
4. Density of Fleece, .										- 3
5. Evenness of Surface,										*) ()
6. Evenness of Crimp,										63
7. Length of Fiber, .										2
8. Oil,										()
9. Head,										4
10. Eves										;;
11. Nose,										-1-
12. Ears,										2
13. Neck,										4
14. Covering and Skin,										4
15. Legs,										~
16. Feet,										4
17. Quarters and Back,										10
18. Weight,										8
19. General Appearance,							٠			5
]	РЕБ	EFE	CTI	ON	-		-	-	100

Any sheep scaling below 60 per cent, in any point cannot be recorded.

DETAILED DESCRIPTION.

POINTS.

quantity and quality as shown by weight of fleece, the

	length and strength of staple, crimp, finer	iess ai	ad tru	eness	
	of fiber,				10
4.	4. DENSITY OF FLEECE,				3
5.	5. Evenness of Surface,				3
	6. Evenness of Crimp,				. 3
7.	7. LENGTH OF FIBER,				2
8.	8. OILFree flowing oil of the best qualit	ty and	l the	right	
	quantity to protect the sheep and preserv				
9.	9. HEAD —Head medium size. Ewes showing	ga fe	minir	ie ap-	
	pearance; Rams, a masculine, with prope	rly tu	rned l	orns,	4
10.	0. EYES.—Eyes bright, prominent and well s	et ap	art, w	ith a	
	thick, soft eyelid,				
11.	1. Nose.—Nose short, broad, with well expand	ded n	ostrils	, skin	
	thick and covered with a thick furry coa	ting,	joinin	g the	
	wool 1 inch below the eyes,				4
12.	2. EARS.—Ears medium size, set well apart, t	hickly	y coat	ed, .	2
	3. NECK.—Neck short on top, deep and stron				
	shoulders, tapering to head; Rams with	a fold	acro	ss the	
	breast, and deep neck,				4
14.	4. COVERING AND SKIN.—Fleece covering over	r the e	ntire	body,	
	head and legs; skin thick and spungy,				4
15.	5. LEGS.—Legs short, strong and well apart,				2
16.	6. FEET.—Feet neatly shaped, thin hoof, we	ell set	unde	r the	
	leg,				4
17.	7. QUARTERS AND BACK.—Quarters, deep an				
	back broad, straight and strongly couple	d to q	uarte	rs,	10
18.	8. Weight.—Weight of ewes at maturity,	100 p	ounds	and	
	above; Rams, 150 and above,				8
19.	9. GENERAL APPEARANCE.—General appea				
	riage, bold and vigorous style, symmetric	al for	m,		5
	PERFECTION,		-	-	100

Other Merino Associations.

The following associations have not adopted standards of excellence for Merinos, viz:

The National Merino Sheep Register Association, R. O. Logan, Secretary, California, Michigan.

The New York State American Merino Sheep Breeders' Association, J. Horatio Earll, Secretary, Skaneateles, N. Y.

The Ohio Spanish Merino Sheep Breeders' Association, F. C. Stanley, Secretary, Edison, Ohio.

The Vermont Atwood Club Register, Geo. Hammond, Secretary, Middlebury, Vt.

The Vermont Merino Sheep Breeders' Association, C. A. Chapman, Ferrisburg, Vt.

OXFORD DOWN SHEEP.

Standard of Excellence for Oxford Down Sheep, as adopted by the American Oxford Down Sheep Record Association, W. A: Shafor, Secretary, Middletown, Ohio.

SCALE OF POINTS FOR OXFORD DOWN SHEEP.

	SUAL	E OF	PUI	IA L	3 F	OH	0,	CFO	RD	DU	AA 14	2	166	٠.	
POIN'	TS.													(COUNTS.
1.	Head,														8
2.	Face Nostrils.														4
:3.	Nostrils.				,										. 1
4.	Eyes, . Ears, Collar, Shoulder,														1
5.	Ears,				•				•						4
6.	Collar,														6
7.	Shoulder,														8
8.	Fore legs, Breast, Fore flank Back and														4
9.	Breast,														10
10.	Fore flank	ξ, .													5
11.	Back and	Loin	4											,	12
12.	Belly, .												*		3
13.	Belly, . Quarters,														8
14.	Hock, . Twist or J					٠		٠							2
15.	Twist or J	unci	ion,										•		6
16.	Fleece,									٠					18
					T)										100
					Ρ.	ERI	FEC	TIO	N,	-		-	-	-	100
			DET	- 0.1.1		- n		C D	L ED	TIO	NI.				
POIN	ma		UE	AU		טע	LS	Ch		110	14.				OUNTS.
					1		h = 1 = :		1		a b	***	a is		
1. 1	HEAD.—No														
	the eyes														
	ance; cre	own	well	cov	ere	ed v	vitl	a go	ood	wo	ol,				. 8
2. T	FACE.—Eit														
	with a w														
	WILLIA W	337	org.	iay	SIM	,	11.0	ша	3 3	1080	,		•	•	. I
	NOSTRILS														
4. I	Eres.—Pro	$_{ m min}$	ent,	but	t m	ild,									. 1
5. E	EARS.—Bro	oad.	mod	lera	itel	v 1	ons	z. t	hir	i. a	nd	co	vere	d w	ith
	short bro														
6. €	COLLAR.—1											-		-	
	ually all	the	way	to	wh	iere	th	e he	ead	ar	id n	eck	i joi	\mathbf{n} ; \mathbf{t}	he

OXFORD DOWN SHEEP.

	neek short, thick and strong (with masculine appearance in rams), indicating constitutional vigor, and free	
	from coarse or loose skin,	6
7.	SHOULDER.—Broad and full, and at the same time join so gradually to the collar forward and the chine backward	
	as not to leave the least hollow in either place	g
0	FORE LEGS.—The mutton on the arm or forethigh should	()
0.		
	come quite to the knee; leg heavy bone and upright, be-	
	ing clear from superfluous skin; dark brown or smoky in	
	color; should stand square and well apart,	4
9.	Breast.—Broad and well forward, keeping legs well apart;	
	girth or chestfull and deep,	10
10.	FORE FLANK.—Quite full, not showing hollow behind	
	shoulder,	5
11.	BACK AND LOIN.—Broad, flat and straight, from which the	
	ribs must spring with a fine circular arch,	12
12.	Belly.—Straight on underline,	()
	QUARTERSLong and full, with mutton quite down to the	
	hock,	8
14.	Hock.—Stand neither in nor out, but straight,	
	TWIST OR JUNCTIONInside the thigh deep, wide and full,	
	which with a broad breast, will keep the legs open and	
16.	upright, FLEECE.—The whole body should be covered with wool of	.,
	a close texture, a good length, and fine quality,	18
	Perfection, 1	00

SHROPSHIRE SHEEP.

Standard of Excellence for Shropshire Sheep, as adopted by the American Shropshire Registry Association, Mortimer Levering, Secretary, La Fayette Indiana.

Indiana.	
SCALE OF POIN	TS FOR SHROPSHIRE SHEEP.
POINTS.	COUNTS.
1. Constitution, .	
2. Size,	\cdot
2. Size,	
4. Douv	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5. Head,	
6. Neck,	
8 Floore	
9. Quality of Wool, .	
b quality of wool,	
	PERFECTION, 100
DETA	LED DESCRIPTION.
POINTS.	COUNTS.
1, Constitution,—And	quality indicated by the form of body;
deep and large in	breast and through the heart, back
	vell covered with lean meat or muscle;
	thigh, deep in flank; skin thick but
	color; prominent, brilliant eyes and
	ice,
	cy of brisket, light around the heart,
fish back, pointed	l shoulders, tucked in flank, pale or
too dark skin obje	ectionable.
2 Size.—In fair conditi	on when fully matured, rams should
	n 225 pounds, and ewes not less than
4 800 3	4.0
	full flesh 175 pounds or under; ewes
in full flesh 150 po	· ·
	CE.—And character, good carriage;
head well up; elasti	c movement, showing great symmetry
of form and uniforn	nity of character throughout, 10
	-

	Objections-Head drooping, low in neck, sluggish move-	
	ment. Body.—Well proportioned, medium bones, great scale and	
4.	length, well finished hind-quarters, thick back and loins,	
	twist deep and full, standing with legs well placed out-	
	side, breast wide and extending well forward,	15
	Objections—Too fine bones, short body, deficient in twist,	10
	legs close together, light in brisket.	
~	HEAD.—Short and broad; wide between the ears and be-	
o.	tween the eyes; short from top of head to tip of nose;	
	ears short of medium size; eyes expressive; head should	
	be well covered with wool to a point even with the eyes,	
•	without any appearance of horns; color of face dark	
	brown,	10
	Objections—Horns disqualify, white face disqualifies, head	
	with prominent bones, bare on top of head.	
6	NECK.—Medium length, good bone and muscular develop-	
٠,٠	ment; and especially with the rams heavier toward the	
	shoulders, well set high up, and rising from that point to	
	the back of the head,	5
7.	LEGS AND FEET.—Broad, short, straight, well set apart,	
• •	well shaped; color dark brown, and well wooled to the	
	knees,	10
8.	FLEECEBody, head, belly and legs to knees well covered	
	with fleece of even length and quality; scrotum of rams	
	well covered with wool,	10
9.	QUALITY OF WOOL,-Medium, such as is known in our	
	markets as "medium-delaine" and "half-combing wool"	
	strong, fine, lustrous fiber, without tendency to mat or	
	felt together, and at one years' growth not less than three	
		5
	Perfection,	100

POINTS.

SOUTHDOWN SHEEP.

Standard of Excellence for Southdown Sheep, as adopted by The American Southdown Association, John G. Springer, Secretary, Springfield, Illinois.

SCALE OF POINTS FOR SOUTHDOWN SHEEP.

COUNTS.

1.	Head.															5
	Lips,															1
	Ears,															2 3
	Eves,															3
	Fice,															3
	Neck,															4
	Shoulders,															5
8.	Breast,															5
9.	Back and I	oin,														7
10.	Ribs, .															$_{6}$
11.	Rump,										-					6
12.	Hips,															6
13.	Thighs,															6
14.	Limbs,															3 2 2 5
	Forelegs,															2
	Hindlegs,															2
	Belly and I															-
18.	Fleece, .															12
	Form,															9
20.	General Ap	pear	an	ce,					4							8
						PEF	RFF	CTI	ON	,						100
			DE	т л	11	ED	10	E C (- 0	107	10	n)				
POIN	TS.				1 1			L (,,,	17 1					(COUNTS.
	НЕАD.—Неа	ad m	ibe	11111	in	size	2.91	ad b	or	nles	s f	ine.	ca	rrie	ad w	zell
1.	up; the fe															
	cially bet	weer	i th	ie ea	ırs	anc	1 0	n th	e 0	hee	ks,	an	d =	n t	he e	we
	slightly d	ishe	d,													. 5
2.	LIPS.—Lips	and	un	der	ia	w fi	ne	and	111	iin.						. 1
	EARS.—Ear															
ο.																
	with fine		, ai	na e	ar	riea	W	1111	a,	1176	y	Da	CK	ano	1 10	rtn
	movemen	t,			٠											. 2
4. 1	EYESEye	s ful	Lai	ad t	ri	ght,										. 3

SOUTHDOWN SHEEP.

5.	${\tt Face}.{\tt -Face}$ a uniform tint of brown, or gray, or ${\tt mouse}$	
	color,	;;
6.	NECK.—Neck short, fine at the head, but nicely tapering,	
	and broad and straight on top at the shoulders,	-1
7.	SHOULDERS.—Shoulders broad and full, smoothly joining	
	the neck with the back,	5
8	Breast.—Breast wide, deep, and projecting well forward,	
	the forelegs standing wide apart,	5
9.	BACKJAND LOIN.—Back and loin broad and straight from	
	shoulders to rump,	ĩ
10.	RIBS.—Ribs well arched, extending far backward, the last	
	projecting more than the others,	6
11.	RUMP.—Rump broad, square and full, with tail well set up,	- 6
	HIPS.—Hips wide, with little space between them and last	
	ribs, ,	6
13.	THIGHS.—Thighs full and well let down in twist, the legs	
	standing well apart,	-6
14.	LIMBS.—Limbs short and fine in bone, and in color to agree	
	with the face,	3
15.	Forelegs.—Forelegs well wooled and carrying mutton	
	to the knees, but free from meat below,	2
16.	HINDLEGSWell filled with mutton and wooled to the	
	hocks, neat and clean below,	2
17	Belly and Flank.—Belly straight and well covered with	
1	wool, the flank extending so as to form a line parallel with	
	the back or top line,	5
10	FLEECE.—Fleece compact, the whole body well covered with	
10.	moderately long and close wool, white in color, carrying	
		12
10	some yolk,	
1://.	coarseness in any part,	9
20	GENERAL APPEARANCE.—General appearance spirited and	*/
λU.	attractive, with a determined look, a proud and firm step,	
	indicating constitutional vigor and thorough breeding,	8
	indicating constitutional vigor and thorough preeding, .	
	Perfection,	100

SUFFOLK SHEEP.

Standard of Excellence for Suffolk Sheep, as adopted by the American Suffolk Flock Registry Association, George W. Franklin, Secretary, Atlantic, Iowa.

SCALEJOF POINTS FOR SUFFOLK SHEEP.	
POINTS.	COUNTS
1. General Appearance,	. 7
2. General Form, 3. Head, 4. Neck,	15
	. 15
4. Neck,	5
5. Fore-quarters,	. 15
6. Barrel,	10
4. Neck,	. 15
8. Feet and Legs,	8 .
9. Fleece,	. 10
70	400
Perfection,	100
DETAILED DESCRIPTION.	
POINTS.	COUNTS.
1. GENERAL APPEARANCE.—Pleasing Joutline; Igood carr	iage.
and symmetry of development,	
2. GENERAL FORM.—Large in size; inclined to be long in b	
medium strength of bone; somewhat cylindrical in sl	
and straight above, below and in the rear,	. 15
3. HEAD.—Medium in size, inclining to be long and cov	vered
with fine, short, glossy, black hair to the junction	
the neck; a small quantity of clean, white wool or	
forehead is not objected to; muzzle moderately fine	
pecially in ewes; eyes bright and full; ears of me	dium
length and fineness,	15
4. NECKModerately long and well set, and blending	
with the body with some crest in the lambs,	
5. FORE-QUARTERS.—Well developed; breast wide, deep	
full; brisket, broad; chest, capacious, with good	neart
girth; shoulders broad, oblique and well filled in the	aeck,
vein and crops; withers broad; arm, well developed,	15
6. BARREL.—Roomy; back, straight, broad and well fle	
o. Danker.—Roomy, back, straight, broad and wen he	oncu g

	throughout its entire length; ribs, well sprung and mod-	
	erately deep; fore and hind flanks, full and deep,	
7.	HIND-QUARTERS Long, deep and full; tail, broad and well	
	set up; buttock, broad; twist full; thigh, broad and full	15
8.	FEET AND LEGSStraight, of medium length with flat	
	bone; bare of wool below the knee and hock, glossy	
	black in color and set well apart,	8
9.	FLEECE.—Moderately short, with close, fine, lustrous fiber,	
	and without tendency to mat or felt together, or to shade	
	off into dark or gray wool or hair, especially about the	
	neck and tail. The fleece should cover the whole body	
	except the head and the legs below the knee and hock;	
	and the skin underneath it should be fair, soft and of a	
	pink color,	10
	DEPENDENCE	

ANGORA GOATS.

In reply to a request, Mr. C. P. Bailey, of San Jose, California, the principal breeder of Angora Goats in the United States, sent the editor the following scale of points and detailed description, copied from the minutes of a meeting of the Angora Goat Breeders' Association, held September 22, 1887:

SCALE OF POINTS FOR ANGORA GOATS.


POINTS.									(COUNTS.
	FLEE	CE-T	HIRT	r-one	Po	INTS	š.			
1. Fineness,										9
2. Weight,										8
3. Evenness,										6
4. Shape,	4									4
5 Lustre, .									٠	4
	BO	DY-S	SIXTE	EN P	TRIC	s.				
6. Constitutio										6
7. Symmetry	of Shap	e, .								5
8. Weight,										5
	\mathbf{E}_{A}	ARS-	THRE	E Po	INTS					
9. Ear Lock.							٠.	*.		2
10. Lop Ears,										1
		-								
		Pi	ERFEC	TION,	-		-	-	-	50

DETAILED DESCRIPTION OF ANGORA GOATS.

A perfect goat when in full fleece should appear like a parallelogram. The body should be full and long and of straight build. It should be densely and evenly covered with long, lustrous, fine, curly hair, appearing from a distance as if it had been trimmed off below the body. The chest and shoulders, especially with the males, should be broad and strong, and legs straight and chunky; the head clear cut and trim, not coarse like that of a common goat. The horns of the buck are long and strong, inclined toward the back, and of spiral like shape. The horns of the does, short and thin, and curved backwards.

In Mr. Bailey's descriptive circular it is stated that the average fleece of pure-bred goats is from four to six pounds, but frequently eight and ten pounds have been obtained from choice, well-kept animals.

≪SWINE.≫



÷	*******	
ς;	Ears.	
ಣೆ	Jowl.	
4	Neck.	
r.	Brisket.	

District.	Shoulder.	Girth Arou
ŝ	6.	2

8. Back.

		Heart.	
•	der.	Around	

14. Ham.15. Tail.16. Legs.

BERKSHIRE SWINE.

Standard of Excellence for Berkshire Swine, as adopted by The American Berkshire Association, Charles F. Mills, Secretary, Springfield, Illinois.

SCALE OF POINTS FOR BERKSHIRE SWINE. COUNTS. POINTS. 1. Color. 2. Face and Snout, . 3. Eye, 4. Ear. 5. Jowl, 4 6. Neck, 7. Hair, 8. Skin, 9. Shoulder, 10. Back, 11. Side, 12. Flank, 13. Loin, 14. Ham, 15. Tail, 16. Legs, 17. Symmetry, 18. Condition, . 19. Style, . Perfection. DETAILED DESCRIPTION. POINTS. 1. Color-Black, with white on feet, face, tip of tail, and an 2. FACE AND SNOUT—Short; the former fine and well dished, 3. Eye-Very clear, rather large, dark hazel or gray, . . . 2 4. EAR—Generally almost erect, but sometimes inclined forward with advancing age; medium size; thin and soft, . 4 5. Jowl-Full and heavy, running well back on neck, . . . 4 6. Neck-Short and broad on top, 7. HAIR—Fine and soft; medium thickness. . .

9 Sirray Smooth and plichle
8. SKIN—Smooth and pliable,
9. Shoulder—Thick and even, broad on top, and deep
through chest,
10. Back-Broad, short and straight; ribs well sprung, coup-
ling close to hips,
11. Side—Deep and well let down; straight on bottom lines, . 6
12. FLANK-Well back, and low down on leg, making nearly a
straight line with lower part of side,
13. LOIN-Full and wide,
14. HAM—Deep and thick, extending well up on back, and hold-
ing thickness well down to nock,
15 Tail—Well set up on back; tapering and not coarse, 2
16. Legs—Short, straight and strong; set wide apart, with hoofs
erect, and capable of holding good weight,
17. Symmetry-Well proportioned throughout, depending
largely on condition,
18 CONDITION—In a good, healthy growing state; not over fed 5
19. Style—Attractive, spirited, indicative of thorough breeding
and constitutional vigor,
PERFECTION, 100

Standard of Excellence for Berksbire Swine, as adopted by the National Association of Expert Judges on Swine, W. M. Lambing, Secretary, West Liberty, Iowa, and by The National Berksbire Record Association, E. K. Morris, Secretary, 467 South Illinois Street, Indianapolis, Indiana.

SCALE OF POINTS FOR BERKSHIRE SWINE.

					C	OUNTS
						4
						2
						2
						2
						2
						6
						12
						15
						8
						6
		. '	٠.			10
						10
						1

BERKSHIRE SWINE.		101
14. Coat, 15. Color, 16. Size, 17. Action and Style, 18. Condition, 19. Disposition,		55 55 55 55 55 55 55 55 55 55 55 55 55
PERFECTION, -		100
DISQUALIFICATIONS.		
chest; crease back of shoulders and over the back depression in back easily noticed; deformed or coroken down, so that the animal walks on pasters Size: Overgrown, gangling, narrow, contraction of the state of the	rooked legs n joints. eted or not	; feet two-
DETAILED DESCRIPTION.		OUNTS.
 HEAD AND FACE—Head short; broad; coming at poll; face short and fine and well dished tween the eyes, tapering from eyes to point face even and regular, Objections—Head long and narrow; coarse, and narrow; jaws narrow or contracted, I tending beyond upper; face long; strategies; nose coarse, thick, or crooked, or ried. EYES—Very clear; rather large, dark-hazel or Objections—Small, dull, bloodshot, deepset or compaired by wrinkles, fat or other cause. EARS—Generally almost erect, but sometime 	g well forward; broad but of nose, state of nose, state of nose, state of the forehead between the forehead but ower jaws ought between dgy. The gray, but only the forehead of the forehead but on the forehead of the foreh	ord be- ur- , 4 ow ex- een
ward with advancing age; medium size, this Objections—Large, coarse, thick, round or drow large knuck; difference in form, size of with the other; animal not being able to position. 4. Neck—Full, deep, short, and slightly arched;	in and soft, oping; long position co control the	or one eir
well connected with shoulder, Objections—Long, flat; !acking in fullness and		

5. Jowl—Full, firm and neat; carrying fullness back to shoulder and brisket,

6.	Objections—Light, flabby, thin, tucked up or wrinkled. SHOULDER—Broad, deep and full, not extended above line of back and being as wide on top as back, carrying size down to line of belly, and having lateral width, Objections—Lacking in depth or width, thick beyond the line of sides and hams or extending above line of back; heavy shields on hogs under eighteen months of age.	6
7.	CHEST—Large, wide, deep and roomy; full girth; breast bone curving well forward; extending back on level; not tucked up; broad between forelegs,	12
8.	tucked up. BACK—Broad and straight, carrying same width from shoulder to ham, surface even and smooth without creases or projections and not too long,	15
9.	SIDES AND RIBS—Sides full, smooth, firm and deep; carrying size down to belly and evenly from ham to shoulder; ribs long, strong, well sprung at top and bottom; Objections—Flat, thin, flabby; not as full at bottom as top. Ribs weak, not well sprung at top or bottom.	8
10.	BELLY AND FLANK—Wide, full, and straight on bottom line,	6
11,	HAM AND RUMP—Hams broad, full and long; the lower front part of ham should be full and stifle well covered with flesh; coming well down to hock, Rump should have a rounding slope from loin to root of tail; same width as	10
12.	LEGS AND FEET—Legs short, straight and strong; set wide apart with hoofs erect and capable of holding good	10

BERKSHIRE SWINE.

13.	TAIL—Set well up, fine, tapering and neatly curled Objections—Coarse and straight; too low.	1
1.4		
14.	COAT—Fine, straight, smooth; laying close to and covering	
	the body well; not clipped; evenly distributed over body,	2
	Objections-Hair coarse, harsh, wavy or curly; not evenly	
	distributed over body; swirls or clipped.	
15.	Color-Black, with white on feet, face, tip of tail and an	
	occasional splash on arm, ,	
	Objections—Solid black or black points, or white spots on	
	body.	
16.	SIZE-Large for age. Boar two years and over not less than	
	450 pounds; sows same age 400 pounds. Boars eighteen	
	months, 350 pounds; sows same age, 325 pounds. Boars	
	twelve months, 300 pounds; sows same age, 275 pounds.	
	Boars and sows six months, 150 pounds,	5
	Objections-Under weight; coarse; not in good form to fatten.	
17.	ACTION and STYLE-Action vigorous. Style, graceful and	
	attractive,	4
	Objections - Dull, sluggish and clumsy.	
18.	CONDITION—Healthy; skin clear of scurf, scales or sores,	
:	soft and mellow to the touch; flesh fine, evenly laid on	
	and free from lumps; hair soft and lying close to body;	
	good feeding qualities,	.1
	Objections—Unhealthy; skin scaly, scabby or harsh, flabbi-	
	ness or lumpy flesh; too much fat for breeding. Hair	
	harsh, dry and standing up from body; poor feeders;	
	deafness, partial or total.	
10	DISPOSITION—Quiet and gentle and easy to handle,	·)
19.		*)
	Objections—Cross, restless, vicious or wild.	
	Perfection,	100

CHESHIRE SWINE.

. Standard of Excellence for Cheshire Swine, as adopted by the Cheshire Swine Breeders' Association, R. D. Button, Secretary, Cottons, N. Y.

SCALE OF POINTS FOR	CHESHIR	E SWINE.	
POINTS.			COUNTS.
1. Head,			. 8
2. Face,			8
3. Jowl			
4. Ears,			5
5. Neck,			. 3 . 3 . 6
6. Shoulders,			
7. Girth Around Heart, .			. 8
8. Back,			10
9. Sides,			. 7
10 Flank,			3
11. Hams,	•		. 10
12, Legs,			10
13. Tail,	• ,		. 3
14. Hair,		• • •	3
15. Color,			. 2
16. Skin,			. 8
17. Symmetry,	•		. 0
PERF	ECTION,		- 100
	,		
DETAILED DE	SCRIPTIO	N.	COUNTS.
POINTS.		in managett	
1. HEAD—Short to medium in le			
length of body,			8
2. FACE—Somewhat dished and	wide betwee	n the eyes,	
			3
4. EARS-Small, fine, erect, and i	n old anima	ls slightly	point-
ing forward,			5
5. Neck-Short and broad, .			3
6. Shoulders—Broad, full and d			6
7. GIRTH AROUND HEART— .			
8. Back-Long, broad and straig			
9. Sides—Deep and full; nearly	straight on	bottom line,	. 7
10. FLANK-Well back and low do			

CHESHIRE SWINE.

	equal to heart girth,	3
11.	HAMS-Broad and nearly straight with back and running	
	well down towards hock,	10
12.	Legs-Small and slim, set well apart, supporting body well	
	on toes,	10
13.	TAIL—Small, slim and tapering,	
	HAIR—Fine, medium in thickness and quantity,	
	Color-White, any colored hairs to disqualify,	
	SKIN-Fine and pliable, small blue spots objectionable but	
	allowab'e,	3
17.	SYMMETRY—Animal well proportioned, handsome and stylish, and when grown and well fattened should dress from	
	400 to 600 pounds,	
	Perfection,	100

CHESTER WHITE SWINE.

Standard of Excellence for Chester White Swine, as adopted by the National Chester White Record Association, Thomas Sharpless, Secretary, West Chester, Pennsylvania.

SCALE OF POINTS FOR CHESTER WHITE SWINE.

POINTS.					COUNT	s.
1. Color—White,					. 3	
2. Head-Small, broad, and face slightly dis	she	d,			5	
3. Ears—Fine and drooping,					, 2 2 3	
4 Jowl—Neat and full,					2	
5. Neck-Short, full and slightly arched,					. 3	
6. Brisket—Full,					3	
7 Shoulders—Broad and deep,					. 6	
8. Girth Around the Heart—					10	
9. Back—Straight and broad,					. 7	
10. Sides—Deep and full,					6	
11. Ribs—Well sprung,	٠				. 7	
12. Loin—Broad and strong,				4	7	
13. Belly—Wide and straight,	٠				. 4	
14. Flank—Well let down,					3	
15 Ham—Broad, full and deep,	٠		•		. 10	
16. Tail—Tapering, not coarse,					2	
17. Limbs—Strong, straight and tapering,			•		. 7 3	
18. Coat—Thick and soft,		٠			. 5	
19. Action—Prompt, easy and graceful,	4			1		
20. Symmetry—Adaptation of the several pa	irts	to	eac	по	mer, o	
PERFECTION, -		-	-	-	100	
DETAILED DESCRIPTIO	N.				COUNT	rs.
1. Color—White,						3
Objections—Blue spots on skin shall arg	me	in	nur	itv:	and	
black spots in hair disqualify them'ar	m	me.	ir oi	ispr	mg.	
2. HEAD-Short, broad between the eyes, a	nd	nic	ely	tap	ering	
from eyes to point of nose; face slight	ly	dis	hed	; cl	ieeks	
full,						5
Objections—Head coarse; face long and nar			ndi	00.1	nuch	
	10	, c	DILL I	100	nuch	
dished; snout coarse and thick.						
3. EARS—Drooping, fine and silky, pointi	ng	fo	rwai	rd a	ind a	

	little outward; well proportioned to size of body,	2
	Objections—Too large and coarse; thick, lopping and lying	
	too near the face; stiff, erect or too round.	
4.	JOWL-Full, firm, neat and carrying fullness well back to	
	shoulders and brisket,	2
	Objections-Flabby, light, too thick in cheek, tucking up	
	under the throat.	
5.	Neck-Full, deep, short and slightly arched,	3
	Objections-Long, flat or narrow.	
6.	BRISKET-Full, well let down, and well joined to jowl and	
	in a line with belly,	3
	Objections—Narrow or tucked up.	
7.	Shoulders—Broad, deep, thickness in proportion to the	
	sides and hams, and full and even on top,	6
	Objections-Lacking in depth or width, thick beyond the line	
	of side and ham, or blade too prominent.	
8.	GIRTH AROUND THE HEART-Full back of the shoulders,	
	ribs extending weil down; wide and full back of fore legs,	10
	Objections-Less than flank measure, or length of body from	
	top of head to root of tail, or creased back of shoulders.	
9.	BACK-Broad, straight or slightly arched, carrying width	
	well back to hams, and of medium length,	7
	Objections-Narrow, creasing back of shoulder, narrow	
	across the loins, swayed, too long or sun-fish shape.	
10.	Sides-Full, deep, carrying size well down and back,	6
	Objections—Too round or flat, shallow or thin at flank.	
11.	RIBS-Well sprung and long, carrying fullness and depth	
	well back,	7
	Objections—Too flat, or curve too short,	
12.	Loin—Broad, strong and full,	7
	Objections—Narrow and weak.	
13.	Belly—Wide and straight,	4
	Objections—Sagging; narrow.	
14.	FLANK-Well let down and full,	3
	Objections—Thin, tucked in or cut up too high.	
15.	HAM-Full, broad, deep, holding width and coming down	
	well over book,	10
	Objections-Narrow, short, too steep at rump, or cut up too	
	high in crotch.	
16.	Tail-Well set on, small, smooth and well tapered,	2

Objections—Coarse, too large or too prominent at root. 17. Limbs—Medium length, set well apart and well tapered. Bone firm and flinty; muscles full above knee and hock;	
pastern and foot both short,	7
Objections—Long, slim, coarse, crooked, muscles light, pas-	
tern long, slim or flat; foot long or sprawling.	
18 COAT—Fine, thick, and covering the body well,	3
Objections—Coarse, bristly, harsh, wiry.	
19. ACTION—Easy, prompt and graceful,	5
Objections—Dull, sluggish and clumsy.	
20. Symmetry—A harmonious combination of the foregoing	
Scale of Points,	5
Objections-Too much development in some points and lack-	
ing in others.	
PERFECTION, 100	0

Standard of Excellence for Chester White Swine, as adopted by The Chester White Record Association, W. H. Morris, Secretary, Indianapolis, Indiana; also by The National Association of Expert Judges on Swine, W. M. Lambing, Secretary, West Liberty, Iowa.

	SCALE	OF	POI	NTS	FO	R C	HES	TER	WH	ITE	SWI	NE.		
POINTS.													(COUNTS
1. H	lead and	face												4
2. E	yes,													2
3 E	ars,													2
4. N	eck,													2
	owl,													2
	$_{ m houlders}$													6
7. C	hest,													12
8. B	ack and	Loin	١,	3								. •		15
9. S	ides and	Ribs	,											8
10. B	elly and	Flar	ık,											6
11. H	am and	Rum	p,											10
	egs and i								. ,					10
13. T	ail,				,									1
14. C	oat,													2
15. C	olor,													2

CHESTER WHITE SWINE.	17
16. Size, .	
Perfection, 100	
DISQUALIFICATIONS.	
FORM: Upright ears; small, cramped chest; crease around bac of shoulders and over the back, causing a depression easily noticed feet broken down, causing the animal to walk on joints; deforme or badly crooked legs. SIZE: Chuffy or not two-thirds large enough for age. CONDITION: Squabby fat; deformed, seriously diseased; barrenness; total blindness. SCORE: Less than sixty points. PEDIGREE: Not eligible to record. COLOR: Black or sandy spots in hair.	1; d
DETAILED DESCRIPTION. POINTS. COUNT	s.
Objections—Large; upright; coarse; thick; round; too small; drooping too close to the face; animal not being	
able to control them. 4. Neck—Wide; deep; short and nicely arched,	2

not extending down to breast bone.

CHESTER WHITE SWINE

100

5.	. Jowl-Full; smooth; neat and firm; carrying fulness back	
	to shoulder and brisket when the head is carried up level.	6
	Objections-Light; too large and flabby; rough and deep-	
	ly wrinkled; not carrying fullness back to shoulder and	
	brisket.	
6.	. Shoulder-Broad, deep and full, extending in a straight	
	line with the side, and carrying size down to line of belly.	
	Objections-Narrow at top or bottom, not full nor same	
	depth as body; extending above line of back; shields	
	on boars too coarse and prominent.	
7.	. Chest-Large; deep and roomy so as not to cramp vital	
	organs; full in girth around the heart; the breast bone	
	extending forward so as to show slightly in front of legs,	
	and let down so as to be even with line of belly, showing	
	a width of not less than 7 inches between forelegs of a full	
		15
	Objections-Narrow; pinched; heart girth less than flank	
	girth; too far let down between forelegs; breast bone	
	crooked or too short.	
8.	BACK and LOIN—Back broad on top; straight or slightly	
	arched; uniform width; smooth; free from lumps or	
	rolls; shorter than lower belly line; same height and	
	width at shoulder as at ham; loin wide and full,	15
	Objections—Back narrow; creased back of shoulders; sun-	
	fished shape; humped; swayed; too long or lumpy	
	rolls; uneven in width; loin narrow, depressed or	
	humped.	
9.	Sides and Ribs-Sides full; smooth; deep; carrying size	
	down to belly; even with line of ham and shoulder; ribs	
	long: well sprung at top and bottom, giving hog a square	
	form,	8
	Objections-Flat; thin; flabby; compressed at bottom;	
	shrunken at shoulder and ham; uneven surface; ribs	
	flat and too short.	
10.	Belly and Flank-Same width as back; full, making a	
	straight line and dropping as low at flank as at bottom of	
	chest; line of lower edge running parallel with sides; flank	(*
	full and even with body,	6
	Objections—Belly narrow; pinched; sagging or flabby;	
	flank thin, tucked up or drawn in.	

- 11. HAM and RUMP—Ham broad; full; long; wide and deep; admitting of no swells; buttock full; neat and clean, thus avoiding flabbiness; stifle well covered with flesh, nicely tapering towards the hock; rump should have a slightly rounding shape from loin to root of tail; same width as back, making an even line with sides. . Objections-Ham narrow; short; not filled out to stifle; too much cut up in crotch or twist; not coming down to hock; buttocks flabby; rump flat, narrow, too long, too steep, sharp or peaked at root of tail. 12. Legs and Feet-Legs short; straight; set well apart and squarely under body; bone of good size; firm; well muscled; wide above knee and hock; below knee and hock round and tapering, enabling the animal to carry its weight with ease; pasterns short and nearly upright feet short, firm, tough and free from defects, Objections-Legs too short; long; slim; crooked; too coarse: too close together: weak muscles above hock and knee; bone large and coarse, without taper; pasterns long; crooked, slim like a deer's; hoofs long, slim; weak; toes spreading, crooked or turned up. 13. Tail-Small; smooth; tapering, well set on; root slightly covered with flesh; carried in a curl, .
- Objections-Coarse; long; clumsy; set too high or too low, hanging like a rope.
- 14. COAT—Fine; straight or wavy; evenly distributed and covering the body well; nicely clipped coats no objection. Objections—Bristles; hair coarse; thin; standing up; not evenly distributed over all the body except the belly.
- 15. Color-White (blue spots or black specks in skin shall not argue impurity of blood), Objection's-Color any other than white.
- 16. Size-Large for age and condition; boars two years old and over, if in good flesh, should weigh not less than 500 lbs. Sows same age and condition, not less than 450 lbs. Boars 18 months old in good flesh should weigh not less than 400 pounds. Sows, 350. Boars twelve months old not less than 300 pounds; sows 300. Boars and sows 6 months old, not less than 150 bs each, and other ages in proportion, ... Objections—Overgrown; coarse; uncouth; hard to fatten.

ACTION and STYLE--Action easy and graceful; style attractive; high carriage; in males testicles should be readily

seen; same size and carriage,

walk; in males testicles not easily seen; not of same	
size or carriage, or only one showing.	
18. Condition—Healthy; skin clear and bright; free from	
scurf and sores; flesh fine and mellow to the touch; even-	
ly laid on and free from lumps; good feeding qualities, .	4
Objections—Unhealthy; skin scaly, scabby or harsh; flesh	
lumpy or flabby; hair harsh, dry and standing up from	
body; poor feeders; total deafness.	
19. DISPOSITION—Quiet; gentle and easily handled; with am-	
bition enough to look out for themselves if neglected,	3

Objections-Cross; restless; vicious or wild; no ambition.

PERFECTION,

Objections-Sluggish; awkward low carriage; wabbling

DUROC-JERSEY SWINE.

Standard of Excellence for Duroc-Jersey Swine, as adopted by the American Duroc-Jersey Swine Breeders' Association, S. E. Morton, Secretary, Camden, Ohio; by the National Duroc-Jersey Record Association, R. J. Evans, Secretary, El Paso, Illinois; and by the National Association of Expert Judges On Swine W. M. Lambing, Secretary, West Liberty, Lowa.

SCALE OF POINTS FOR DUROC-JERSEY SWINE.

SCALE OF	POI	IA 12	FUR	50	ROC	-JER	3 K. Y	SWIINE.	
POINTS.									COUNTS.
1. Head and Fac	e,								. 4
2. Eyes, .									2
3. Ears, .									. 2
4. Neck,									2
5. Jowl, .									. 2
6. Shoulders, .	•	•							6
7. Chest, .									. 12
8. Back and Loir	1, .								15
9. Sides and Rib	s,								. 8
10. Belly and Flan	ak, .								6
11 Ham and Run	ъ,								. 10
12. Legs and Feet									10
13. Tail,									. 1
14. Coat,									2
15. Color, .									. 2
16. Size,						-			9
17. Action and St	yie.				٠				. 4
18. Condition, .									4
19. Disposition,	•								. 5
			PER	FEC	TION	Γ, .			100

DISQUALIFICATIONS.

FORM: Ears standing erect; small cramped chest and crease back of shoulders and over back so as to cause a depression in the back easily noticed; seriously deformed legs, or badly broken down feet.

SIZE: Very small, or not two-thirds large enough as given by the standard.

Score: Less than fifty points.

PEDIGREE: Not eligible to record.

POL	DETAILED DESCRIPTION.	TS
1.	HEAD AND FACE—Head small in proportion to size of body;	
	wide between eyes; face nicely dished (about half way be-	
	tween a Poland-China and a Berkshire) and tapering well	
	down to the nose; surface smooth and even,	4
	Objections-Large and coarse; narrow between the eyes;	
	face straight; crooked nose, or too much dished.	
2.	EYES—Lively, bright and prominent,	6
	Objections—Dull, weak and obscure.	
3.	EARS-Medium; moderately thin; pointing forward, down-	
	ward and slightly outward, carrying a slight curve, at-	
	tached to head very neatly,	6
	Objections-Very large; nearly round; too thick; swinging	
	or flabby; not of same size; different position and not	
	under control of animal.	
4.	NECK-Short, thick, and very deep and slightly arching, .	6
	Objections-Long, shallow and thin.	
5.	Jown-Broad, full and neat; carrying fullness back to point	
	of shoulders and on a line with breast bone,	6
	Objections-Too large, loose and flabby, small, thin and	
	wedging.	
6.	Shoulders—Moderately broad; very deep and full; carry-	
	ing thickness well down and not extending above line of	
	back,	(
	Objections-Small; thin; shallow; extending above line of	
	back. Boars under one year old heavily shielded.	
7.	CHEST-Large; very deep; filled full behind shoulders;	
	breast-bone extending well forward so as to be readily	
	seen,	1:
	Objections-Flat, shallow, or not extending well down be-	
	tween forelegs.	
8.	BACK AND LOIN-Back medium in breadth; straight or	
	slightly arching; carrying even width from shoulder to	
	ham; surface even and smooth,	18
	Objections-Narrow; creased behind shoulders; swayed or	
	humped backed.	
9.	SIDES AND RIBS—Sides very deep; medium in length; level	
	between shoulders and hams and carrying out full down	
	to line of belly. Ribs long, strong and sprung in propor-	
	tion to width of shoulders and hams,	-

	Objections-Flabby, creased, shallow and not carrying	
	proper width from top to bottom.	
10.	BELLY AND FLANK-Straight and full and carrying well out	
	to line of sides. Flank well down to lower line of sides, .	6
	Objections-Narrow; tucked up or drawn in; sagging or	
	flabby.	
11.	HAMS AND RUMP-Broad, full and well let down to the	
	hock; buttock full and coming nearly down and filling	
	full between hocks. Rump should have a round slope,	
	from loin to root of tail; same width as back and well	
	filled out around tail,	10
•	Objections-Ham narrow; short; thin; not projecting well	
	down to hock; cut up too high in crotch. Rump narrow;	
	flat or peaked at root of tail; too steep.	
12.	LEGS AND FEET-Medium size and length; straight; nicely	
	tapered; wide apart and well set under the body; pas-	
	terns short and strong. Feet short, firm and tough,	10
	Objections—Legs extremely long, or very short; slim;	
	coarse; crooked; legs as large below knee and hock as	
	above; set too close together; hocks turned in or out of	
	straight line. Feet-hoofs long, slim and weak; toes	
	spreading or crooked.	
13.	Tail—Medium; large at base and nicely tapering and	
	rather bushy at end,	1
	Objections—Extremely heavy; too long and ropy.	
14.	COAT-Moderately thick and fine; straight, smooth and	
	covering the body well,	2
	Objections—Too many bristles; hair coarse, harsh and	
	rough; wavy or curly; swirls, or not evenly laid over the	
	body,	
15.		2
	Objections—Very dark red or shading brown; very pale	
	or light red; black spots over the body; black flecks on	
	belly and legs not desired but admissable.	
16.	Size—Large for age and condition. Boars two years old	
	and over should weigh 600 pounds; sows same age and	

condition, 500 pounds. Boars, eighteen months, 475 pounds; sows, 400 pounds. Boars, twelve months, 350 pounds; sows, 300 pounds; Boar and sow pigs six months, 150 pounds. These figures are for animals in a fair show

conditio	en					5
v	-Rough and e	oarse and lacl	king in f	eeding o	quali-	
ties.						
17. ACTION A	ND STYLE—Ac	tion vigorous	and anii	nated.	Style	
free and						
. Objections-	-Dull or stu	oid; awkwar	d and v	vabbling	g. In	
boars te	esticles not eas	ily seen nor of	f same size	e or carr	iage;	
too larg	e or only one s	showing.				
18. Conditio	N—Healthy;	skin free fre	om any s	curf, s	cales,	
sores an	d mange; fles	h evenly laid	over_the	entire	$\operatorname{bod}\mathbf{y}$	
and free	e from any lu	mps,				4
Objections-	-Unhealthy;	scurfy; se	caley; so	res; in:	ange;	
too fat i	for breeding p	ourposes; hai	ir harsh a	ind star	ading	
up; poc	or feeders.	•				
19. DISPOSITI	on-Very qui	et and gentl	e; easily	handle	ed or	
driven,						3
Objections-	−Wild,″vicious					
		DEDBERGMYO	ar.			100
		Perfection	IN , -		-	TOO

ESSEX SWINE.

. Standard of Excellence for Essex Swine, as adopted by the American Essex * Association, F. M. Srout, Secretary, McLean, Illinois.

SCALE OF POINTS FOR ESSEY SWINE

age	e,			
age	e,			
age	e,			
age	e,			
				•
			•	
to e	eac	sh c	othe	er,
		to eac	to each o	to each oth

POLAND-CHINA SWINE.

Standard of Excellence for Poland-China Swine, as adopted by the National Poland-China Breeders' Association, E. C. Rouse, Secretary, Albion, Michigan. Also by the Ohio Poland-China Record Company, Carl Freigau, Secretary, Dayton, Ohio. Also by the American Poland-China Record Company, W. M. McFadden, Secretary, West Liberty, Iowa. Also by the Standard Poland-China Record Association, George F, Woodworth, Secretary, Maryville, Missouri. Also by the Northwestern Poland-China Record Association J. B. Besack, Secretary, Washington, Kansas.

SCALE OF POINTS FOR POLAND-CHINA SWIN	E.	COUNTS
1. Color—Dark spotted or black,		3
2. Head—Small, broad, face slightly dished, .		5
3. Ears—Fine and drooping,		2
4. Jowl—Neat and full,		2
5. Neck—Short, full, slightly arched,		3
6. Brisket—Full,		3
7. Shoulder—Broad and deep,		6
8. Girth around heart,		10
9. Back—Straight and broad,		7
10. Loin—Broad and strong,		7
11. Sides—Deep and full, ,		6
12. Ribs—Well sprung,		7
13. Belly—Wide and straight,		. 4
14. Flank—Well let down,		3
15. Ham—Broad, full and deep,		10
16. Tail—Tapering and not coarse,		2
17. Limbs—Strong, straight and tapering,		$\frac{7}{3}$
18 Coat—Thick and soft,		
19. Action—Prompt, easy and graceful,	1.	5
20. Symmetry—Adaptation of the several points to ϵ	each	
other,	•	5
Perfection,	-	100

DISQUALIFICATIONS.

CONDITION: Excessive fatness; barren; deformed; unsound or diseased; ridgling or one-seeded. More than one-half white or sandy.

Score: A score of less than sixty of the standard.

PEDIGREE: Lack of eligibility to record.

	DETAILED DESCRIPTION.	TS.
	COLOR—Black or dark spotted with white points. (Sandy	
1.	spots and speckled color shall not argue impurity of blood,	1)
	but are not desirable)	3
	Objections—Solid black or with more sandy or white than black hairs over body.	
2.	HEAD—Short, broad between the eyes and nicely tapering from eyes to point of nose; face slightly dished; cheeks	
	full,	
	Objections—Head coarse, long and narrow; face too much dished; snout coarse and thick.	
3	EARS—Drooping, fine and silky; pointing forward and a	
0	little outward; well proportioned to size of body,	2
	Objections—Too large and coarse; thick, lopping; lying	
	too near the face; stiff, erect or too round.	
4	Jowl-Full, firm and neat; carrying fullness well back to	
4.	shoulder and brisket,	.)
	Objections—Flabby; light; too thin in cheeks; tucking up	
	under the neck.	
۰ ـ و		•)
Э.	NECK—Full, deep, short and slightly arched,	,,
	Objections—Long; flat; lacking in fullness or depth.	
6.	Brisket-Full; well let down, extending well forward and	:1
	on line of the belly,	,
	Objections—Narrow or tucked up.	
4.	Shoulders—Broad, deep; thickness in proportion to the	
	sides and hams; full and even on top,	(
	Objections—Lacking in depth or width, thick beyond the	
	line of the sides and hams; blade too prominent.	
8.	GIRTH AROUND HEART—Full back of shoulders; ribs ex-	
	tending well down, wide and full back of forelegs,	10
	Objections—Less than flank measure or length of body from	
	top of head to root of tail, or creased back of shoulders,	
9.	BACK-Broad, straight or slightly arched carrying width	
	well back to hams and of medium length,	7
	ObjectionsNarrow; creasing back of shoulder; narrow	
	across the loins; swayed; too long; sunfish shape.	
10.	Lotn—Broad, strong and full,	7
	Objections—Narrow; weak.	
11.	Sides—Full, deep, carrying size well down and back, Objections—Too round or flat; shallow or thin at the flank,	•

12. RIBS-Well sprung and long, carrying fullness and depth
well back,
ObjectionsToo flat; curve of rib too snort.
13. Belly—Wide and straight,
Objections—Sagging; narrow.
14. Flank-Well let down and full,
Objections-Thin, tucked in, cut up too high.
15. Ham-Full, broad, deep, holding width and coming down
well over hock,
Objections-Narrow, short, too deep at the rump and cut up
too high in crotch.
16. Tail—Well set on, small, smooth and tapering, 2
Objections—Coarse, large, too prominent at the root.
17. Limbs—Medium length, well set apart and well tapered,
bone firm and flinty, not coarse, muscles full above knee
and hock, pastern short, foot short,
ObjectionsLong, slim, coarse, crooked, muscles light, pas-
tern long, slim or flat, feet long or sprawling.
18. Coat—Fine, thick and covering the body well, 3
ObjectionsCoarse, bristly, harsh, and wiry.
19. Action—Easy, prompt, fine and graceful,
ObjectionsDull, sluggish, clumsy.
20. Symmetry—A harmonious combination of the foregoing
scale of points,
Objections—Too much developed in some points and lack-
ing in others.
Perfection, 100
SERIOUS OBJECTIONS.
FORM-Small growth; upright ears; small, cramped chest;
granse back of the shoulders so as to be readily seen; deformed

crease back of the shoulders, so as to be readily seen; deformed and badly crooked legs; feet broken down so that the animal walks on pastern joint and dew claws.

Standard of Excellence for Poland-China Swine, as adopted by the Central

Poland China Record Association,	W. H. MO.	rris, secretar	y, mananapo	ns, maiana;
also by the National Association of	ExpertJu	ıdgeş on Swin	e, W. M. Lam	bing, Secre-
tary, West Liberty, Iowa.	,			
SCALE OF POINTS	FOR PO	LAND-CHI	NASWINE	
POINTS.				COUNTS.
1. Head and Face, .				. 4

2. Eyes, 3. Ears, 4. Neck, 5. Jowl, 6. Shoulders, 7. Chest, 8. Back and Loin 9. Sides and Ribs, 10. Belly and Flan 11. Hair and Rump 12. Legs and Feet, 13. Tail, 14. Coat, 15. Color, 16. Size, 17. Action and Sty 18. Condition, 19. Disposition,	k,												2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
19. Disposition,	•	*			•		•		•					
			Pei UA	CE I	СП	U,V.	7	_			-	-	100	
shoulders and over easily noticed; defo so that the animal SIZE: China bui SIZE: China bui diseased; total blin fat or loose and wri	rme wall ld, e essiv dne nkle	ed o or i re f ss, ed s	or ba on p not atno cau skin	adliast two ess sed ov	y cr ern)-th ; ba by	ool joi ird ird rre def	ted nts s la nne 'ect	leg rge ess; ive	s ; en del	feet oug fors	h f ned	okei or a L; se	n dow ge. erious	n, ly
Score: Less tha Pedigree: Not	n si elig	gibl	le to	int re	S.			. 674						
SCORE: Less that PEDIGREE: Not POINTS. 1. HEAD AND FACE	elig ET E—F	gibl All Lea	le to LEE id s	re D hor	s. cor ES t a	d. CR nd	PT Wie	10 de ;	ch	eek sn	sft	ıll;	coun'	rs.
SCORE: Less that PEDIGREE: Not POINTS.	eligoner E—I ad I ; ta I I trac ligh	all All Hea nigl per urf ong etec t a	le to LEC d s h an face g; n l; le	o re loo p loo p fr ev ari owe	s. cor ES ta vide om en cow er ja	d. CR nd e; f ey nd ; c two	vicace es to acce	de; sho o p gula se; end	chort; point, for ing	sn ehe be;	s fu toot f n end yon	ill; ch; lose low d up	coungiaws wide and coungrand pper; arse,	

3. Ears—Small; thin; soft; silky; attached to the head by a

POLAND-CHINA SWINE.

121

short and small knuck; tips pointing forward and slightly	
outward, and the forward half drooping gracefully; fully	
under control of animal; both of same size, position and	
shape,	2
Objections—Large; straight; stiff; coarse; thick; round;	
long or large knuck; dropping close to face; swinging and	
flabby; difference in form, size or position.	
4. Neck-Wide; deep; short, and nicely arched at top, from	
poll of head to shoulder,	2
Objections-Long; narrow; thin; flat on top; not extend-	
ing down to breast bone; tucked up.	
5. Jowl-Full; broad; deep; smooth, and firm; carrying full-	
ness back near to point of shoulders, and below line of	
lower jaw, so that lower line will be as low as breast bone	
when head is carried up level,	2
Objections-Light; flabby; thin; wedge shaped; deeply	
wrinkled; not drooping below line of lower jaw, and not	
carrying fullness back to shoulder and brisket.	
6. Shoulders—Broad; deep and full; not extending above	
line of back, and being as wide on top as back; carrying	
size down to line of belly, and having good lateral width,	6
Objections-Narrow; not same depth as body; narrow at top	
or bottom or extending above line of back; less than body	
in breadth at top or bottom portions, or lacking in lateral	
width; shields on boars under eight months of age, or	
large, heavy shields, on hogs under eighteen months of	
age.	
7. CHEST-Large; wide; deep; roomy, indicating plenty of	
room for vital organs, and making a large girth just back	
of shoulders; the breast bone extending forward so as to	
show slightly in front of legs, and extending in a straight	
line back to end of breast bone; showing a width of not	
less than six inches between forelegs in a large full grown	
	12
Objections—Flat; pinched; narrow at top or bottom; drawn	
or tucked underneath between forelegs or at either end of	
breast bone; breast bone crooked or not extending	
slightly in front of forelegs.	
8. Back and Loin-Broad; straight; or slightly arched; car-	
rying same width from shoulder to ham; surface even;	

smooth, free from lumps, creases or projections; not too long, but broad on top, indicating well sprung ribs; should not be higher at hip than at shoulder, and should fill out at junction with side, so that a straight-edge placed along top of side will touch all the way from point of shoulder to point of ham; should be shorter than lower belly line, 15

- Objections—Narrow; creased back of shoulders; swayed or hollow; dropping below a straight line; humped or wrinkled; too long, or sunfish shaped; loin high, narrow, depressed, or humped up; surface lumpy, creased, ridgy or uneven; width at sides not as much as shoulder and ham.
- 9. Sides and Ribs—Sides full; smooth; firm and deep; earrying size down to belly and evenly from ham to shoulder; ribs long, strong, well sprung at top and botton, . . .

Objections—Flat; thin; flabby; pinched; not as full at bottom as top; drawn in at shoulders so as to produce a crease, or pinched and tucked up, and in, as it approaches the ham; lumpy or uneven surface; ribs flat or too short.

10 Belly and Flank—Wide, straight and full, and dropping as low at flank as bottom of chest, back of foreleg, making a straight line from forelegs to hindlegs; flank full and out even with surrounding portions of body; the belly at that point dropping down on a line with lower line of chest; the loose skin connecting ham and belly, being on line even with bottom of side.

Objections—Belly narrow; pinched; sagging or flabby. Flank thin; tucked up or drawn in.

Objections—Ham narrow; short; thin; not projecting beyond and coming down to hock; cut up too high in crotch or twist; lacking in fullness at top or bottom; lacking in

	width from stifle straight back; lower fore part thin and flat; straight from root of tail to hock; buttocks light, thin or flabby. Rump flat, narrow and peaked at root of	
	tail; too steep.	
10	LEGS AND FRET—Legs medium length; straight; set well	
14.	apart and squarely under body; tapering; well muscled and wide above knee and hock; below hock and knee	
	round and tapering, capable of sustaining weight of animal in full flesh without breaking down; bone firm and	
	of fine texture; pasterns short and nearly upright. Feet	
	firm; short; tough and free from defects,	1
	Objections—Legs long; slim; coarse; crooked; muscles	
	small above hock and knee; bone large, coarse; as large	
	at foot as above knee; pasterns long, slim, crooked or	
	weak; the hocks turned in or out of straight line; legs	
	too close together; hoofs long, slim and weak; toes spread-	
	ing or crooked, or unable to bear up weight of animal	
	without breaking down.	
13	TAIL—Well set on; small, smooth, tapering, and carried in	
200	a curl,	
	Objections—Coarse; long; crooked, or hanging straight	
	down like a rope.	
14.	Coat-Fine; straight; smooth; laying close to and cover-	
	ing the body well; not clipped; evenly distributed over	
	body,	
	Objections—Bristles; hair coarse; harsh; thin; wavy or	
	curly; swirls; standing up; ends of hair split and brown;	
	not evenly distributed over all of the body except belly.	
	Clipped coats should be cut 1.5 points.	
15.	Color-Black, with white in face or on lower jaw; white	
	on feet and tip of tail, and a few small, clear white spots	
	on body not objectionable,	
	Objections-Solid black, more than one-fourth white; sandy	
	hairs or spots; a grizzled or speckled appearance.	
16.	Size—Large for age and condition; boars two years old and	
	over, if in good flesh, should not weigh less than 500 pounds. Sows same age and condition not less than 450	
	DOUGLES SOWS SHIPE HER PROPERTIES HOT LOSS THEN 430	

pounds. Boars eighteen months old, in good condition, not less than 400 pounds; sows, 350 pounds. Boars twelve months, not less than 300 pounds; sows, 300 pounds.

POLAND-CHINA SWINE.

	Boar and sows, six months, not less than 150 pounds.	
	Other ages in proportion,	5
	Objections—Overgrown; coarse; gangling, or hard to fatten	
	at any age.	
17.	ACTION and STYLE-Action vigorous; easy; quick and	
	graceful. Style, attractive; high carriage; and in males,	
	testicles should be of same size, carriage, readily seen, and	
	yet not too large,	4
	Objections—Slow; dull; clumsy; awkward; difficulty in	
	getting up when down; low earriage; wabbling walk.	
	In males, testicles not easily seen, not of same size or car-	
	riage, too large or only one showing.	
18.	Condition—Healthy; skin clear of scurf, scales, or sores;	
	soft and mellow to the touch; flesh fine, evenly laid on	
	and free from lumps or wrinkles. Hair soft and lying	
	close to body; good feeding qualities,	4
	Objections—Unhealthy; skin scaly, wrinkly, scabby or harsh;	
	flabbiness or lumpy flesh; too much fat for breeding.	
	Hair harsh, dry and standing up from body; poor feeders;	
•	deafness, partial or total.	
19.		3
	Objections—Cross, restless, vicious or wild.	
	Perfection, 1	00
	i Bitt Bollon, 1	vv

SMALL YORKSHIRE SWINE.

Standard of Excellence for Small Yorkshire Swine, as adopted by the Small Yorkshire Club, G. W. Harris, Secretary, 3410 Third Avenue, New York; also by the American Yorkshire Club, W. F. Wilcox, Secretary, 118 Highland Avenue, Minneapolis, Minn. [Slightly changed in arrangement for this publication.]

SCALE OF POINTS FOR SMALL YORKSHIRE SWINE.	
	OUNTS
A. Head,	15
B. Trunk, C. Hams,	30
C. Hams,	25
D. Shoulders,	10
E. Legs,	5 5
G Hair	5 5
E. Legs, F. Skin, G. Hair, H. General Appearance,	5
The second of th	
Perfection,	100
DETAILED DESCRIPTION.	
	OUNTS.
HEAD-FIFTEEN POINTS.	
1. SMALLER THE BETTER,	. 2
2. Nose—Shorter the better,	
3. DISH—Greater the better,	. 3
4. Width Between Ears—Greater the better,	
5. EARS SMALL, THIN, ERECT-More so the better, and m	ay
be pricked forward, but not lopped,	. 2
TRUNK-THIRTY POINTS.	
6. Top Line—Straighter the better, from shoulder to tail.	
7. Belly Line—The more level the better;	
8. GIRTH IN EXCESS OF LENGTH-More the better, if 1	
more than ten per cent.,	. 5
9. Depth—Greater the better,	. 5
10. WIDTH-Greater and evener the better, from shoulder	
ham,	
11. Loin—Broader the better,	. 3
12. FLANK—Deeper and fuller the better,	
13. I LANK—Deeper and runer the better,	

	SMALL YORKSHIRE SWINE. 1	27
	HAMS-TWENTY-FIVE POINTS.	
13.	LENGTH-Longer the better,	10
		10
		5
10.	SHOULDERS—TEN POINTS.	
10		5
	BREADTH—Broader the better,	5
		0
18.		U
	LEGS-FIVE POINTS.	
19.	Shorter the better,	8
	Straighter the better,	2
	SKIN—Smooth, flexible, fine—more so the better. Must not	
~1.	be too thin nor ridgy and coarse, nor show discolored spots	
	from old sores; not pale and ashy, but healthy in color	
00	and free from eruption,	5
	HAIR—Evener, finer, and thicker the better,	
23.	GENERAL APPEARANCE—Symmetry and evidence of vig-	
•	orous health,	5
	PERFECTION,	100
	DISCOUNTS AND DISQUALIFICATIONS.	
	DISCOUNT	s.
1.	Pedigree-Lack of registration or eligibility to be	
	registered discussifies 100 nois	ıts.
2.	Sterility—Inability to produce offspring disqual-	
	fies,	
ö.	qualifies,	66
1	DISEASE—Any evidence of, or tendency to disease,	
1.	disqualifies	4.6
	" - Scars of sores, discolored spots, eruptions,	
	excema; etc., 5 to 25	66
5.	COLORED HAIR—Disqualines,	66
6.	COLORED SPOTS—Dark spots in skin, 5 to 25 Size—Inordinate size, with coarseness of bone or	
1.	form,	6.6
8.		
	DISPOSITION—Savage or fierce nature, 5 to 10	6.6

SUFFOLK SWINE.

Standard of Excellence for Suffolk Swine, as adopted by the American Suffolk Association, W. F. Watson, Secretary, Winchester, Indiana.

SCALE OF POINTS FOR SUFFOLK SWINE.	
STAIC	COUN
i. Color—White,	. 2
2. Head—Small, broad and face dished,	
3. Ears—Fine, erect, slightly drooping with age.	
4. Jowl—Full and neat, 5. Neck—Short, full and slightly arched,	1
5. Neck—Short, full and slightly arched,	. ;
6. Shoulders—Broad and deep,	
7. Girth around heart,	
8. Back—Straight, broad and level,	
9. Sides—Deep and full,	. (
10. Ribs—Well sprung,	
1. Loin—Broad and strong,	
2. Flank—Well let down,	
3. Ham—Broad, full and deep,	
14. Tail—Medium, fine and curled,	
5. Legs –Fine, straight and tapering,	
6. Feet—Small,	6
7. Hair—Fine and silky, free from bristles,	
18. Action—Easy and graceful,	.1.
19. Symmetry—Adaptation of the several parts to each	
other,	. 10
PERFECTION	- 100

TAMWORTH SWINE.

Quite recently many specimens of the Tamworth breed of swine have been imported from England into the United States and Canada. At the time this book goes to press the Tamworth breeders have failed to organize an association of their own, although an attempt was made in Massachusetts. The following description from the Breeders' Gazette, October 18th, 1893, gives an excellent idea of the breed, especially as they appeared at the World's Fair, at Chicago:

"If the caricaturist were asked to describe this big, sandyhaired breed of swine as most of them appeared at the Columbian he would probably depict them as all snouts and slab-sides. And the caricature would be so near the truth as almost to miss being a caricature. As a matter of fact the Tamworths shown from Canada were the sensation of the swine show. They were sui generis and so suggestive in their conformation of the thoroughbred "hazel-splitter" as to be the butt of ridicule throughout the showing. It is said that the bacon curers of Canada are strongly urging these swine upon the Dominion pig-breeders. We can readily believe it, for the bacon-curer cares nothing for the hams or shoulders, and the Tamworths have little of either. He wants sides, and the Tams are literally "long" on sides, and deep also. They are tremendously high and deep-sided, remarkably light in hams and shoulders, and prodigiously prodigal of snout and ears. Lean side meat they grow in great quantity, but if it approaches in quality the finer-grained breeds our ideas of form as related to quality of flesh need revision. That such long-nosed, slab-sided swine can be easy feeders is a proposition which no amount of argument could force upon the grower of pigs for the American markets. Mr. Thomas Bennett, Rossville, Ill., was showing an entirely different type of Tamworths. Ten years ago he personally made an importation of this breed, selecting a shorter-legged, wider-backed, more compact type, and he has been improving them ever since, having imported another boar for this purpose about two years ago. The type he now shows is that most in fayor in American feed-lots, and as the judge, Mr. F. D. Coburn, was looking for the kind which more nearly meets modern ideas in pork-making, Mr. Bennett's pigs came in for chief recognition. The story of the showing is a brief one. Exhibitors were Thomas Bennett, Rossville, Ill.; James Calvert, Thedford, Ont., and John Bell, Amber, Ont."

VICTORIA SWINE.

Detailed description of Victoria Swine, as adopted by the Victoria Swine Breeders' Association, George F. Davis, Secretary, Dyer, Indiana, at their annual meeting, November, 1888, as an aid to Judges at Fairs, in place of the score card, and to assist breeders to establish uniformity.

DISQUALIFICATIONS.

Color: Other than white or creamy white, with occasional dark spots in skin.

FORM: Crooked jaws or deformed face; crooked or deformed legs; large, coarse, drooping ears.

CONDITION: Excessive fatness; barrenness; deformity in any part of the body.

PEDIGREE: Not eligible for record.

POINTS. DETAILED DESCRIPTION.

- 1. Color—White, with occasional dark spots in the skin.
- 2. HEAD AND FACE—Head rather small and neat. Face medium dished and smooth; wide between eyes; tapering from eyes to nose.
- 3. EYES-Medium size, prominent, bright; clear and lively in young and quiet expression in aged animals.
- 4. Ears—Small, thin, fine, silky; upright in young pigs, pointing forward and slightly outward in aged animals.
 - 5. NECK-Medium wide, deep, short, well arched and full at top.
- 6. Jown-Medium full, nicely rounded, neat and free from loose, flabby fat.
- 7. SHOULDERS—Broad, deep and full, not higher than line of back, and as wide as top of back.
- 8. CHEST—Large, wide, deep and roomy, with large girth back of shoulders.
- 9. Back and Loin—Broad, straight or slightly arched, carrying same width from shoulder to ham; level and full at loin; sometimes slightly higher at hip than at shoulders.
- 10. RIBS AND SIDES—Ribs well sprung at top; strong and firm; sides deep, full, smooth and firm; free from creases.
 - 11. Belly and Flank-Wide; straight and full; as low or slightly

lower at flank than at chest. Flank full and nearly even with sides.

- 12. Hams and Rump—Hams long; full and wide; nicely rounded; trim and free from loose fat. Buttocks large and full; reaching well down to hocks. Rump slightly sloped from end of loin to root of tail,
- 13. LEGS AND FERT—Legs short; set well apart and firm; wide above knee and hock tapering below. Feet firm and standing well up on toes.
 - 14. TAIL-Small; fine and tapering; nicely curled.
 - 15. COAT—Fine and silky; evenly covering the body.
- 16. Size—Boars two years old and over when in good condition should weigh not less than 500 pounds; sow same age and condition, 450 pounds. Boars twelve months old not less than 300 pounds; sows in good flesh 300 pounds. Pigs five to six months old 140 to 160 pounds.
 - 17. ACTION—Easy and graceful but quiet.
- 18. CONDITION—Healthy; skin clean, and white or pink in color; free from scurf; flesh firm and evenly laid on.
 - 19. DISPOSITION—Quiet and gentle.



SHETLAND PONIES.

Standard of Excellence for Shetland Ponies, as adopted by the American Shetland Pony Club, Mortimer Levering, Secretary, Lafayette, Indiana.

POII	SCALE OF POINTS FOR SHETLAND PONIES.		COUNTS
		,	
	Constitution,		10 25
	TT 3		10
	. Head,	•	10
	Legs,		25
6	Mane and Tail,	•	10
7	Feet,		10
	PERFECTION,	-	100
	DETAILED DESCRIPTION.		
POII			COUNTS.
1.	Constitution—Constitution indicated by general h		
	appearance, perfect respiration, brightness of eye	es,	10
2.	SIZE-Ponies over four years old, 42 inches and un	ider	in
	height; two points to be deducted for every inch	ove	r 42
	inches up to 46 inches, fractional portions to count		
	inches. Ponies over 46 inches in height ineligible t		
			_
	try,		. 25
3.	Head—Head symmetrical, size proportionate to bod		
	between the eyes, ears short and erect, jaw full an	d de	ep, 10
4.	Body-Barrel well rounded, back short and level	, d	eep
	chested, good breast, compact, "pony build".		. 10
5	Legs—Legs muscular, flat-boned, hind legs not cow-		ked
0.	or too crooked,		
	,		
6.	MANE AND TAIL—Foretop, mane and tail heavy, .		4.0
		•	. 10
7.	FEET-Good,		4.0
7.			. 10
7.	FEET-Good,		

MEASUREMENTS REQUIRED.

Height at	t wit	hers	in l	ine v	rith :	forel	eg,			Inches
Measuren	nent	of t	he g	irth	arou	nd h	eart,			Inches
Weight,										Pounds

N. B.—The following letter will be found to contain several valuable suggestions in regard to judging Shetland ponies:

AMERICAN SHETLAND PONY CLUB.

SECRETARY'S OFFICE, La Fayette, Iud., April 18, 1893.

FRANK A. LOVELOCK, ESQ.:

DEAR SIR:—In answer to your favor of 10th instant will say, the maximum height of ponies, as you will see by the rules, is 46 inches. The smaller the pony, if he is blocky and well formed, the higher he will be considered in class. Some of the finest Shetlands in the country, and the highest priced are from 28 to 31 inches high, and weigh about 200 pounds. The type of Shetland is as far from the thoroughbred horse type as possible to get. The pony must be square-built, strong, large limbs, small head and ears. All ponies on the thoroughbred type are undesirable. It is said the pure-bred Shetland cannot kick over eight inches from the ground. They are intended for children's pets, and we do not want to type a pony that can stand and kick a man's hat off, as can some of the Welch Exmoor ponies. Ponies of 44 to 45 inches high should weigh from 350 to 400 pounds.

Yours respectfully,

MORTIMER LEVERING, Secretary.

SHORT-HORN CATTLE.

A few days before this book went into the hands of the binder, the editor found on the agricultural page of the Philadelphia Public Ledger, the following standard of excellence for Short-Horn Cattle, as established by the Massachusetts State Board of Agriculture, for use at the Fairs of that State. Without wishing to criticise, the editor would say that he prefers for his own use the standard of excellence for Short-Horn Cattle as found on pages 44, 45 and 46 of this work.

SCALE OF POINTS FOR SHORT-HORN COW

SCALE	OF	POI	NT	s FO	RS	HO	RT	- H C	RN	CC	W.		
POINTS.													COUNTS.
1. Head, .													3
2. Face, .													2
3. Eye, .													2
4. Horns,													1
5. Neck, .													9
6. Chest.													14
6. Chest, 7. Brisket,													õ
8. Shoulder,													4
9. Crops, .													8
9. Crops, . 10. Back, Loin	and	Hip:	٥.										8
11. Rump, .													5
11. Rump, . 12. Pelvis,													22
13. Twist, .													3
14. Quarters,													5
15. Carcass, .													4
16. Flanks,													3
17. Legs, .													2
17. Legs, 18. Plates of th	е Ве	llv.											;;
19. Tail, .													2
20. Carriage,													2
21. Quality, .													15
22. Coat, '.													2
23. Udder,													3
]	PER:	FEC	TIC	Α.		-	-	-		100
		DET											
POINTS.		انان	~ · ·		UE	٠٠٠	- 17111	- 11	OIV				COUNTS.
1. HEAD-Smal	1 10	an a	ad 1	1611177	+.	120	nina	× + 0	+1,	٠		.1.	
2. Trans	1, 16	an al	iu i	юпу	, 6	rhe	1 1115		, (11t	2 11	Tuzz	are,	3
2. Face—Some													
light, delic	eate	color	*, .										. 2
3. EYES-Of g	reat	sign	nifie	uanes	٠. :	ind	sh	onl	a i	10	raro	min	ent.
					, ,			~	^		1,10	*** ***	

	bright and clear—"prominent" from an accumulation of	
	"adeps" in the back part of its socket, which indicates a	
	tendency to lay on fat, "bright" as an evidence of a good	
	disposition, "clear" as a guaranty of the animal's health;	
	whereas a dull, sluggish eye belongs to a slow feeder, and	
	a wild, restless eye betrays an unquiet, fitful temper,	
4.	Horns-Light in substance and waxy in color, and symmetri-	
	cally set on the head; the ear large, thin, and with con-	
	siderable action.	
5.	NECK-Rather short than long, tapering to the head, clean	
-	in the throat, and full at its base, thus covering and filling	
	out the points of the shoulders,	
6.	CHEST—Broad from point to point of the shoulders, deep	
	from the anterior dorsal vertebra to the floor of the ster-	
	num, and both round and full just back of the elbows,	
	sometimes designated by the phrase "thick through the	
	heart." These are unquestionably the most important	
	points in every animal, as constitution must depend on	
	their perfect development, and the ample room thus af-	
	forded for the free action of the heart and lungs,	1.
7.	BRISKET-However deep or projecting, must not be con-	_
• •	founded with capacity of chest, for though a very attrac-	
	tive and selling point, it, in reality, adds nothing to the	
	space within, however it may increase the girth without.	
	It is, in fact, nothing more nor less than a muscular adi-	
	pose substance, attached to the anterior portion of the	
	sternum, or breast bone, and thence extending itself back.	
	This form, however, of the brisket indicates a disposition	
	to lay on fat generally throughout the frame, and in this	
	point of view is valuable,	
8.	SHOULDER-Where weight, as in the Shorthorn, is the	
	object, should be somewhat upright and of good width at	
	the points, with the blade-bone just sufficiently curved to	
	blend its upper portion smoothly with the crops,	
9.	CROPS-Must be full and level with the shoulders and back,	
	and is, perhaps, one of the most difficult points to breed	
	right in a Shorthorn,	8
10.	BACK, LOIN AND HIPS-Should be broad and wide, forming	
	a straight and even line from the neck to the setting on of	
	the tail, the hips or hooks round and well covered,	8

11.	RUMPS-Laid up high, with plenty of flesh on their extremi-	
	ties,	5
12.	Pelvis-Should be large, indicated by the width of the hips	
	(as already mentioned) and the breadth of the twist,	2
13.	Twist-Should be so well filled out in its "seam" as to form	
	nearly an even and wide plain between the thighs,	3
14.	QUARTERS-Long, straight and well developed downwards,	5
15.	CARCASS-Round, the ribs nearly circular and extending	
	well back,	4
16.	Flanks-Deep, wide and full in proportion to condition, .	3
	LEGS-Short, straight and standing square with the body,	2
18.	PLATES-Of the belly strong, and thus preserving nearly a	
	straight underline,	3
19.	TAIL-Flat and broad at its root, but fine in its cord, and	
	placed high up and on a level with the rumps,	2
20.	CARRIAGE—Of an animal gives style and beauty; the walk	
	should be square and the step quick, the head up,	2
21.	QUALITY—On this the thriftness, the feeding properties and	
	the value of the animal depend; and upon the touch of	
	this quality rests, in a good measure, the grazier's and the	
	butcher's judgment. If the "touch" be good, some defi-	
	ciency of form may be excused; but if it be hard and stiff,	
	nothing can compensate for so unpromising a feature. In	
	raising the skin from the body, between the thumb and	
	finger, it should have a soft, flexible and substantial feel,	
	and when beneath the outspread hand it should move	
	easily with it, and under it, as though resting on a soft,	
	elastic, cellular substance; which, however, becomes	
	firmer as the animal ripens. A thin papery skin is objec-	
		15
55.	COAT-Should be thick, short and mossy, with longer hair	
	in winter, fine, soft and glossy in summer,	2
23.	UDDER-Pliable and thin in its texture, reaching well for-	
	ward, roomy behind, and the teats standing wide apart,	
	and of convenient size,	3
	PERFECTION,	.00
		00

THE BULL,

The points desirable in the females are generally so in the male,

but must, of course, be attended by that masculine character which is inseparable from a strong, yigorous constitution. Even a certain degree of coarseness is admissible, but then it must be so exclusively of a masculine description as never to be discovered in the females of his get.

In contradistinction to the cow, the head of the bull may be shorter, the frontal bone broader, and the occipital flat and stronger, that it may receive and sustain the horn, and this latter may be excused if a little heavy at the base, so its upward form, its quality and color be right. Neither is the looseness of the skin attached to and depending from the under jaw to be deemed other than a feature of the sex, provided it is not extended beyond the bone, but leaves the gullet and throat clean and free from dewlap.

The upper portion of the neck should be full and muscular, for it is an indication of strength, power and constitution. The spine should be strong, the bones of the loin long and broad, and the whole muscular system wide and thoroughly developed over the entire frame.

TUNIS OR BROAD-TAILED SHEEP.

Standard of Excellence for Tunis or Broad-Tailed Sheep, as adopted by the American Tunis Sheep Breeders' Association, G. A. Guilliams, President, and M. A. Bridges, Secretary, Fincastle, Indiana. [This standard was sent to the editor just as this book was ready for the binder, hence could not appear in the sheep department.]

department.]								
SCALE OF POINTS FO	RT	JNIS	OR BF	ROAE	-TAI	LED	SHE	
POINTS.								COUNTS.
1. Blood,					•			20
2. Constitution, .				*				15
3. Fleece,	•							10 10
4. Covering,								10
5. Form and Tail, .		•				•		12
6. Head and Ears, .				•				10
7. Neck,	•					•		5 6
8. Legs,		•		•			•	6
9. Size,		•						6
10. General Appearance.	,		•	•			•	0
	PER	RFECT	ION,	-	-			
DETA	ILE	DES	SCRIE	PTIC	N.			
POINTS.								COUNTS
1. Blood—Imported from	om T	$unis, \cdot$	or ha	ying	a p	erfec	t line	e of
ancestors extending	bacl	k to tl	ne floc	ek o	${f wne}$ d	and	brec	l by
Judge Richard Pe								
who received his fi								
them pure for more								
2. Constitution—Heals	thful	cour	itenai	ice,	lively	z loo	k, b	ead
erect, deep chest, ri	bs we	ell arc	hed, r	oune	d bo	dy w	ith g	ood
length. Strong, str	ea i ch	t baal	z + m 11	seles	fine	and	firm	15
3. FLEECE—Medium len								
ty, color tinctured	with	gray,	neve	er pu	ire w	hite.	E E	ren-
ness throughout,								. 10
4. Covering-Body and								
bare or slightly cov								
with fine hair, .								
5. FORM AND TAIL—Bo	dy s	traigl	t, bro	ad a	$\mathbf{n}\mathbf{d}$	well	pro	por-
	-							

	tioned. Small bone; breast wide and prominent in front.	
	Tail-the little end should be docked, leaving the fleshy	
	part fan shaped, or tapering; five to ten inches broad,	
	six or eight inches long and well covered with wool,	12
6.	HEAD AND EARS-Head small and hornless, tapering to end	
	of nose; face and nose clean, in color brown and white.	
	Ears broad, thin, pendulous, covered with fine hair; in	
	color brown to light fawn,	10
7.	NECK-Medium in length, well placed on shoulders; small	
	and tapering,	5
8.	LEGS-Short. In color, brown and white; slightly wooled	
	not objectionable,	6
9.	SIZE-In fair condition, when fully matured, rams should	
	welgh 150 pounds and upwards; ewes, 120 pounds and	
	upwards,	6
10.	GENERAL APPEARANCE—Good carriage; head well up;	
	quick elastic movements, showing symmetry of form and	
	uniformity of character throughout,	6
	Perfection	100

CONTENTS.


A.

Aberdeen-Angus Cattle.									PAGES. 10-14
Angora Goats,					٠		•		96 15 17
	В								
Berkshire Swine, .									99 103
	C								
Cheshire Swine, .									104-105
Chester-White Swine, . Cheviot Sheep, .	٠		٠				•		106 112
Cotswold Sheep,		•		٠		٠		•	58, 59 60.62
•	D.								
Devon Cattle,									18 20
Dorset-Horn Sheep, .									63
Duroc-Jersey Swine, .									113-116
Dutch-Belted Cattle, .		•		•		•			21-23
	E.								
Essex Swine,			•						117


G.	
ordered with the state of the s	4, 25 26 28
H.	•
	64,65
Highland Black Faced Sheep,	66 31
Holstein-Friesian Cattle,	32 36 56, 57
J.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	37-30
K.	
Kerry Cattle,	0, 41
L.	
Leicester Sheep,	67 8, 69
M.	
MERINO SHEEP, 70)-87
American Rambouillet Sheep Breeders' Association, Black Top Spanish Merino Sheep Breeders' Publishing	70, 71
	72, 78
	74, 75
· · · · · · · · · · · · · · · · · · ·	76-78
	79, 80 31, 82
National Merino Sheep Register Association,	86
New York State American Merino Sheep Breeders' Asso.,	87
Ohio Spanish Merino Sheep Breeders' Association,	87
	83, 84
	85, 86
Vermont Atwood Club Register,	87
Vermont Merino Sheep Breeders' Association,	87

	N.
Nomenclature for Bull, .	
Nomenclature for Cow, Nomenclature for Hog,	
Nomenciature for riog, .	
	Ο.
Oxford Down Sheep,	
	P.
Poland China Swine, .	
Polled Durham Cattle,	
Preface,	
	R.
Red Polled Cattle, .	
Reform in Judging at Fairs,	
	S.
Shetland Ponies, .	
Short-horn Cattle,	
Shropshire-down Sheep, Small-Yorkshire Swine,	
Small-Yorkshire Swine, Southdown Sheep,	
Suffolk Sheep,	
C1 00 11 C1 1	
Sussex Cattle,	
Swiss (Brown) Cattle, .	
-	Т.
Tamworth Swine,	
Tunis or Broad Tailed Sheep,	
	V.
Victoria Swine,	
	W.
West Highland Cattle, .	











			i.		
					•
1					
	•				1
A Mily w			100		
A					
				1	
103					
11-					
No.					
1.0					
	-				
	1				
	Establishment Control	Section of the second section is			

